Pille Harrison

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12178628/publications.pdf

Version: 2024-02-01

20 papers 3,258 citations

430874 18 h-index 752698 20 g-index

20 all docs

 $\begin{array}{c} 20 \\ \\ \text{docs citations} \end{array}$

20 times ranked

5998 citing authors

| # | Article | IF | Citations |
|----|---|-------------------|----------------------|
| 1 | Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. Nature Genetics, 2010, 42, 508-514. | 21.4 | 1,132 |
| 2 | Rheumatoid arthritis association at 6q23. Nature Genetics, 2007, 39, 1431-1433. | 21.4 | 361 |
| 3 | Clinical remission in patients with moderate-to-severe Crohn's disease treated with filgotinib (the) Tj ETQq1 1 0.7 The, 2017, 389, 266-275. | 784314 rg 13.7 | gBT /Overlock 353 |
| 4 | Genetic variants at CD28, PRDM1 and CD2/CD58 are associated with rheumatoid arthritis risk. Nature Genetics, 2009, 41, 1313-1318. | 21.4 | 306 |
| 5 | Efficacy and safety of filgotinib, a selective Janus kinase 1 inhibitor, in patients with active psoriatic arthritis (EQUATOR): results from a randomised, placebo-controlled, phase 2 trial. Lancet, The, 2018, 392, 2367-2377. | 13.7 | 159 |
| 6 | Rheumatoid arthritis susceptibility loci at chromosomes 10p15, 12q13 and 22q13. Nature Genetics, 2008, 40, 1156-1159. | 21.4 | 143 |
| 7 | Re-evaluation of putative rheumatoid arthritis susceptibility genes in the post-genome wide association study era and hypothesis of a key pathway underlying susceptibility. Human Molecular Genetics, 2008, 17, 2274-2279. | 2.9 | 131 |
| 8 | Combined effects of three independent SNPs greatly increase the risk estimate for RA at 6q23. Human Molecular Genetics, 2009, 18, 2693-2699. | 2.9 | 93 |
| 9 | Overlapping genetic susceptibility variants between three autoimmune disorders: rheumatoid arthritis, type 1 diabetes and coeliac disease. Arthritis Research and Therapy, 2010, 12, R175. | 3.5 | 92 |
| 10 | Reevaluation of the interaction between HLA–DRB1 shared epitope alleles, PTPN22, and smoking in determining susceptibility to autoantibodyâ€positive and autoantibodyâ€negative rheumatoid arthritis in a large UK Caucasian population. Arthritis and Rheumatism, 2009, 60, 2565-2576. | 6.7 | 86 |
| 11 | Identification of AF4/FMR2 family, member 3 (AFF3) as a novel rheumatoid arthritis susceptibility locus and confirmation of two further pan-autoimmune susceptibility genes. Human Molecular Genetics, 2009, 18, 2518-2522. | 2.9 | 78 |
| 12 | PADI4 genotype is not associated with rheumatoid arthritis in a large UK Caucasian population. Annals of the Rheumatic Diseases, 2010, 69, 666-670. | 0.9 | 73 |
| 13 | Association of CD40 with rheumatoid arthritis confirmed in a large UK case-control study. Annals of the Rheumatic Diseases, 2010, 69, 813-816. | 0.9 | 62 |
| 14 | Clinical Confirmation that the Selective JAK1 Inhibitor Filgotinib (GLPG0634) has a Low Liability for Drug-drug Interactions. Drug Metabolism Letters, 2016, 10, 38-48. | 0.8 | 49 |
| 15 | Effect of filgotinib, a selective JAK 1 inhibitor, with and without methotrexate in patients with rheumatoid arthritis: patient-reported outcomes. Arthritis Research and Therapy, 2018, 20, 57. | 3.5 | 42 |
| 16 | Confirmation of association of the REL locus with rheumatoid arthritis susceptibility in the UK population. Annals of the Rheumatic Diseases, 2010, 69, 1572-1573. | 0.9 | 32 |
| 17 | Influence of age and renal impairment on the steady state pharmacokinetics of filgotinib, a selective JAK1 inhibitor. British Journal of Clinical Pharmacology, 2018, 84, 2779-2789. | 2.4 | 23 |
| 18 | Investigating the viability of genetic screening/testing for RA susceptibility using combinations of five confirmed risk loci. Rheumatology, 2009, 48, 1369-1374. | 1.9 | 20 |

PILLE HARRISON

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The ITGAV rs3738919 variant and susceptibility to rheumatoid arthritis in four Caucasian sample sets. Arthritis Research and Therapy, 2009, 11, R152. | 3.5 | 14 |
| 20 | No evidence for association of the KLF12 gene with rheumatoid arthritis in a large UK cohort. Annals of the Rheumatic Diseases, 2010, 69, 1407-1408. | 0.9 | 9 |