

L Baseggio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1217898/publications.pdf>

Version: 2024-02-01

25
papers

659
citations

759233

12
h-index

713466

21
g-index

25
all docs

25
docs citations

25
times ranked

838
citing authors

#	ARTICLE	IF	CITATIONS
1	Crystal-storing histiocytosis in Bing-Neel syndrome. <i>Blood</i> , 2021, 137, 1000-1000.	1.4	1
2	Real-time targeted next-generation sequencing for lymphoma diagnosis over 1 year from the French Lymphoma Network. <i>British Journal of Haematology</i> , 2021, 193, 1110-1122.	2.5	8
3	Aspects biologiques et thérapeutiques des lymphomes de la zone marginale. <i>Revue Francophone Des Laboratoires</i> , 2021, 2021, 56-63.	0.0	0
4	The structural parameters and flags of the Sysmex XN ^à , ^ç analyser: Are they discriminative between reactive and malignant lymphocytosis in the context of lymphocyte counts above 5 ¹⁰ × 10 ⁹ /L in adults?. <i>International Journal of Laboratory Hematology</i> , 2021, 43, e261-e263.	1.3	1
5	New Insights into the Biology and Diagnosis of Splenic Marginal Zone Lymphomas. <i>Current Oncology</i> , 2021, 28, 3430-3447.	2.2	8
6	Unclassifiable Isolated Monoclonal Lymphocytosis: Comprehensive Description of a Retrospective Cohort. <i>Cancers</i> , 2019, 11, 1495.	3.7	0
7	Genetic characterization of B-cell prolymphocytic leukemia: a prognostic model involving MYC and TP53. <i>Blood</i> , 2019, 134, 1821-1831.	1.4	18
8	How should we diagnose and treat blastic plasmacytoid dendritic cell neoplasm patients?. <i>Blood Advances</i> , 2019, 3, 4238-4251.	5.2	72
9	Usefulness of CD ²⁰⁰ in the differential diagnosis of SDRPL, SMZL, and HCL. <i>International Journal of Laboratory Hematology</i> , 2018, 40, e59-e62.	1.3	19
10	A new approach for diagnosing chronic myelomonocytic leukemia using structural parameters of Sysmex XN TM analyzers in routine laboratory practice. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 159-164.	1.2	14
11	Efficacy of bendamustine and rituximab in splenic marginal zone lymphoma: results from the phase II BRISMA/IELSG36 study. <i>British Journal of Haematology</i> , 2018, 183, 755-765.	2.5	41
12	Splenic diffuse red pulp small B-cell lymphoma displays increased expression of cyclin D3 and recurrent CCND3 mutations. <i>Blood</i> , 2017, 129, 1042-1045.	1.4	52
13	Exome sequencing identifies recurrent BCOR alterations and the absence of KLF2, TNFAIP3 and MYD88 mutations in splenic diffuse red pulp small B-cell lymphoma. <i>Haematologica</i> , 2017, 102, 1758-1766.	3.5	54
14	CD ¹⁸⁰ overexpression in follicular lymphoma is restricted to the lymph node compartment. <i>Cytometry Part B - Clinical Cytometry</i> , 2016, 90, 433-439.	1.5	10
15	An 18F-FDG-PET maximum standardized uptake value > 10 represents a novel valid marker for discerning Richter's Syndrome. <i>Leukemia and Lymphoma</i> , 2016, 57, 1474-1477.	1.3	47
16	The ibrutinib B-cell proliferation inhibition is potentiated in vitro by dexamethasone: Application to chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2016, 47, 1-7.	0.8	9
17	Alarms and Parameters Generated by Hematology Analyzer: New Tools to Predict and Quantify Circulating Sezary Cells. <i>Journal of Clinical Laboratory Analysis</i> , 2015, 29, 153-161.	2.1	8
18	Mutational Status of Splenic Diffuse Red Pulp Small B-Cell Lymphoma Revealed By Whole Exome Sequencing. <i>Blood</i> , 2015, 126, 1448-1448.	1.4	0

#	ARTICLE	IF	CITATIONS
19	Long-term follow-up analysis of 100 patients with splenic marginal zone lymphoma treated with splenectomy as first-line treatment. <i>Leukemia and Lymphoma</i> , 2014, 55, 1854-1860.	1.3	83
20	Diagnostic des lymphocytoses hors LLC-typique. <i>Revue Francophone Des Laboratoires</i> , 2013, 2013, 93-102.	0.0	1
21	Pertinence of the Sysmex XE-5000â„¢ parameters: rule of slide review in a context of â€œnormalâ€™ lymphocyte count (defined from control and mantle cell lymphoma blood specimens). <i>International Journal of Laboratory Hematology</i> , 2013, 35, 510-516.	1.3	3
22	Cell-surface expression of the TLR homolog CD180 in circulating cells from splenic and nodal marginal zone lymphomas. <i>Leukemia</i> , 2013, 27, 1748-1750.	7.2	23
23	Relevance of a scoring system including CD11c expression in the identification of splenic diffuse red pulp small Bâ€cell lymphoma (SRPL). <i>Hematological Oncology</i> , 2011, 29, 47-51.	1.7	42
24	Simultaneous detection of clonal expansion of large granular lymphocytes and breast cancer in blood. <i>Leukemia Research</i> , 2010, 34, e304-e305.	0.8	1
25	Splenic red pulp lymphoma with numerous basophilic villous lymphocytes: a distinct clinicopathologic and molecular entity?. <i>Blood</i> , 2008, 111, 2253-2260.	1.4	144