Letteria Minutoli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12180834/publications.pdf

Version: 2024-02-01

44069 69250 7,051 133 48 77 citations h-index g-index papers 137 137 137 8188 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Reduction of oxidative stress blunts the NLRP3 inflammatory cascade in LPS stimulated human gingival fibroblasts and oral mucosal epithelial cells. Biomedicine and Pharmacotherapy, 2022, 146, 112525.	5. 6	9
2	Nutraceuticals: A New Challenge against Cadmium-Induced Testicular Injury. Nutrients, 2022, 14, 663.	4.1	19
3	Beneficial Effects of Polydeoxyribonucleotide (PDRN) in an In Vitro Model of Fuchs Endothelial Corneal Dystrophy. Pharmaceuticals, 2022, 15, 447.	3.8	5
4	NLRP3 Inflammasome: A New Pharmacological Target for Reducing Testicular Damage Associated with Varicocele. International Journal of Molecular Sciences, 2021, 22, 1319.	4.1	20
5	Health Potential of Aloe vera against Oxidative Stress Induced Corneal Damage: An "In Vitro―Study. Antioxidants, 2021, 10, 318.	5.1	16
6	The Nutraceutical N-Palmitoylethanolamide (PEA) Reveals Widespread Molecular Effects Unmasking New Therapeutic Targets in Murine Varicocele. Nutrients, 2021, 13, 734.	4.1	10
7	The Association of Myo-Inositol and Selenium Contrasts Cadmium-Induced Thyroid C Cell Hyperplasia and Hypertrophy in Mice. Frontiers in Endocrinology, 2021, 12, 608697.	3 . 5	10
8	A Flavonoid-Rich Extract from Bergamot Juice, Alone or in Association with Curcumin and Resveratrol, Shows Protective Effects in a Murine Model of Cadmium-Induced Testicular Injury. Pharmaceuticals, 2021, 14, 386.	3.8	24
9	Caspase 9 and Caspase 3 Immunohistochemical Pattern in Skeletal and Cardiac Muscles at Different Times after Death: An Experimental Study on PMI Estimation. Diagnostics, 2021, 11, 1062.	2.6	2
10	PDRN, a natural bioactive compound, blunts inflammation and positively reprograms healing genes in an "in vitro―model of oral mucositis. Biomedicine and Pharmacotherapy, 2021, 138, 111538.	5 . 6	13
11	Targeting Adenosine Receptor by Polydeoxyribonucleotide: An Effective Therapeutic Strategy to Induce White-to-Brown Adipose Differentiation and to Curb Obesity. Pharmaceuticals, 2021, 14, 728.	3.8	2
12	MAO-A Inhibition by Metaxalone Reverts IL- $1\hat{l}^2$ -Induced Inflammatory Phenotype in Microglial Cells. International Journal of Molecular Sciences, 2021, 22, 8425.	4.1	6
13	Cadmium-Induced Kidney Injury in Mice Is Counteracted by a Flavonoid-Rich Extract of Bergamot Juice, Alone or in Association with Curcumin and Resveratrol, via the Enhancement of Different Defense Mechanisms. Biomedicines, 2021, 9, 1797.	3.2	19
14	Beta-Caryophyllene Exhibits Anti-Proliferative Effects through Apoptosis Induction and Cell Cycle Modulation in Multiple Myeloma Cells. Cancers, 2021, 13, 5741.	3.7	15
15	Combined Treatment with Polynucleotides and Hyaluronic Acid Improves Tissue Repair in Experimental Colitis. Biomedicines, 2020, 8, 438.	3.2	14
16	The Role of NLRP3 Inflammasome in the Pathogenesis of Traumatic Brain Injury. International Journal of Molecular Sciences, 2020, 21, 6204.	4.1	64
17	Nutraceutical Effects of Lycopene in Experimental Varicocele: An "ln Vivo―Model to Study Male Infertility. Nutrients, 2020, 12, 1536.	4.1	23
18	Anti-obesity drug therapy in clinical practice: Evidence of a poor prescriptive attitude. Biomedicine and Pharmacotherapy, 2020, 128, 110320.	5.6	14

#	Article	IF	CITATIONS
19	Failure of Achieving Tacrolimus Target Blood Concentration Might Be Avoided by a Wide Genotyping of Transplanted Patients: Evidence from a Retrospective Study. Journal of Personalized Medicine, 2020, 10, 47.	2.5	2
20	PDRN, a Bioactive Natural Compound, Ameliorates Imiquimod-Induced Psoriasis through NF-κB Pathway Inhibition and Wnt/β-Catenin Signaling Modulation. International Journal of Molecular Sciences, 2020, 21, 1215.	4.1	21
21	\hat{l}^2 -Caryophyllene Inhibits Cell Proliferation through a Direct Modulation of CB2 Receptors in Glioblastoma Cells. Cancers, 2020, 12, 1038.	3.7	46
22	Protective Effects of Myo-Inositol and Selenium on Cadmium-Induced Thyroid Toxicity in Mice. Nutrients, 2020, 12, 1222.	4.1	33
23	Î ² -Caryophyllene Mitigates Collagen Antibody Induced Arthritis (CAIA) in Mice Through a Cross-Talk between CB2 and PPAR-Î ³ Receptors. Biomolecules, 2019, 9, 326.	4.0	49
24	Myo-inositol in the protection from cadmium-induced toxicity in mice kidney: An emerging nutraceutical challenge. Food and Chemical Toxicology, 2019, 132, 110675.	3.6	46
25	Post-Mortem Immunohistochemical Evidence of \hat{l}^2 2-Adrenergic Receptor Expression in the Adrenal Gland. International Journal of Molecular Sciences, 2019, 20, 3065.	4.1	10
26	Exploiting Curcumin Synergy With Natural Products Using Quantitative Analysis of Dose–Effect Relationships in an Experimental In Vitro Model of Osteoarthritis. Frontiers in Pharmacology, 2019, 10, 1347.	3.5	19
27	Effects of Myo-inositol Alone and in Combination with Seleno-Lmethionine on Cadmium-Induced Testicular Damage in Mice. Current Molecular Pharmacology, 2019, 12, 311-323.	1.5	19
28	Flavocoxid exerts a potent antiviral effect against hepatitis B virus. Inflammation Research, 2018, 67, 89-103.	4.0	10
29	Activation of the EPOR- \hat{l}^2 common receptor complex by cibinetide ameliorates impaired wound healing in mice with genetic diabetes. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2018, 1864, 632-639.	3.8	14
30	Neuroprotective Effects of Polydeoxyribonucleotide in a Murine Model of Cadmium Toxicity. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-9.	4.0	8
31	Flavocoxid, a Natural Antioxidant, Protects Mouse Kidney from Cadmium-Induced Toxicity. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-15.	4.0	30
32	Activation of A2A Receptor by PDRN Reduces Neuronal Damage and Stimulates WNT/ \hat{l}^2 -CATENIN Driven Neurogenesis in Spinal Cord Injury. Frontiers in Pharmacology, 2018, 9, 506.	3.5	39
33	Visfatin correlates with hot flashes in postmenopausal women with metabolic syndrome: effects of genistein. Endocrine, 2017, 55, 899-906.	2.3	12
34	BAY 11-7082 inhibits the NF-κB and NLRP3 inflammasome pathways and protects against IMQ-induced psoriasis. Clinical Science, 2017, 131, 487-498.	4.3	102
35	Effects of COX1-2/5-LOX blockade in Alzheimer transgenic 3xTg-AD mice. Inflammation Research, 2017, 66, 389-398.	4.0	37
36	Pharmacological Activity and Clinical Use of PDRN. Frontiers in Pharmacology, 2017, 8, 224.	3.5	87

3

#	Article	IF	CITATIONS
37	Lack of the Nlrp3 Inflammasome Improves Mice Recovery Following Traumatic Brain Injury. Frontiers in Pharmacology, 2017, 8, 459.	3.5	89
38	Antiosteoporotic Activity of Genistein Aglycone in Postmenopausal Women: Evidence from a Post-Hoc Analysis of a Multicenter Randomized Controlled Trial. Nutrients, 2017, 9, 179.	4.1	45
39	Survivin and NAIP in Human Benign Prostatic Hyperplasia: Protective Role of the Association of Serenoa repens, Lycopene and Selenium from the Randomized Clinical Study. International Journal of Molecular Sciences, 2017, 18, 680.	4.1	11
40	Cadmium-Induced Oxidative Stress Impairs Glycemic Control in Adolescents. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-6.	4.0	41
41	Modulation of Dkk-3 and claudin-5 as new therapeutic strategy in the treatment of meningiomas. Oncotarget, 2017, 8, 68280-68290.	1.8	4
42	Cadmium, Organ Toxicity and Therapeutic Approaches: A Review on Brain, Kidney and Testis Damage. Current Medicinal Chemistry, 2017, 24, 3879-3893.	2.4	110
43	ROS-Mediated NLRP3 Inflammasome Activation in Brain, Heart, Kidney, and Testis Ischemia/Reperfusion Injury. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-10.	4.0	365
44	Apoptotic Pathways Linked to Endocrine System as Potential Therapeutic Targets for Benign Prostatic Hyperplasia. International Journal of Molecular Sciences, 2016, 17, 1311.	4.1	33
45	ROS and Brain Gliomas: An Overview of Potential and Innovative Therapeutic Strategies. International Journal of Molecular Sciences, 2016, 17, 984.	4.1	104
46	Simvastatin prevents vascular complications in the chronic reactive oxygen species murine model of systemic sclerosis. Free Radical Research, 2016, 50, 514-522.	3.3	4
47	Polydeoxyribonucleotide, an Adenosine-A2A Receptor Agonist, Preserves Blood Testis Barrier from Cadmium-Induced Injury. Frontiers in Pharmacology, 2016, 7, 537.	3.5	40
48	Modulation of neuronal nitric oxide synthase and apoptosis by the isoflavone genistein in <i>Mdx</i> mice. BioFactors, 2015, 41, 324-329.	5.4	10
49	Role of Inhibitors of Apoptosis Proteins in Testicular Function and Male Fertility: Effects of Polydeoxyribonucleotide Administration in Experimental Varicocele. BioMed Research International, 2015, 2015, 1-9.	1.9	25
50	Blockade of the JNK Signalling as a Rational Therapeutic Approach to Modulate the Early and Late Steps of the Inflammatory Cascade in Polymicrobial Sepsis. Mediators of Inflammation, 2015, 2015, 1-7.	3.0	29
51	CO ₂ Pneumoperitoneum Preserves <i>\hat{l}^2</i> Arrestin 2 Content and Reduces High Mobility Group Box-1 (HMGB-1) Expression in an Animal Model of Peritonitis. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-7.	4.0	6
52	Epoetin Alpha and Epoetin Zeta: A Comparative Study on Stimulation of Angiogenesis and Wound Repair in an Experimental Model of Burn Injury. BioMed Research International, 2015, 2015, 1-9.	1.9	9
53	Cadmium delays puberty onset and testis growth in adolescents. Clinical Endocrinology, 2015, 83, 357-362.	2.4	36
54	A Dual Inhibitor of Cyclooxygenase and 5-Lipoxygenase Protects Against Kainic Acid-Induced Brain Injury. NeuroMolecular Medicine, 2015, 17, 192-201.	3.4	28

#	Article	IF	CITATIONS
55	NLRP3 Inflammasome Involvement in the Organ Damage and Impaired Spermatogenesis Induced by Testicular Ischemia and Reperfusion in Mice. Journal of Pharmacology and Experimental Therapeutics, 2015, 355, 370-380.	2.5	32
56	Corrigenda. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 763-763.	3.6	56
57	Levels of Heavy Metals in Adolescents Living in the Industrialised Area of Milazzo-Valle del Mela (Northern Sicily). Journal of Environmental and Public Health, 2014, 2014, 1-9.	0.9	27
58	Inhibitors of apoptosis proteins in experimental benign prostatic hyperplasia: effects of serenoa repens, selenium and lycopene. Journal of Biomedical Science, 2014, 21, 19.	7.0	40
59	Oxidative stress and DNA repair and detoxification gene expression in adolescents exposed to heavy metals living in the Milazzo-Valle del Mela area (Sicily, Italy). Redox Biology, 2014, 2, 686-693.	9.0	74
60	Genistein in the Metabolic Syndrome: Results of a Randomized Clinical Trial. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 3366-3374.	3.6	134
61	Adenosine receptor stimulation by polynucleotides (<scp>PDRN</scp>) reduces inflammation in experimental periodontitis. Journal of Clinical Periodontology, 2013, 40, 26-32.	4.9	39
62	Relaxin improves multiple markers of wound healing and ameliorates the disturbed healing pattern of genetically diabetic mice. Clinical Science, 2013, 125, 575-585.	4.3	43
63	Genistein and endothelial function in postmenopausal women with metabolic syndrome. European Journal of Clinical Investigation, 2013, 43, 1025-1031.	3.4	54
64	Effects of Serenoa Repens, Selenium and Lycopene (Profluss®) on chronic inflammation associated with Benign Prostatic Hyperplasia: results of "FLOG―(Flogosis and Profluss in Prostatic and Genital) Tj ETQα Society of Urology, 2013, 39, 214-221.	10 0 0 rgB	Γ/Qyerlock 1
65	Protective effects of melanocortins on short-term changes in a rat model of traumatic brain injury*. Critical Care Medicine, 2012, 40, 945-951.	0.9	31
66	Polydeoxyribonucleotide administration improves the intra-testicular vascularization in rat experimental varicocele. Fertility and Sterility, 2012, 97, 165-168.	1.0	23
67	Genistein aglycone, a soyâ€derived isoflavone, improves skin changes induced by ovariectomy in rats. British Journal of Pharmacology, 2012, 165, 994-1005.	5.4	58
68	Melanocortins as potential therapeutic agents in severe hypoxic conditions. Frontiers in Neuroendocrinology, 2012, 33, 179-193.	5.2	31
69	Melanocortin 4 Receptor Activation Protects Against Testicular Ischemia-Reperfusion Injury by Triggering the Cholinergic Antiinflammatory Pathway. Endocrinology, 2011, 152, 3852-3861.	2.8	25
70	Activation of adenosine A2A receptors by polydeoxyribonucleotide increases vascular endothelial growth factor and protects against testicular damage induced by experimental varicocele in rats. Fertility and Sterility, 2011, 95, 1510-1513.	1.0	30
71	Systemic administration of high-molecular weight hyaluronan stimulates wound healing in genetically diabetic mice. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2011, 1812, 752-759.	3.8	56
72	Effect of Serenoa repens, Lycopene, and Selenium on Proinflammatory Phenotype Activation: An In Vitro And In Vivo Comparison Study. Urology, 2011, 77, 248.e9-248.e16.	1.0	35

#	Article	IF	CITATIONS
73	Melanocortin 4 receptor stimulation decreases pancreatitis severity in rats by activation of the cholinergic anti-inflammatory pathway*. Critical Care Medicine, 2011, 39, 1089-1096.	0.9	50
74	Melanocortins protect against multiple organ dysfunction syndrome in mice. British Journal of Pharmacology, 2011, 162, 917-928.	5.4	23
75	Activation of adenosine A2A receptors restores the altered cell-cycle machinery during impaired wound healing in genetically diabetic mice. Surgery, 2011, 149, 253-261.	1.9	44
76	Melanocortin MC4 receptor agonists counteract late inflammatory and apoptotic responses and improve neuronal functionality after cerebral ischemia. European Journal of Pharmacology, 2011, 670, 479-486.	3.5	46
77	Treatment of cerebral ischemia with melanocortins acting at MC4 receptors induces marked neurogenesis and long-lasting functional recovery. Acta Neuropathologica, 2011, 122, 443-453.	7.7	51
78	Polydeoxyribonucleotide reduces cytokine production and the severity of collagenâ€induced arthritis by stimulation of adenosine A _{2A} receptor. Arthritis and Rheumatism, 2011, 63, 3364-3371.	6.7	76
79	High mobility group box-1 expression correlates with poor outcome in lung injury patients. Pharmacological Research, 2010, 61, 116-120.	7.1	36
80	Genistein Aglycone Does Not Affect Thyroid Function: Results from a Three-Year, Randomized, Double-Blind, Placebo-Controlled Trial. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3067-3072.	3.6	56
81	Protective effect of genistein aglycone on the development of osteonecrosis of the femoral head and secondary osteoporosis induced by methylprednisolone in rats. Journal of Endocrinology, 2009, 201, 321-328.	2.6	42
82	Effects of aglycone genistein in a rat experimental model of postmenopausal metabolic syndrome. Journal of Endocrinology, 2009, 200, 367-376.	2.6	54
83	Mitogen-activated protein kinase 3/mitogen-activated protein kinase 1 activates apoptosis during testicular ischemia–reperfusion injury in a nuclear factor-κB-independent manner. European Journal of Pharmacology, 2009, 604, 27-35.	3.5	18
84	Functional recovery after delayed treatment of ischemic stroke with melanocortins is associated with overexpression of the activity-dependent gene Zif268. Brain, Behavior, and Immunity, 2009, 23, 844-850.	4.1	31
85	Peroxisome Proliferator Activated Receptor \hat{l}^2/\hat{l}^2 Activation Prevents Extracellular Regulated Kinase 1/2 Phosphorylation and Protects the Testis From Ischemia and Reperfusion Injury. Journal of Urology, 2009, 181, 1913-1921.	0.4	33
86	Effects of the phytoestrogen genistein on hot flushes, endometrium, and vaginal epithelium in postmenopausal women. Menopause, 2009, 16, 301-306.	2.0	69
87	Polydeoxyribonucleotide (PDRN): A Safe Approach to Induce Therapeutic Angiogenesis in Peripheral Artery Occlusive Disease and in Diabetic Foot Ulcers. Cardiovascular and Hematological Agents in Medicinal Chemistry, 2009, 7, 313-321.	1.0	75
88	OPG and sRANKL Serum Concentrations in Osteopenic, Postmenopausal Women After 2-Year Genistein Administration. Journal of Bone and Mineral Research, 2008, 23, 715-720.	2.8	67
89	Polydeoxyribonucleotide stimulates angiogenesis and wound healing in the genetically diabetic mouse. Wound Repair and Regeneration, 2008, 16, 208-217.	3.0	117
90	Trehalose: A biophysics approach to modulate the inflammatory response during endotoxic shock. European Journal of Pharmacology, 2008, 589, 272-280.	3.5	61

#	Article	IF	Citations
91	Polydeoxyribonucleotide (PDRN) restores blood flow in an experimental model of peripheral artery occlusive disease. Journal of Vascular Surgery, 2008, 48, 1292-1300.	1.1	52
92	Simvastatin enhances VEGF production and ameliorates impaired wound healing in experimental diabetes. Pharmacological Research, 2008, 57, 159-169.	7.1	117
93	Breast Safety and Efficacy of Genistein Aglycone for Postmenopausal Bone Loss: A Follow-Up Study. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 4787-4796.	3.6	142
94	Polydeoxyribonucleotide improves angiogenesis and wound healing in experimental thermal injury. Critical Care Medicine, 2008, 36, 1594-1602.	0.9	45
95	VEGF overexpression via adenoâ€essociated virus gene transfer promotes skeletal muscle regeneration and enhances muscle function in mdx mice. FASEB Journal, 2007, 21, 3737-3746.	0.5	95
96	Effects of the Phytoestrogen Genistein on Some Predictors of Cardiovascular Risk in Osteopenic, Postmenopausal Women: A Two-Year Randomized, Double-Blind, Placebo-Controlled Study. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 3068-3075.	3.6	160
97	Effects of the Phytoestrogen Genistein on Bone Metabolism in Osteopenic Postmenopausal Women. Annals of Internal Medicine, 2007, 146, 839.	3.9	277
98	THE DISACCHARIDE TREHALOSE INHIBITS PROINFLAMMATORY PHENOTYPE ACTIVATION IN MACROPHAGES AND PREVENTS MORTALITY IN EXPERIMENTAL SEPTIC SHOCK. Shock, 2007, 27, 91-96.	2.1	48
99	Effects of the phytoestrogen genistein on hot flushes, endometrium, and vaginal epithelium in postmenopausal women. Menopause, 2007, 14, 648-655.	2.0	85
100	Involvement of mitogen-activated protein kinases (MAPKs) during testicular ischemia–reperfusion injury in nuclear factor-κB knock-out mice. Life Sciences, 2007, 81, 413-422.	4.3	17
101	Neuroprotection in focal cerebral ischemia owing to delayed treatment with melanocortins. European Journal of Pharmacology, 2007, 570, 57-65.	3.5	43
102	Lipid Peroxidation Inhibition Blunts Nuclear Factor-κB Activation, Reduces Skeletal Muscle Degeneration, and Enhances Muscle Function in mdx Mice. American Journal of Pathology, 2006, 168, 918-926.	3.8	105
103	Lipid Peroxidation Activates Mitogen-Activated Protein Kinases in Testicular Ischemia-Reperfusion Injury. Journal of Urology, 2006, 176, 1666-1672.	0.4	25
104	Nuclear factor kappa-B blockade reduces skeletal muscle degeneration and enhances muscle function in Mdx mice. Experimental Neurology, 2006, 198, 234-241.	4.1	128
105	Recombinant human erythropoietin improves angiogenesis and wound healing in experimental burn wounds*. Critical Care Medicine, 2006, 34, 1139-1146.	0.9	157
106	ACTIVATION OF THE CHOLINERGIC ANTI-INFLAMMATORY PATHWAY REDUCES NF-1ºB ACTIVATION, BLUNTS TNF-1: PRODUCTION, AND PROTECTS AGAINTS SPLANCHIC ARTERY OCCLUSION SHOCK. Shock, 2006, 25, 500-506.	± 2.1	91
107	Broad therapeutic treatment window of [Nle4, D-Phe7]î±-melanocyte-stimulating hormone for long-lasting protection against ischemic stroke, in Mongolian gerbils. European Journal of Pharmacology, 2006, 538, 48-56.	3.5	38
108	Both Early and Delayed Treatment with Melanocortin 4 Receptor-Stimulating Melanocortins Produces Neuroprotection in Cerebral Ischemia. Endocrinology, 2006, 147, 1126-1135.	2.8	106

#	Article	IF	CITATIONS
109	LIPID PEROXIDATION INHIBITION BY RAXOFELAST IMPROVES ANGIOGENESIS AND WOUND HEALING IN EXPERIMENTAL BURN WOUNDS. Shock, 2005, 24, 85-91.	2.1	27
110	Activation of an efferent cholinergic pathway produces strong protection against myocardial ischemia/reperfusion injury in rats*. Critical Care Medicine, 2005, 33, 2621-2628.	0.9	160
111	Inhibition of lipid peroxidation by IRFI 042, a vitamin E analogue, decreases monensin cardiotoxicity in chicks. Toxicology and Applied Pharmacology, 2005, 208, 137-144.	2.8	8
112	Evidence for a Role of Mitogen-Activated Protein Kinase 3/Mitogen-Activated Protein Kinase in the Development of Testicular Ischemia-Reperfusion Injury. Biology of Reproduction, 2005, 73, 730-736.	2.7	37
113	Protective Effects of Antioxidant Raxofelast in Alcohol-Induced Liver Disease in Mice. Pharmacology, 2005, 74, 6-14.	2.2	20
114	Lipid peroxidation triggers both c-Jun N-terminal kinase (JNK) and extracellular-regulated kinase (ERK) activation and neointimal hyperplasia induced by cessation of blood flow in the mouse carotid artery. Atherosclerosis, 2005, 178, 295-302.	0.8	18
115	Recombinant Human Erythropoietin Stimulates Angiogenesis and Wound Healing in the Genetically Diabetic Mouse. Diabetes, 2004, 53, 2509-2517.	0.6	174
116	Modulation of IL-1 \hat{l}^2 gene expression by lipid peroxidation inhibition after kainic acid-induced rat brain injury. Experimental Neurology, 2004, 188, 178-186.	4.1	32
117	Levetiracetam protects against kainic acid-induced toxicity. Life Sciences, 2004, 74, 1253-1264.	4.3	61
118	Protective effects of SP600125 a new inhibitor of c-jun N-terminal kinase (JNK) and extracellular-regulated kinase (ERK1/2) in an experimental model of cerulein-induced pancreatitis. Life Sciences, 2004, 75, 2853-2866.	4.3	52
119	Gene Transfer of ll°Bl°± Limits Infarct Size in a Mouse Model of Myocardial Ischemia-Reperfusion Injury. Laboratory Investigation, 2003, 83, 1097-1104.	3.7	30
120	Attenuated Cerulein-Induced Pancreatitis in Nuclear Factor–κB–Deficient Mice. Laboratory Investigation, 2003, 83, 1723-1732.	3.7	84
121	Crucial role of nuclear factor $\hat{\mathbb{P}}$ in neointimal hyperplasia of the mouse carotid artery after interruption of blood flow. Atherosclerosis, 2003, 166, 233-242.	0.8	32
122	Efferent Vagal Fibre Stimulation Blunts Nuclear Factor-κB Activation and Protects Against Hypovolemic Hemorrhagic Shock. Circulation, 2003, 107, 1189-1194.	1.6	286
123	Inhibition of nuclear factor-ÂB activation by IRFI 042, protects against endotoxin-induced shock. Cardiovascular Research, 2002, 54, 684-693.	3.8	54
124	The Phytoestrogen α-Zearalenol Reverses Endothelial Dysfunction Induced by Oophorectomy in Rats. Laboratory Investigation, 2001, 81, 125-132.	3.7	21
125	Oxidative stress causes nuclear factor-lºB activation in acute hypovolemic hemorrhagic shock. Free Radical Biology and Medicine, 2001, 30, 1055-1066.	2.9	67
126	Cardiovascular Effects of Raloxifene Hydrochloride. Cardiovascular Drug Reviews, 2001, 19, 57-74.	4.1	45

#	Article	IF	CITATIONS
127	Protective effects of Cyclosporin-A in splanchnic artery occlusion shock. British Journal of Pharmacology, 2000, 130, 339-344.	5.4	10
128	Tacrolimus Limits Polymorphonuclear Leucocyte Accumulation and Protects Against Myocardial Ischaemia– Reperfusion Injury. Journal of Molecular and Cellular Cardiology, 2000, 32, 429-440.	1.9	45
129	Cardioprotection by the phytoestrogen genistein in experimental myocardial ischaemia-reperfusion injury. British Journal of Pharmacology, 1999, 128, 1683-1690.	5.4	87
130	Effect of sulfatide on acute lung injury during endotoxemia in rats. Life Sciences, 1999, 65, 2541-2552.	4.3	8
131	Sulfatide reduces leucocyte accumulation and reverts vascular failure in splanchnic artery occlusion shock. European Journal of Pharmacology, 1998, 361, 101-108.	3.5	2
132	$17\hat{l}^2$ -oestradiol reduces cardiac leukocyte accumulation in myocardial ischaemia reperfusion injury in rat. European Journal of Pharmacology, 1997, 335, 185-192.	3.5	98
133	The involvement of tumour necrosis factor- \hat{l}_{\pm} in the protective effects of $17\hat{l}^2$ oestradiol in splanchnic ischaemia-reperfusion injury. British Journal of Pharmacology, 1997, 121, 1782-1788.	5.4	20