## Z F Ren

## List of Publications by Citations

Source: https://exaly.com/author-pdf/12182000/z-f-ren-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 132
 15,875
 52
 125

 papers
 citations
 h-index
 g-index

 134
 16,903
 7
 6.14

 ext. papers
 ext. citations
 avg, IF
 L-index

| #   | Paper  | IF              | Citations |
|-----|--|-----------------|-----------|
| 132 | Synthesis of large arrays of well-aligned carbon nanotubes on glass. <i>Science</i> , <b>1998</b> , 282, 1105-7  | 33.3            | 2077      |
| 131 | Bulk nanostructured thermoelectric materials: current research and future prospects. <i>Energy and Environmental Science</i> , <b>2009</b> , 2, 466                | 35.4            | 1448      |
| 130 | Perspectives on thermoelectrics: from fundamentals to device applications. <i>Energy and Environmental Science</i> , <b>2012</b> , 5, 5147-5162                    | 35.4            | 925       |
| 129 | Carbon nanotube/carbon fiber hybrid multiscale composites. <i>Journal of Applied Physics</i> , <b>2002</b> , 91, 6034-   | 6£0. <b>3</b> 7 | 635       |
| 128 | Interaction between carbon nanotubes and mammalian cells: characterization by flow cytometry and application. <i>Nanotechnology</i> , <b>2008</b> , 19, 1-10       | 3.4             | 584       |
| 127 | ZnO Nanobridges and Nanonails. <i>Nano Letters</i> , <b>2003</b> , 3, 235-238  | 11.5            | 582       |
| 126 | Enhanced thermoelectric figure of merit in nanostructured n-type silicon germanium bulk alloy. <i>Applied Physics Letters</i> , <b>2008</b> , 93, 193121           | 3.4             | 560       |
| 125 | Experimental studies on anisotropic thermoelectric properties and structures of n-type Bi2Te2.7Se0.3. <i>Nano Letters</i> , <b>2010</b> , 10, 3373-8               | 11.5            | 524       |
| 124 | Broadband ZnO single-nanowire light-emitting diode. <i>Nano Letters</i> , <b>2006</b> , 6, 1719-22   | 11.5            | 491       |
| 123 | Growth of a single freestanding multiwall carbon nanotube on each nanonickel dot. <i>Applied Physics Letters</i> , <b>1999</b> , 75, 1086-1088                     | 3.4             | 346       |
| 122 | Enhanced thermoelectric figure of merit of p-type half-Heuslers. <i>Nano Letters</i> , <b>2011</b> , 11, 556-60  | 11.5            | 326       |
| 121 | Preparation and photoabsorption characterization of BiFeO3 nanowires. <i>Applied Physics Letters</i> , <b>2006</b> , 89, 102506                                    | 3.4             | 305       |
| 120 | Superplastic carbon nanotubes. <i>Nature</i> , <b>2006</b> , 439, 281  | 50.4            | 303       |
| 119 | Photonic Crystals Based on Periodic Arrays of Aligned Carbon Nanotubes. <i>Nano Letters</i> , <b>2003</b> , 3, 13-18   | 11.5            | 251       |
| 118 | Field-emission studies on thin films of zinc oxide nanowires. <i>Applied Physics Letters</i> , <b>2003</b> , 83, 4821-4823   | B3.4            | 250       |
| 117 | Growth of highly oriented carbon nanotubes by plasma-enhanced hot filament chemical vapor deposition. <i>Applied Physics Letters</i> , <b>1998</b> , 73, 3845-3847 | 3.4             | 240       |
| 116 | Enhanced Field Emission of ZnO Nanowires. <i>Advanced Materials</i> , <b>2004</b> , 16, 2028-2032  | 24              | 230       |

| 115 | Effect of length and spacing of vertically aligned carbon nanotubes on field emission properties. <i>Applied Physics Letters</i> , <b>2003</b> , 82, 3520-3522                                 | 3.4                | 230 |
|-----|--|--------------------|-----|
| 114 | Increased phonon scattering by nanograins and point defects in nanostructured silicon with a low concentration of germanium. <i>Physical Review Letters</i> , <b>2009</b> , 102, 196803        | 7.4                | 228 |
| 113 | Receiving and transmitting light-like radio waves: Antenna effect in arrays of aligned carbon nanotubes. <i>Applied Physics Letters</i> , <b>2004</b> , 85, 2607-2609                          | 3.4                | 206 |
| 112 | Pairing Symmetry in Single-Layer Tetragonal Tl2Ba2CuO[IMAGE] Superconductors. <i>Science</i> , <b>1996</b> , 271, 329-332  | 33.3               | 199 |
| 111 | Atomic-scale imaging of wall-by-wall breakdown and concurrent transport measurements in multiwall carbon nanotubes. <i>Physical Review Letters</i> , <b>2005</b> , 94, 236802                  | 7.4                | 184 |
| 110 | High-yield synthesis of single-crystalline antimony telluride hexagonal nanoplates using a solvothermal approach. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 13792-3 | 16.4               | 174 |
| 109 | Field emission of zinc oxide nanowires grown on carbon cloth. <i>Applied Physics Letters</i> , <b>2004</b> , 85, 1407-14   | 10,94              | 161 |
| 108 | Modeling study of thermoelectric SiGe nanocomposites. <i>Physical Review B</i> , <b>2009</b> , 80,   | 3.3                | 160 |
| 107 | Large-quantity free-standing ZnO nanowires. Applied Physics Letters, 2003, 83, 2061-2063   | 3.4                | 157 |
| 106 | Effects of nanoscale porosity on thermoelectric properties of SiGe. <i>Journal of Applied Physics</i> , <b>2010</b> , 107, 094308  | 2.5                | 152 |
| 105 | Growth of aligned carbon nanotubes with controlled site density. <i>Applied Physics Letters</i> , <b>2002</b> , 80, 4018   | 3- <b>31.</b> 020  | 148 |
| 104 | Sonochemical synthesis of hierarchical ZnO nanostructures. <i>Ultrasonics Sonochemistry</i> , <b>2013</b> , 20, 395-40   | <b>10</b> 8.9      | 144 |
| 103 | Growth of large periodic arrays of carbon nanotubes. <i>Applied Physics Letters</i> , <b>2003</b> , 82, 460-462  | 3.4                | 133 |
| 102 | Nanoelectrode Arrays Based on Low Site Density Aligned Carbon Nanotubes. <i>Nano Letters</i> , <b>2003</b> , 3, 107  | '-10.9             | 127 |
| 101 | Unrestricted superlensing in a triangular two dimensional photonic crystal. <i>Optics Express</i> , <b>2004</b> , 12, 29   | 19 <del>.</del> 34 | 116 |
| 100 | High thermoelectric conversion efficiency of MgAgSb-based material with hot-pressed contacts. <i>Energy and Environmental Science</i> , <b>2015</b> , 8, 1299-1308                             | 35.4               | 114 |
| 99  | Physics and applications of aligned carbon nanotubes. <i>Advances in Physics</i> , <b>2011</b> , 60, 553-678   | 18.4               | 108 |
| 98  | Pure d x 2 - y 2 order-parameter symmetry in the tetragonal superconductor TI2Ba2CuO6+ $\square$ Nature , <b>1997</b> , 387, 481-483   | 50.4               | 108 |

| 97 | Surface phase separation in nanosized charge-ordered manganites. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 082508   | 3.4  | 108 |
|----|--|------|-----|
| 96 | Straight carbon nanotube Y junctions. <i>Applied Physics Letters</i> , <b>2001</b> , 79, 1879-1881   | 3.4  | 102 |
| 95 | Real-time observation of tubule formation from amorphous carbon nanowires under high-bias Joule heating. <i>Nano Letters</i> , <b>2006</b> , 6, 1699-705                                   | 11.5 | 101 |
| 94 | Global and local measures of the intrinsic Josephson coupling in Tl2Ba2CuO6 as a test of the interlayer tunnelling model. <i>Nature</i> , <b>1998</b> , 395, 360-362                       | 50.4 | 96  |
| 93 | Synthesis and photoluminescence studies on ZnO nanowires. <i>Nanotechnology</i> , <b>2004</b> , 15, 404-409  | 3.4  | 96  |
| 92 | Solubility study of Yb in n-type skutterudites YbxCo4Sb12 and their enhanced thermoelectric properties. <i>Physical Review B</i> , <b>2009</b> , 80,                                       | 3.3  | 92  |
| 91 | Giant field enhancement at carbon nanotube tips induced by multistage effect. <i>Applied Physics Letters</i> , <b>2005</b> , 87, 053110  | 3.4  | 92  |
| 90 | Field emission of carbon nanotubes grown on carbon cloth. <i>Applied Physics Letters</i> , <b>2004</b> , 85, 810-812   | 3.4  | 82  |
| 89 | Formation of Super Arrays of Periodic Nanoparticles and Aligned ZnO Nanorods (Simulation and Experiments. <i>Nano Letters</i> , <b>2004</b> , 4, 2037-2040                                 | 11.5 | 81  |
| 88 | Diffusion of nickel and tin in p-type (Bi,Sb)2Te3 and n-type Bi2(Te,Se)3 thermoelectric materials. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 101910                               | 3.4  | 80  |
| 87 | Efficient nanocoax-based solar cells. <i>Physica Status Solidi - Rapid Research Letters</i> , <b>2010</b> , 4, 181-183   | 2.5  | 77  |
| 86 | Kink formation and motion in carbon nanotubes at high temperatures. <i>Physical Review Letters</i> , <b>2006</b> , 97, 075501  | 7.4  | 70  |
| 85 | Correlation of field emission and surface microstructure of vertically aligned carbon nanotubes. <i>Applied Physics Letters</i> , <b>2004</b> , 84, 413-415                                | 3.4  | 67  |
| 84 | Full-scale computation for all the thermoelectric property parameters of half-Heusler compounds. <i>Scientific Reports</i> , <b>2016</b> , 6, 22778  | 4.9  | 67  |
| 83 | Subwavelength waveguide for visible light. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 021104   | 3.4  | 58  |
| 82 | Growth and characterization of aligned carbon nanotubes from patterned nickel nanodots and uniform thin films. <i>Journal of Materials Research</i> , <b>2001</b> , 16, 3246-3253          | 2.5  | 58  |
| 81 | Effect of selenium deficiency on the thermoelectric properties of n-type In4Se3 $\mbox{1}{\mbox{2}}$ compounds. <i>Physical Review B</i> , <b>2011</b> , 83,                               | 3.3  | 57  |
| 80 | Enhanced ductile behavior of tensile-elongated individual double-walled and triple-walled carbon nanotubes at high temperatures. <i>Physical Review Letters</i> , <b>2007</b> , 98, 185501 | 7.4  | 51  |

## (1994-2009)

| 79 | Thermoelectric properties and efficiency measurements under large temperature differences. <i>Review of Scientific Instruments</i> , <b>2009</b> , 80, 093901   | 1.7                 | 49 |  |
|----|---|---------------------|----|--|
| 78 | Effect of temperature, pressure, and gas ratio of methane to hydrogen on the synthesis of double-walled carbon nanotubes by chemical vapour deposition. <i>Nanotechnology</i> , <b>2005</b> , 16, 532-535   | 3.4                 | 49 |  |
| 77 | Investigation of the bipolar effect in the thermoelectric material CaMg2Bi2 using a first-principles study. <i>Physical Chemistry Chemical Physics</i> , <b>2016</b> , 18, 16566-74   | 3.6                 | 47 |  |
| 76 | Optimizing the thermoelectric performance of low-temperature SnSe compounds by electronic structure design. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 13365-13370  | 13                  | 47 |  |
| 75 | Field emission of silicon nanowires grown on carbon cloth. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 033112  | 3.4                 | 47 |  |
| 74 | Experimental test of the interlayer pairing models for high-Tc superconductivity using grazing-incidence infrared reflectometry. <i>Physical Review B</i> , <b>1997</b> , 55, 11118-11121   | 3.3                 | 44 |  |
| 73 | Field emission of silicon nanowires. <i>Applied Physics Letters</i> , <b>2006</b> , 88, 213108  | 3.4                 | 42 |  |
| 72 | A hot-wire probe for thermal measurements of nanowires and nanotubes inside a transmission electron microscope. <i>Review of Scientific Instruments</i> , <b>2007</b> , 78, 104903  | 1.7                 | 42 |  |
| 71 | Uniform and flexible 24-meter superconducting tape of silver-sheathed Tl0.5Pb0.5Ba0.4Sr1.6Ca2Cu3O8.2. <i>Applied Physics Letters</i> , <b>1992</b> , 61, 1715-1717  | 3.4                 | 42 |  |
| 70 | Enhancement of field emission of aligned carbon nanotubes by thermal oxidation. <i>Applied Physics Letters</i> , <b>2006</b> , 89, 223119   | 3.4                 | 40 |  |
| 69 | Periodicity and alignment of large-scale carbon nanotubes arrays. <i>Applied Physics Letters</i> , <b>2004</b> , 85, 4741   | 1 <sub>3</sub> 4743 | 39 |  |
| 68 | High-bias-induced structure and the corresponding electronic property changes in carbon nanotubes. <i>Applied Physics Letters</i> , <b>2005</b> , 87, 263107  | 3.4                 | 39 |  |
| 67 | Hot electron effect in nanoscopically thin photovoltaic junctions. <i>Applied Physics Letters</i> , <b>2009</b> , 95, 2331  | <b>2</b> 314        | 37 |  |
| 66 | New composite thermoelectric materials for energy harvesting applications. <i>Jom</i> , <b>2009</b> , 61, 86-90   | 2.1                 | 36 |  |
| 65 | Predicting high thermoelectric performance of ABX ternary compounds NaMgX (X = P, Sb, As) with weak electron $\overline{p}$ honon coupling and strong bonding anharmonicity. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 3281-3289 | 7.1                 | 32 |  |
| 64 | Electrostatic-Force-Directed Assembly of Ag Nanocrystals onto Vertically Aligned Carbon Nanotubes <i>Journal of Physical Chemistry C</i> , <b>2007</b> , 111, 17919-17922   | 3.8                 | 32 |  |
| 63 | Low temperature solvothermal synthesis of multiwall carbon nanotubes. <i>Nanotechnology</i> , <b>2005</b> , 16, 21-   | <b>2</b> 334        | 31 |  |
| 62 | Superconducting epitaxial (Tl,Bi)Sr1.6Ba0.4Ca2Cu3O9Ifilm with high critical current in magnetic field. <i>Applied Physics Letters</i> , <b>1994</b> , 65, 237-239   | 3.4                 | 31 |  |

| 61 | Synthesis and characterization of La0.825Sr0.175MnO3nanowires. <i>Journal of Physics Condensed Matter</i> , <b>2005</b> , 17, L467-L475  | 1.8       | 30   |
|----|--|-----------|------|
| 60 | Boron carbide nanolumps on carbon nanotubes. <i>Applied Physics Letters</i> , <b>2002</b> , 80, 500-502  | 3.4       | 30   |
| 59 | Systematics of c-axis phonons in the thallium- and bismuth-based cuprate superconductors. <i>Physical Review B</i> , <b>1999</b> , 60, 13196-13205   | 3.3       | 30   |
| 58 | A-site disorder induced collapse of charge-ordered state and phase separated phase in manganites. <i>Applied Physics Letters</i> , <b>2006</b> , 89, 222505  | 3.4       | 29   |
| 57 | Pairing symmetry from in-plane torque anisotropy in Tl2Ba2CuO6+Ithin films. <i>Physical Review B</i> , <b>1998</b> , 57, 6137-6144   | 3.3       | 29   |
| 56 | Synthesis of gram-scale germanium nanocrystals by a low-temperature inverse micelle solvothermal route. <i>Nanotechnology</i> , <b>2005</b> , 16, 1126-1129  | 3.4       | 28   |
| 55 | Visible light diffraction studies on periodically aligned arrays of carbon nanotubes: Experimental and theoretical comparison. <i>Applied Physics Letters</i> , <b>2006</b> , 88, 203122   | 3.4       | 25   |
| 54 | Crossover between fractal and nonfractal flux penetration in high-temperature superconducting thin films. <i>Physical Review B</i> , <b>1998</b> , 58, 12467-12477   | 3.3       | 25   |
| 53 | Field emission of carbon nanotubes grown on carbon cloth. <i>Journal of Vacuum Science &amp; Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , <b>2005</b> , 23, 2363 |           | 24   |
| 52 | Large-scale triangular lattice arrays of sub-micron islands by microsphere self-assembly.  Nanotechnology, <b>2005</b> , 16, 819-822   | 3.4       | 23   |
| 51 | The structural symmetry of epitaxial Tl2Ba2CuO6+[thin films. <i>Applied Physics Letters</i> , <b>1996</b> , 69, 1798-18  | 809.4     | 23   |
| 50 | Nanocoax solar cells based on aligned multiwalled carbon nanotube arrays. <i>Physica Status Solidi (A)</i> Applications and Materials Science, <b>2011</b> , 208, 924-927  | 1.6       | 21   |
| 49 | Carbon nanotube-mediated delivery of nucleic acids does not result in non-specific activation of B lymphocytes. <i>Nanotechnology</i> , <b>2007</b> , 18, 365101   | 3.4       | 21   |
| 48 | Superior flux pinning in in situ synthesized silver-sheathed superconducting tape of Tl0.5Pb0.5Sr1.6Ba0.4Ca0.8Y0.2Cu2Oy. <i>Applied Physics Letters</i> , <b>1993</b> , 62, 3025-3027  | 3.4       | 21   |
| 47 | Improved superlensing in two-dimensional photonic crystals with a basis. <i>Applied Physics Letters</i> , <b>2005</b> , 86, 061105   | 3.4       | 20   |
| 46 | Synthesis of multiwalled carbon nanotubes through a modified Wolff-Kishner reduction process.<br>Journal of the American Chemical Society, <b>2005</b> , 127, 18018-9  | 16.4      | 20   |
| 45 | Transplanting carbon nanotubes. <i>Applied Physics Letters</i> , <b>2004</b> , 85, 5995-5997   | 3.4       | 20   |
| 44 | Rapid photon flux switching in two-dimensional photonic crystals. <i>Applied Physics Letters</i> , <b>2004</b> , 84, 181   | 173.14819 | 9 20 |

| 43 | Chemical bonding in Tl cuprates studied by x-ray photoemission. <i>Physical Review B</i> , <b>1999</b> , 60, 4309-431   | 9 3.3 | 20 |
|----|---|-------|----|
| 42 | Effect of filler mass and binding on thermal conductivity of fully filled skutterudites. <i>Physical Review B</i> , <b>2010</b> , 82,   | 3.3   | 18 |
| 41 | Epitaxial Film Growth of Tl0.78Bi0.22Sr1.6Ba0.4Ca2Cu3O9 on Rolling Assisted Biaxially Textured Nickel Substrates with YSZ And CeO2 Buffer Layers. <i>Journal of Superconductivity and Novel Magnetism</i> , <b>1998</b> , 11, 159-161 |       | 17 |
| 40 | Ferromagnetic metal to cluster-glass insulator transition induced by A-site disorder in manganites. <i>Applied Physics Letters</i> , <b>2006</b> , 88, 152505   | 3.4   | 16 |
| 39 | c-axis penetration depth and interlayer conductivity in the thallium-based cuprate superconductors. <i>Physical Review B</i> , <b>1999</b> , 60, R15051-R15054  | 3.3   | 16 |
| 38 | Triangular lattice of carbon nanotube arrays for negative index of refraction and subwavelength lensing effect. <i>Applied Physics Letters</i> , <b>2005</b> , 86, 153120   | 3.4   | 14 |
| 37 | Synthesis and characterization of thallium-based 1212 films with high critical current density on LaAlO3substrates. <i>Superconductor Science and Technology</i> , <b>2000</b> , 13, 173-177  | 3.1   | 14 |
| 36 | Transport properties of Ni, Co, Fe, Mn doped Cu0.01Bi2Te2.7Se0.3 for thermoelectric device applications. <i>Journal of Applied Physics</i> , <b>2012</b> , 112, 054509  | 2.5   | 13 |
| 35 | Continuous control of the superconducting transition temperature from overdoped to underdoped regimes in tetragonal Tl2Ba2CuO6+lthin films. <i>Applied Physics Letters</i> , <b>1997</b> , 71, 1706-1708                              | 3.4   | 13 |
| 34 | Epitaxial superconducting Tl0.5Pb0.5Sr1.6Ba0.4Ca2Cu3O9films on LaAlO3by thermal spray and post-spray annealing. <i>Superconductor Science and Technology</i> , <b>1999</b> , 12, L1-L4  | 3.1   | 13 |
| 33 | Assembly of multi-functional nanocomponents on periodic nanotube array for biosensors. <i>Micro and Nano Letters</i> , <b>2009</b> , 4, 27-33   | 0.9   | 12 |
| 32 | The evolution of carbon nanotubes during their growth by plasma enhanced chemical vapor deposition. <i>Nanotechnology</i> , <b>2011</b> , 22, 405601  | 3.4   | 12 |
| 31 | Discretely guided electromagnetic effective medium. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 043114   | 3.4   | 12 |
| 30 | Plasma deposition of thin carbonfluorine films on aligned carbon nanotube. <i>Applied Physics Letters</i> , <b>2005</b> , 86, 043107  | 3.4   | 12 |
| 29 | Study on the effect of Pb partial substitution for Te on the thermoelectric properties of La3Te4\( \text{NP}\) Dxmaterials. Journal Physics D: Applied Physics, 2012, 45, 185303  | 3     | 9  |
| 28 | SYNTHESIS OF AMORPHOUS SIOx NANOSTRUCTURES. <i>International Journal of Nanoscience</i> , <b>2002</b> , 01, 149-157   | 0.6   | 9  |
| 27 | Electronic structure of Tl2Ba2CuO6+ delta epitaxial films measured by x-ray photoemission. <i>Physical Review B</i> , <b>1996</b> , 54, 6115-6118   | 3.3   | 9  |
| 26 | Structural studies of electrodeposited and sprayed thallium-oxide films. <i>Superconductor Science and Technology</i> , <b>2002</b> , 15, 1288-1294   | 3.1   | 8  |

| 25 | Thermoelectric properties of Ho-doped Bi0.88Sb0.12. <i>Journal of Materials Science</i> , <b>2012</b> , 47, 5729-5734  | 4.3 | 7 |
|----|--|-----|---|
| 24 | Structural study of undoped and doped Bi2Sr2CuO6 phases by transmission electron microscopy. <i>Applied Physics Letters</i> , <b>1989</b> , 55, 2775-2777                            | 3.4 | 7 |
| 23 | Near-infrared photoluminescence in germanium oxide enclosed germanium nano-land micro-crystals. <i>Nanotechnology</i> , <b>2007</b> , 18, 075707                                     | 3.4 | 6 |
| 22 | Aligned carbon nanofibres by a low-energy dark discharge for field emission and optoelectronics. <i>Nanotechnology</i> , <b>2006</b> , 17, 501-505                                   | 3.4 | 6 |
| 21 | Scanning SQUID microscope tests of the symmetry of the high-T c gap. <i>European Physical Journal D</i> , <b>1996</b> , 46, 3169-3176  |     | 6 |
| 20 | Unusual consequences of donor and acceptor doping on the thermoelectric properties of the MgAg0.97Sb0.99 alloy. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 2600-2611 | 13  | 4 |
| 19 | Enhancement of Thermoelectric Figure-of-Merit by a Nanostructure Approach. <i>Materials Research Society Symposia Proceedings</i> , <b>2009</b> , 1166, 3                            |     | 4 |
| 18 | Fabrication of Ag-clad (Tl,V)(Sr,Ba)2Ca2Cu3Oysuperconducting tapes. <i>Superconductor Science and Technology</i> , <b>1995</b> , 8, 174-176  | 3.1 | 4 |
| 17 | Enhanced Thermoelectric Performance of Te-doped FeSb(_{2}) Nanocomposite. <i>Journal of Low Temperature Physics</i> , <b>2014</b> , 176, 122-130                                     | 1.3 | 3 |
| 16 | Tl2Ba2CuO6+lby XPS. Surface Science Spectra, <b>1998</b> , 5, 304-312  | 1.2 | 3 |
| 15 | Making carbon nanotube probes for high aspect ratio scanning probe metrology <b>2003</b> ,   |     | 3 |
| 14 | Superconductor Bi-oxide films via an electrodeposition process. <i>Superconductor Science and Technology</i> , <b>2004</b> , 17, 120-124   | 3.1 | 3 |
| 13 | Using carbon nanotube cantilevers in scanning probe metrology 2002,  |     | 3 |
| 12 | Plasma Coating and Enhanced Dispersion of Carbon Nanotubes. <i>Materials Research Society Symposia Proceedings</i> , <b>2003</b> , 791, 1  |     | 2 |
| 11 | Fabrication of Freestanding Carbon Nanotube Arrays in Large Scale. <i>Materials Research Society Symposia Proceedings</i> , <b>2000</b> , 633, 13221                                 |     | 2 |
| 10 | The Promise of Nanocomposite Thermoelectric Materials. <i>Materials Research Society Symposia Proceedings</i> , <b>2009</b> , 1166, 1  |     | 1 |
| 9  | Spectroscopic studies of arrays of multiwalled carbon nanotubes <b>2005</b> , 5931, 242  |     | 1 |
| 8  | Large arrays of well-aligned carbon nanotubes <b>1999</b> ,  |     | 1 |

## LIST OF PUBLICATIONS

- Half-integer flux quantum effect in cuprate superconductors (a) probe of pairing symmetry. Physica 2.6 1

  Optical antenna arrays of carbon nanotubes and their fabrication on polyimide and transparent conducting oxides for direct device integration 2005, 6003, 127

  Nanomaterials fabrication and physics 2005, 6002, 181

  Ex-Situ Processing of Ti-Containing Films 2005, 275-316

  Tl Cuprate Superconductors Studied by XPS. Surface Science Spectra, 1999, 6, 237-253

  1.2
- Anisotropy Induced Crossover from Fractal to Non-Fractal Flux Penetration in High-Tc thin Films **1999**, 291-306

Growth and Characterizations of Well-Aligned Carbon Nanotubes 2003, 133-140