
Philip D Butcher

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12186371/publications.pdf Version: 2024-02-01



DHILLD D RUTCHED

#	Article	IF	CITATIONS
1	Use of whole-genome sequencing to distinguish relapse from reinfection in a completed tuberculosis clinical trial. BMC Medicine, 2017, 15, 71.	5.5	57
2	Clinical use of whole genome sequencing for Mycobacterium tuberculosis. BMC Medicine, 2016, 14, 46.	5.5	91
3	XDR-TB transmission in London: Case management and contact tracing investigation assisted by early whole genome sequencing. Journal of Infection, 2016, 73, 210-218.	3.3	28
4	Profiling persistent tubercule bacilli from patient sputa during therapy predicts early drug efficacy. BMC Medicine, 2016, 14, 68.	5.5	55
5	Clinical Application of Whole-Genome Sequencing To Inform Treatment for Multidrug-Resistant Tuberculosis Cases. Journal of Clinical Microbiology, 2015, 53, 1473-1483.	3.9	89
6	Performance evaluation of automated urine microscopy as a rapid, non-invasive approach for the diagnosis of non-gonococcal urethritis. Sexually Transmitted Infections, 2015, 91, 165-170.	1.9	12
7	Oleoyl Coenzyme A Regulates Interaction of Transcriptional Regulator RaaS (Rv1219c) with DNA in Mycobacteria. Journal of Biological Chemistry, 2014, 289, 25241-25249.	3.4	8
8	High Prevalence of Antibiotic-Resistant Mycoplasma genitalium in Nongonococcal Urethritis: The Need for Routine Testing and the Inadequacy of Current Treatment Options. Clinical Infectious Diseases, 2014, 58, 631-637.	5.8	142
9	Antimicrobial Treatment Improves Mycobacterial Survival in Nonpermissive Growth Conditions. Antimicrobial Agents and Chemotherapy, 2014, 58, 2798-2806.	3.2	11
10	Potassium availability triggers <i>Mycobacterium tuberculosis</i> transition to, and resuscitation from, non-culturable (dormant) states. Open Biology, 2014, 4, 140106.	3.6	73
11	High-Dose Rifapentine with Moxifloxacin for Pulmonary Tuberculosis. New England Journal of Medicine, 2014, 371, 1599-1608.	27.0	383
12	Evidence for a Role for Interleukin-17, Th17 Cells and Iron Homeostasis in Protective Immunity against Tuberculosis in Cynomolgus Macaques. PLoS ONE, 2014, 9, e88149.	2.5	40
13	Mycobacterial P1-Type ATPases Mediate Resistance to Zinc Poisoning in Human Macrophages. Cell Host and Microbe, 2011, 10, 248-259.	11.0	304
14	Methionine Sulfoximine Resistance in Mycobacterium tuberculosis Is Due to a Single Nucleotide Deletion Resulting in Increased Expression of the Major Glutamine Synthetase, GlnA1. Microbial Drug Resistance, 2011, 17, 351-355.	2.0	10
15	Contrasting Transcriptional Responses of a Virulent and an Attenuated Strain of Mycobacterium tuberculosis Infecting Macrophages. PLoS ONE, 2010, 5, e11066.	2.5	42
16	Examining the basis of isoniazid tolerance in nonreplicating <i>Mycobacterium tuberculosis</i> using transcriptional profiling. Future Medicinal Chemistry, 2010, 2, 1371-1383.	2.3	29
17	Use of DNA Arrays to Study Transcriptional Responses to Antimycobacterial Compounds. Methods in Molecular Biology, 2010, 642, 75-91.	0.9	18
18	Microarray analysis of defined Mycobacterium tuberculosis populations using RNA amplification strategies. BMC Genomics, 2008, 9, 94.	2.8	25

Philip D Butcher

#	Article	IF	CITATIONS
19	Cytological and Transcript Analyses Reveal Fat and Lazy Persister-Like Bacilli in Tuberculous Sputum. PLoS Medicine, 2008, 5, e75.	8.4	383
20	Probing Host Pathogen Cross-Talk by Transcriptional Profiling of Both Mycobacterium tuberculosis and Infected Human Dendritic Cells and Macrophages. PLoS ONE, 2008, 3, e1403.	2.5	172
21	Genomic Diversity among Beijing and non-Beijing Mycobacterium tuberculosis Isolates from Myanmar. PLoS ONE, 2008, 3, e1973.	2.5	18
22	Microarray Analysis of Whole Genome Expression of Intracellular Mycobacterium tuberculosis. Current Molecular Medicine, 2007, 7, 287-296.	1.3	36
23	Lipid composition and transcriptional response of Mycobacterium tuberculosis grown under iron-limitation in continuous culture: identification of a novel wax ester. Microbiology (United) Tj ETQq1 1 0.7843	31 4.8 gBT /	Oværlock 10
24	RNA profiling in host–pathogen interactions. Current Opinion in Microbiology, 2007, 10, 297-302.	5.1	31
25	Microarrays Reveal that Each of the Ten Dominant Lineages of Staphylococcus aureus Has a Unique Combination of Surface-Associated and Regulatory Genes. Journal of Bacteriology, 2006, 188, 669-676.	2.2	303
26	Dissection of ESAT-6 System 1 of Mycobacterium tuberculosis and Impact on Immunogenicity and Virulence. Infection and Immunity, 2006, 74, 88-98.	2.2	279
27	Design, Validation, and Application of a Seven-Strain Staphylococcus aureus PCR Product Microarray for Comparative Genomics. Applied and Environmental Microbiology, 2005, 71, 7504-7514.	3.1	77
28	Use of Genome Level-Informed PCR as a New Investigational Approach for Analysis of Outbreak-Associated Mycobacterium tuberculosis Isolates. Journal of Clinical Microbiology, 2004, 42, 1890-1896.	3.9	24
29	DNA Microarrays for Virus Detection in Cases of Central Nervous System Infection. Journal of Clinical Microbiology, 2004, 42, 5811-5818.	3.9	88
30	Increased transcription of a potential sigma factor regulatory gene Rv1364c inMycobacterium bovisBCG while residing in macrophages indicates use of alternative promoters. FEMS Microbiology Letters, 2004, 233, 333-339.	1.8	15
31	Stationary phase gene expression of Mycobacterium tuberculosis following a progressive nutrient depletion: a model for persistent organisms?. Tuberculosis, 2004, 84, 228-238.	1.9	185
32	The influence of reduced oxygen availability on pathogenicity and gene expression in Mycobacterium tuberculosis. Tuberculosis, 2004, 84, 205-217.	1.9	127
33	Microarrays for Mycobacterium tuberculosis. Tuberculosis, 2004, 84, 131-137.	1.9	35
34	Increased transcription of a potential sigma factor regulatory gene Rv1364c in Mycobacterium bovis BCG while residing in macrophages indicates use of alternative promoters. FEMS Microbiology Letters, 2004, 233, 333-339.	1.8	7
35	Transcriptional Adaptation of <i>Mycobacterium tuberculosis</i> within Macrophages. Journal of Experimental Medicine, 2003, 198, 693-704.	8.5	1,311
36	Genetic Composition of Mycobacterium bovis BCG Substrain Sofia. Journal of Clinical Microbiology, 2003, 41, 5349-5349.	3.9	23

Philip D Butcher

#	Article	IF	CITATIONS
37	Genomic Analysis of Mycobacterium tuberculosis Complex Strains Used for Production of Purified Protein Derivative. Journal of Clinical Microbiology, 2003, 41, 3929-3932.	3.9	16
38	Analysis of whole-genome microarray replicates using mixed models. Bioinformatics, 2003, 19, 53-61.	4.1	82
39	Gene expression during host—pathogen interactions: Approaches to bacterial mRNA extraction and labelling for microarray analysis. Methods in Microbiology, 2002, 33, 137-151.	0.8	34
40	Dissection of the heat-shock response in Mycobacterium tuberculosis using mutants and microarrays a aA list of the 100 ORFs most highly induced by heat shock is provided as supplementary data with the online version of this paper (http://mic.sgmjournals.org) Microbiology (United Kingdom), 2002, 148, 3129-3138.	1.8	318
41	Glass slide microarrays for bacterial genomes. Methods in Microbiology, 2002, , 83-99.	0.8	17
42	The Heat Shock Response ofMycobacterium tuberculosis: Linking Gene Expression, Immunology and Pathogenesis. Comparative and Functional Genomics, 2002, 3, 348-351.	2.0	19
43	The 1st Symposium of the Wellcome Trust-Funded Multi-Collaborative Microbial Pathogen Microarray Facility—Bl¼G@S 2002: †Bacterial Pathogens, Microarrays and Functional Genomics'. Comparative and Functional Genomics, 2002, 3, 326-329.	2.0	1
44	Extraction of RNA from Intracellular Mycobacterium tuberculosis: Methods, Considerations, and Applications. , 2001, 54, 031-042.		8
45	Whole Genome Comparison of <i>Campylobacter jejuni</i> Human Isolates Using a Low-Cost Microarray Reveals Extensive Genetic Diversity. Genome Research, 2001, 11, 1706-1715.	5.5	278
46	Differential expression of mycobacterial proteins following phagocytosis by macrophages. Microbiology (United Kingdom), 2001, 147, 459-471.	1.8	157
47	cDNA–RNA subtractive hybridization reveals increased expression of mycocerosic acid synthase in intracellular Mycobacterium bovis BCG. Microbiology (United Kingdom), 2001, 147, 2293-2305.	1.8	29
48	Detection of mRNA Transcripts and Active Transcription in Persistent Mycobacterium tuberculosisInduced by Exposure to Rifampin or Pyrazinamide. Journal of Bacteriology, 2000, 182, 6358-6365.	2.2	168
49	Mycobacterium tuberculosis Expresses a Novel Ph-Dependent Divalent Cation Transporter Belonging to the Nramp Family. Journal of Experimental Medicine, 1999, 190, 717-724.	8.5	131
50	Regulation of <i>hmp</i> Gene Transcription in <i>Mycobacterium tuberculosis</i> : Effects of Oxygen Limitation and Nitrosative and Oxidative Stress. Journal of Bacteriology, 1999, 181, 3486-3493.	2.2	79
51	Protein synthesis is shutdown in dormantMycobacterium tuberculosisand is reversed by oxygen or heat shock. FEMS Microbiology Letters, 1998, 158, 139-145.	1.8	98
52	Characterization of a haemolysin from Mycobacterium tuberculosis with homology to a virulence factor of Serpulina hyodysenteriae. Microbiology (United Kingdom), 1998, 144, 1205-1211.	1.8	68
53	Intracellular Gene Expression: Analysis of RNA from Mycobacteria in Macrophages Using RT-PCR. , 1998, 101, 285-306.		30
54	Extraction and characterization of mRNA from mycobacteria: implication for virulence gene identification. Journal of Microbiological Methods, 1991, 13, 99-111.	1.6	21

#	Article	IF	CITATIONS
55	DNA probes for the faecal diagnosis of Giardia lamblia infections in man. Biochemical Society Transactions, 1989, 17, 363-364.	3.4	24
56	Comparison of human low-molecular-weight RNA from normal and Crohn's disease derived blood and mesenteric, lymph node leucocytes. Biochemical Society Transactions, 1984, 12, 1112-1113.	3.4	0