Masakazu Yamagishi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/12187903/masakazu-yamagishi-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69	5,921	35	7 1
papers	citations	h-index	g-index
71	6,477 ext. citations	5.1	4.71
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
69	Effect of Electronically Distinct Aromatic Substituents on the Molecular Assembly and Hole Transport of V-Shaped Organic Semiconductors. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 17503-1751	13.8	1
68	Alkyl-Substituted Selenium-Bridged V-Shaped Organic Semiconductors Exhibiting High Hole Mobility and Unusual Aggregation Behavior. <i>Journal of the American Chemical Society</i> , 2020 , 142, 14974	-14 9 84	l ¹²
67	Bent-Shaped -Type Small-Molecule Organic Semiconductors: A Molecular Design Strategy for Next-Generation Practical Applications. <i>Journal of the American Chemical Society</i> , 2020 , 142, 9083-9096	16.4	54
66	JCS 2017/JHFS 2017 Guideline on Diagnosis and Treatment of Acute and Chronic Heart Failure - Digest Version. <i>Circulation Journal</i> , 2019 , 83, 2084-2184	2.9	228
65	Oxygen- and Sulfur-bridged L-shaped EConjugated Molecules: Synthesis, Aggregated Structures, and Charge Transporting Behavior. <i>Asian Journal of Organic Chemistry</i> , 2018 , 7, 2309-2314	3	4
64	Zigzag-Elongated Fused Œlectronic Core: A Molecular Design Strategy to Maximize Charge-Carrier Mobility. <i>Advanced Science</i> , 2018 , 5, 1700317	13.6	31
63	High performance solution-crystallized thin-film transistors based on V-shaped thieno[3,2-f:4,5-f?]bis[1]benzothiophene semiconductors. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 190	3∕-†¹909	19
62	Effect of Reverse Vessel Remodeling on Regression of Coronary Atherosclerosis in Patients Treated With Aggressive Lipid- and Blood Pressure-Lowering Therapy - Insight From MILLION Study. <i>Circulation Journal</i> , 2017 , 81, 1490-1495	2.9	3
61	Impact of combined lipid lowering and blood pressure control on coronary plaque: myocardial ischemia treated by percutaneous coronary intervention and plaque regression by lipid lowering and blood pressure controlling assessed by intravascular ultrasonography (MILLION) study. Heart	2.1	2
60	Soluble 2,6-Bis(4-pentylphenylethynyl)anthracene as a High Hole Mobility Semiconductor for Organic Field-effect Transistors. <i>Chemistry Letters</i> , 2016 , 45, 1403-1405	1.7	7
59	The genetics underlying acquired long QT syndrome: impact for genetic screening. <i>European Heart Journal</i> , 2016 , 37, 1456-64	9.5	108
58	Impact of Total Risk Management on Coronary Plaque Regression in Diabetic Patients with Acute Coronary Syndrome. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016 , 23, 922-31	4	6
57	A Study of Single Nucleotide Polymorphisms of the SLC19A1/RFC1 Gene in Subjects with Autism Spectrum Disorder. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	8
56	Impact of thin-cap fibroatheroma on predicting deteriorated coronary flow during interventional procedures in acute as well as stable coronary syndromes: insights from optical coherence tomography analysis. <i>Heart and Vessels</i> , 2015 , 30, 719-27	2.1	11
55	Impact of combined lipid lowering with blood pressure control on coronary plaque regression: rationale and design of MILLION study. <i>Heart and Vessels</i> , 2015 , 30, 580-6	2.1	10
54	Association Study between the CD157/BST1 Gene and Autism Spectrum Disorders in a Japanese Population. <i>Brain Sciences</i> , 2015 , 5, 188-200	3.4	19
53	Current perspectives in genetic cardiovascular disorders: from basic to clinical aspects. <i>Heart and Vessels</i> , 2014 , 29, 129-41	2.1	40

(2010-2013)

52	Non-synonymous single-nucleotide variations of the human oxytocin receptor gene and autism spectrum disorders: a case-control study in a Japanese population and functional analysis. Molecular Autism, 2013, 4, 22	6.5	28
51	Relationship between advanced glycation end products and plaque progression in patients with acute coronary syndrome: the JAPAN-ACS sub-study. <i>Cardiovascular Diabetology</i> , 2013 , 12, 5	8.7	47
50	Association between circulating matrix metalloproteinase levels and coronary plaque regression after acute coronary syndromesubanalysis of the JAPAN-ACS study. <i>Atherosclerosis</i> , 2013 , 226, 275-80	3.1	5
49	Impact of intensive lipid lowering on lipid profiles over time and tolerability in stable coronary artery disease: insights from a subanalysis of the coronary atherosclerosis study measuring effects of rosuvastatin using intravascular ultrasound in Japanese subjects (COSMOS). <i>Cardiovascular</i>	3.3	5
48	Inch-Size Solution-Processed Single-Crystalline Films of High-Mobility Organic Semiconductors. Applied Physics Express, 2013 , 6, 076503	2.4	86
47	Clustering of metabolic syndrome components attenuates coronary plaque regression during intensive statin therapy in patients with acute coronary syndrome: the JAPAN-ACS subanalysis study. <i>Circulation Journal</i> , 2012 , 76, 2840-7	2.9	7
46	Impact of out-stent plaque volume on in-stent intimal hyperplasia: results from serial volumetric analysis with high-gain intravascular ultrasound. <i>International Journal of Cardiology</i> , 2012 , 158, 235-9	3.2	6
45	High HbA1c levels correlate with reduced plaque regression during statin treatment in patients with stable coronary artery disease: results of the coronary atherosclerosis study measuring effects of rosuvastatin using intravascular ultrasound in Japanese subjects (COSMOS). Cardiovascular	8.7	21
44	Rapid changes in plaque composition and morphology after intensive lipid lowering therapy: study with serial coronary CT angiography. <i>American Journal of Cardiovascular Disease</i> , 2012 , 2, 84-8	0.9	14
43	Linear- and angular-shaped naphthodithiophenes: selective synthesis, properties, and application to organic field-effect transistors. <i>Journal of the American Chemical Society</i> , 2011 , 133, 5024-35	16.4	258
42	Clinically evident polyvascular disease and regression of coronary atherosclerosis after intensive statin therapy in patients with acute coronary syndrome: serial intravascular ultrasound from the Japanese assessment of pitavastatin and atorvastatin in acute coronary syndrome (JAPAN-ACS)	3.1	16
41	trial. Atherosclerosis, 2011 , 219, 743-9 Gene and protein expression analysis of mesenchymal stem cells derived from rat adipose tissue and bone marrow. Circulation Journal, 2011 , 75, 2260-8	2.9	79
40	Patternable solution-crystallized organic transistors with high charge carrier mobility. <i>Advanced Materials</i> , 2011 , 23, 1626-9	24	303
39	More intensive lipid lowering is associated with regression of coronary atherosclerosis in diabetic patients with acute coronary syndromesub-analysis of JAPAN-ACS study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 1096-107	4	38
38	Impact of anti-apoptotic and anti-oxidative effects of bone marrow mesenchymal stem cells with transient overexpression of heme oxygenase-1 on myocardial ischemia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H1320-9	5.2	88
37	Two genetic variants of CD38 in subjects with autism spectrum disorder and controls. <i>Neuroscience Research</i> , 2010 , 67, 181-91	2.9	151
36	Correlation between circulating adiponectin levels and coronary plaque regression during aggressive lipid-lowering therapy in patients with acute coronary syndrome: subgroup analysis of JAPAN-ACS study. <i>Atherosclerosis</i> , 2010 , 212, 237-42	3.1	19
35	Diabetes mellitus is a major negative determinant of coronary plaque regression during statin therapy in patients with acute coronary syndromeserial intravascular ultrasound observations from the Japan Assessment of Pitavastatin and Atorvastatin in Acute Coronary Syndrome Trial (the	2.9	74

34	Combined prognostic utility of white blood cell count, plasma glucose, and glomerular filtration rate in patients undergoing primary stent placement for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2009 , 103, 322-7	3	12
33	Comparison of blood glucose values on admission for acute myocardial infarction in patients with versus without diabetes mellitus. <i>American Journal of Cardiology</i> , 2009 , 104, 769-74	3	43
32	Effect of intensive statin therapy on regression of coronary atherosclerosis in patients with acute coronary syndrome: a multicenter randomized trial evaluated by volumetric intravascular ultrasound using pitavastatin versus atorvastatin (JAPAN-ACS [Japan assessment of pitavastatin	15.1	272
31	Effect of rosuvastatin on coronary atheroma in stable coronary artery disease: multicenter coronary atherosclerosis study measuring effects of rosuvastatin using intravascular ultrasound in Japanese subjects (COSMOS). Circulation Journal, 2009, 73, 2110-7	2.9	158
30	Activation of cardiac progenitor cells through paracrine effects of mesenchymal stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 374, 11-6	3.4	107
29	Rationale and design for a study using intravascular ultrasound to evaluate effects of rosuvastatin on coronary artery atheroma in Japanese subjects: COSMOS study (Coronary Atherosclerosis Study Measuring Effects of Rosuvastatin Using Intravascular Ultrasound in Japanese Subjects). <i>Circulation</i>	2.9	23
28	Usefulness of combined white blood cell count and plasma glucose for predicting in-hospital outcomes after acute myocardial infarction. <i>American Journal of Cardiology</i> , 2006 , 97, 1558-63	3	22
27	Altered expression balance of matrix metalloproteinases and their inhibitors in human carotid plaque disruption: results of quantitative tissue analysis using real-time RT-PCR method. <i>Atherosclerosis</i> , 2006 , 185, 165-72	3.1	42
26	Japan assessment of pitavastatin and atorvastatin in acute coronary syndrome (JAPAN-ACS): rationale and design. <i>Circulation Journal</i> , 2006 , 70, 1624-8	2.9	32
25	Acute hyperglycemia is associated with adverse outcome after acute myocardial infarction in the coronary intervention era. <i>American Heart Journal</i> , 2005 , 150, 814-20	4.9	138
24	Transplantation of mesenchymal stem cells improves cardiac function in a rat model of dilated cardiomyopathy. <i>Circulation</i> , 2005 , 112, 1128-35	16.7	549
23	Elevated plasma ghrelin level in underweight patients with chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004 , 170, 879-82	10.2	103
22	Plaque morphology at coronary sites with focal spasm in variant angina: study using intravascular ultrasound. <i>Circulation Journal</i> , 2003 , 67, 1041-5	2.9	40
21	Lesion severity and hypercholesterolemia determine long-term prognosis of vasospastic angina treated with calcium channel antagonists. <i>Circulation Journal</i> , 2003 , 67, 1029-35	2.9	38
20	Effects of preinfarction angina pectoris on infarct size and in-hospital mortality after coronary intervention for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2003 , 92, 840-3	3	15
19	Myocardial velocity gradient reflects the severity of myocardial damage regardless of the presence or absence of mitral regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 246-5	3 ^{5.8}	8
18	Quantitative Assessment of Wall Motion Using Myocardial Strain. <i>Journal of Echocardiography</i> , 2003 , 1, 23-28	1.6	9
17	Effect of disease eccentricity on compensatory remodeling of coronary arteries: evidence from intravascular ultrasound before interventions. <i>International Journal of Cardiology</i> , 2002 , 86, 99-105	3.2	5

LIST OF PUBLICATIONS

16	Elevated circulating level of ghrelin in cachexia associated with chronic heart failure: relationships between ghrelin and anabolic/catabolic factors. <i>Circulation</i> , 2001 , 104, 2034-8	16.7	374
15	Hemodynamic and hormonal effects of human ghrelin in healthy volunteers. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001 , 280, R1483-7	3.2	385
14	Usefulness of the subendocardial myocardial velocity gradient in low-dose dobutamine stress echocardiography. <i>Heart and Vessels</i> , 2000 , 15, 11-7	2.1	15
13	Morphology of vulnerable coronary plaque: insights from follow-up of patients examined by intravascular ultrasound before an acute coronary syndrome. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 106-11	15.1	348
12	Comparative usefulness of myocardial velocity gradient in detecting ischemic myocardium by a dobutamine challenge. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 89-93	15.1	72
11	Peak negative myocardial velocity gradient in early diastole as a noninvasive indicator of left ventricular diastolic function: comparison with transmitral flow velocity indices. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 1418-25	15.1	78
10	Application of tissue Doppler imaging technique in evaluating early ventricular contraction associated with accessory atrioventricular pathways in Wolff-Parkinson-White syndrome. <i>American Heart Journal</i> , 1998 , 135, 99-106	4.9	31
9	Intravascular ultrasonic evidence for importance of plaque distribution (eccentric vs circumferential) in determining distensibility of the left anterior descending artery. <i>American Journal of Cardiology</i> , 1997 , 79, 1596-600	3	33
8	Usefulness of myocardial velocity gradient derived from two-dimensional tissue Doppler imaging as an indicator of regional myocardial contraction independent of translational motion assessed in atrial septal defect. <i>American Journal of Cardiology</i> , 1997 , 79, 237-41	3	69
7	Intravascular ultrasound evidence of angiographically undetected left main coronary artery disease and associated trauma during interventional procedures. <i>Heart and Vessels</i> , 1996 , 11, 262-8	2.1	13
6	Comparison of vessel wall morphologic appearance at sites of focal and diffuse coronary vasospasm by intravascular ultrasound. <i>American Heart Journal</i> , 1995 , 130, 440-5	4.9	38
5	New method for evaluating left ventricular wall motion by color-coded tissue Doppler imaging: in vitro and in vivo studies. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 717-24	15.1	437
4	Myocardial velocity gradient as a new indicator of regional left ventricular contraction: detection by a two-dimensional tissue Doppler imaging technique. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 217-23	15.1	272
3	Assessment of coronary artery distensibility by intravascular ultrasound. Application of simultaneous measurements of luminal area and pressure. <i>Circulation</i> , 1995 , 91, 2904-10	16.7	71
2	Analysis of Ventricular Wall Motion Using Color-Coded Tissue Doppler Imaging System. <i>Japanese Journal of Applied Physics</i> , 1994 , 33, 3141-3146	1.4	85
1	Intravascular ultrasound detection of atherosclerosis at the site of focal vasospasm in angiographically normal or minimally narrowed coronary segments. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 352-7	15.1	176