

Angeles Mencia Jos Gallego

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1219172/angeles-mencia-jos-gallego-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

4,029
citations

40
h-index

58
g-index

126
ext. papers

4,481
ext. citations

4.8
avg, IF

5.3
L-index

#	Paper	IF	Citations
122	Acute and subchronic 90-days toxicity assessment of propyl-propane-thiosulfinate (PTS) in rats.. <i>Food and Chemical Toxicology</i> , 2022 , 112827	4.7	0
121	Hazard characterization of graphene nanomaterials in the frame of their food risk assessment: A review.. <i>Food and Chemical Toxicology</i> , 2022 , 164, 113014	4.7	1
120	Influence of refrigeration and freezing in Microcystins and Cylindrospermopsin concentrations on fish muscle of tilapia (<i>Oreochromis niloticus</i>) and tench (<i>Tinca tinca</i>). <i>Food and Chemical Toxicology</i> , 2021 , 158, 112673	4.7	0
119	Immunotoxic Effects Induced by Microcystins and Cylindrospermopsin: A Review. <i>Toxins</i> , 2021 , 13,	4.9	6
118	Simultaneous determination of Allium compounds (Propyl propane thiosulfonate and thiosulfinate) in animal feed using UPLC-MS/MS. <i>Food and Chemical Toxicology</i> , 2021 , 157, 112619	4.7	1
117	Evaluation of toxic effects induced by repeated exposure to Cylindrospermopsin in rats using a 28-day feeding study. <i>Food and Chemical Toxicology</i> , 2021 , 151, 112108	4.7	0
116	Genotoxicity Evaluation of Propyl-Propane-Thiosulfinate (PTS) from genus Essential Oils by a Combination of Micronucleus and Comet Assays in Rats. <i>Foods</i> , 2021 , 10,	4.9	3
115	in Olive: A Review of Control Attempts and Current Management. <i>Microorganisms</i> , 2021 , 9,	4.9	6
114	Potential Application of A Synthetic Organo-funtionalized High Load Expandable Mica as A Drug Carrier for Controlled Release. <i>Current Drug Delivery</i> , 2021 , 18, 645-653	3.2	
113	Genotoxic Effects of Cylindrospermopsin, Microcystin-LR and Their Binary Mixture in Human Hepatocellular Carcinoma (HepG2) Cell Line. <i>Toxins</i> , 2020 , 12,	4.9	8
112	Cylindrospermopsin-Microcystin-LR Combinations May Induce Genotoxic and Histopathological Damage in Rats. <i>Toxins</i> , 2020 , 12,	4.9	12
111	Physiological and Metabolic Responses of Marine Mussels Exposed to Toxic Cyanobacteria and. <i>Toxins</i> , 2020 , 12,	4.9	3
110	A new method for the simultaneous determination of cyanotoxins (Microcystins and Cylindrospermopsin) in mussels using SPE-UPLC-MS/MS. <i>Environmental Research</i> , 2020 , 185, 109284	7.9	9
109	In vitro assessment of cyanotoxins bioaccessibility in raw and cooked mussels. <i>Food and Chemical Toxicology</i> , 2020 , 140, 111391	4.7	6
108	Detection of cylindrospermopsin and its decomposition products in raw and cooked fish (<i>Oreochromis niloticus</i>) by analytical pyrolysis (Py-GC/MS). <i>Chemosphere</i> , 2020 , 244, 125469	8.4	7
107	Alterations in Mediterranean mussel (<i>Mytilus galloprovincialis</i>) composition exposed to cyanotoxins as revealed by analytical pyrolysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2020 , 152, 104970	6	2
106	Safety assessment of propyl-propane-thiosulfonate (PTSO): 90-days oral subchronic toxicity study in rats. <i>Food and Chemical Toxicology</i> , 2020 , 144, 111612	4.7	8

105	In Vitro Mutagenic and Genotoxic Assessment of a Mixture of the Cyanotoxins Microcystin-LR and Cylindrospermopsin. <i>Toxins</i> , 2019 , 11,	4.9	10
104	Microcystin-RR: Occurrence, content in water and food and toxicological studies. A review. <i>Environmental Research</i> , 2019 , 168, 467-489	7.9	41
103	In vivo genotoxicity evaluation of cylindrospermopsin in rats using a combined micronucleus and comet assay. <i>Food and Chemical Toxicology</i> , 2019 , 132, 110664	4.7	12
102	Analysis of the Use of Cylindrospermopsin and/or Microcystin-Contaminated Water in the Growth, Mineral Content, and Contamination of and. <i>Toxins</i> , 2019 , 11,	4.9	14
101	Risk assessment methodologies in the field of contaminants, food contact materials, technological ingredients and nutritional risks. <i>EFSA Journal</i> , 2019 , 17, e170911	2.3	
100	Occurrence and toxicity of microcystin congeners other than MC-LR and MC-RR: A review. <i>Food and Chemical Toxicology</i> , 2019 , 125, 106-132	4.7	56
99	Cytotoxic and morphological effects of microcystin-LR, cylindrospermopsin, and their combinations on the human hepatic cell line HepG2. <i>Environmental Toxicology</i> , 2019 , 34, 240-251	4.2	14
98	Bioaccessibility and decomposition of cylindrospermopsin in vegetables matrices after the application of an in vitro digestion model. <i>Food and Chemical Toxicology</i> , 2018 , 120, 164-171	4.7	10
97	Validation of a Method for Cylindrospermopsin Determination in Vegetables: Application to Real Samples Such as Lettuce (<i>Lactuca sativa</i> L.). <i>Toxins</i> , 2018 , 10,	4.9	7
96	In vitro toxicity evaluation of new silane-modified clays and the migration extract from a derived polymer-clay nanocomposite intended to food packaging applications. <i>Journal of Hazardous Materials</i> , 2018 , 341, 313-320	12.8	26
95	Mutagenic and genotoxic potential of pure Cylindrospermopsin by a battery of in vitro tests. <i>Food and Chemical Toxicology</i> , 2018 , 121, 413-422	4.7	22
94	New Method for Simultaneous Determination of Microcystins and Cylindrospermopsin in Vegetable Matrices by SPE-UPLC-MS/MS. <i>Toxins</i> , 2018 , 10,	4.9	25
93	Development, characterization and cytotoxicity of novel silane-modified clay minerals and nanocomposites intended for food packaging. <i>Applied Clay Science</i> , 2017 , 138, 40-47	5.2	14
92	Changes on cylindrospermopsin concentration and characterization of decomposition products in fish muscle (<i>Oreochromis niloticus</i>) by boiling and steaming. <i>Food Control</i> , 2017 , 77, 210-220	6.2	19
91	Cylindrospermopsin and Congeners 2017 , 127-137		6
90	Bioassay Use in the Field of Toxic Cyanobacteria 2017 , 272-279		1
89	Toxicological assessment of two silane-modified clay minerals with potential use as food contact materials in human hepatoma cells and <i>Salmonella typhimurium</i> strains. <i>Applied Clay Science</i> , 2017 , 150, 98-105	5.2	4
88	Genotoxic potential of the binary mixture of cyanotoxins microcystin-LR and cylindrospermopsin. <i>Chemosphere</i> , 2017 , 189, 319-329	8.4	27

87	Bioaccessibility of Cyindrospermopsin from cooked fish muscle after the application of an in vitro digestion model and its bioavailability. <i>Food and Chemical Toxicology</i> , 2017 , 110, 360-370	4.7	9
86	Potential Use of Chemoprotectants against the Toxic Effects of Cyanotoxins: A Review. <i>Toxins</i> , 2017 , 9,	4.9	5
85	Influence of Cooking (Microwaving and Broiling) on Cyindrospermopsin Concentration in Muscle of Nile Tilapia (<i>Oreochromis niloticus</i>) and Characterization of Decomposition Products. <i>Toxins</i> , 2017 , 9,	4.9	10
84	In Vitro Toxicological Assessment of Cyindrospermopsin: A Review. <i>Toxins</i> , 2017 , 9,	4.9	54
83	Genotoxic potential of montmorillonite clay mineral and alteration in the expression of genes involved in toxicity mechanisms in the human hepatoma cell line HepG2. <i>Journal of Hazardous Materials</i> , 2016 , 304, 425-33	12.8	16
82	Effects of two organomodified clays intended to food contact materials on the genomic instability and gene expression of hepatoma cells. <i>Food and Chemical Toxicology</i> , 2016 , 88, 57-64	4.7	4
81	Induction of micronuclei and alteration of gene expression by an organomodified clay in HepG2 cells. <i>Chemosphere</i> , 2016 , 154, 240-248	8.4	7
80	In vitro pro-oxidant/antioxidant role of carvacrol, thymol and their mixture in the intestinal Caco-2 cell line. <i>Toxicology in Vitro</i> , 2015 , 29, 647-56	3.6	79
79	Toxicological evaluation of clay minerals and derived nanocomposites: a review. <i>Environmental Research</i> , 2015 , 138, 233-54	7.9	135
78	Cytotoxicity and mutagenicity assessment of organomodified clays potentially used in food packaging. <i>Toxicology in Vitro</i> , 2015 , 29, 1222-30	3.6	38
77	Genotoxic and cytotoxic effects and gene expression changes induced by fixed orthodontic appliances in oral mucosa cells of patients: a systematic review. <i>Toxicology Mechanisms and Methods</i> , 2015 , 25, 440-7	3.6	6
76	In vitro toxicological evaluation of essential oils and their main compounds used in active food packaging: A review. <i>Food and Chemical Toxicology</i> , 2015 , 81, 9-27	4.7	88
75	Preliminary study of genotoxicity evaluation of orthodontic miniscrews on mucosa oral cells by the alkaline comet assay. <i>Toxicology Mechanisms and Methods</i> , 2015 , 25, 487-93	3.6	2
74	Cytotoxic and mutagenic in vitro assessment of two organosulfur compounds derived from onion to be used in the food industry. <i>Food Chemistry</i> , 2015 , 166, 423-431	8.5	20
73	In vitro and in vivo evidence of the cytotoxic and genotoxic effects of metal ions released by orthodontic appliances: A review. <i>Environmental Toxicology and Pharmacology</i> , 2015 , 40, 86-113	5.8	33
72	In vivo determination of aluminum, cobalt, chromium, copper, nickel, titanium and vanadium in oral mucosa cells from orthodontic patients with mini-implants by Inductively coupled plasma-mass spectrometry (ICP-MS). <i>Journal of Trace Elements in Medicine and Biology</i> , 2015 , 32, 13-20	4.1	39
71	Effects of the subchronic exposure to an organomodified clay mineral for food packaging applications on Wistar rats. <i>Applied Clay Science</i> , 2014 , 95, 37-40	5.2	6
70	Validation of a method to quantify titanium, vanadium and zirconium in oral mucosa cells by inductively coupled plasma-mass spectrometry (ICP-MS). <i>Talanta</i> , 2014 , 118, 238-44	6.2	14

69	Use of nanoclay platelets in food packaging materials: technical and cytotoxicity approach. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2014 , 31, 354-63	3.2	33
68	Toxic effects of a modified montmorillonite clay on the human intestinal cell line Caco-2. <i>Journal of Applied Toxicology</i> , 2014 , 34, 714-25	4.1	51
67	Evaluation of the mutagenicity and genotoxic potential of carvacrol and thymol using the Ames Salmonella test and alkaline, Endo III- and FPG-modified comet assays with the human cell line Caco-2. <i>Food and Chemical Toxicology</i> , 2014 , 72, 122-8	4.7	37
66	Development and validation of an inductively coupled plasma mass spectrometry (ICP-MS) method for the determination of cobalt, chromium, copper and nickel in oral mucosa cells. <i>Microchemical Journal</i> , 2014 , 114, 73-79	4.8	38
65	Histopathological and immunohistochemical analysis of Tilapia (<i>Oreochromis niloticus</i>) exposed to cylindrospermopsin and the effectiveness of N-Acetylcysteine to prevent its toxic effects. <i>Toxicol</i> , 2014 , 78, 18-34	2.8	7
64	Toxicity assessment of organomodified clays used in food contact materials on human target cell lines. <i>Applied Clay Science</i> , 2014 , 90, 150-158	5.2	47
63	Biomonitorization of chromium, copper, iron, manganese and nickel in scalp hair from orthodontic patients by atomic absorption spectrometry. <i>Environmental Toxicology and Pharmacology</i> , 2014 , 37, 759-771	5.8	22
62	Cytotoxicity and mutagenicity studies on migration extracts from nanocomposites with potential use in food packaging. <i>Food and Chemical Toxicology</i> , 2014 , 66, 366-72	4.7	42
61	Immunohistochemical approach to study cylindrospermopsin distribution in tilapia (<i>Oreochromis niloticus</i>) under different exposure conditions. <i>Toxins</i> , 2014 , 6, 283-303	4.9	6
60	In vivo toxicity evaluation of the migration extract of an organomodified clay-poly(lactic) acid nanocomposite. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 731-46	3.2	17
59	Influence of two depuration periods on the activity and transcription of antioxidant enzymes in tilapia exposed to repeated doses of cylindrospermopsin under laboratory conditions. <i>Toxins</i> , 2014 , 6, 1062-79	4.9	10
58	In vivo evaluation of activities and expression of antioxidant enzymes in Wistar rats exposed for 90 days to a modified clay. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 456-66	3.2	9
57	Acute exposure to pure cylindrospermopsin results in oxidative stress and pathological alterations in tilapia (<i>Oreochromis niloticus</i>). <i>Environmental Toxicology</i> , 2014 , 29, 371-85	4.2	29
56	Influence of the exposure way and the time of sacrifice on the effects induced by a single dose of pure Cylindrospermopsin on the activity and transcription of glutathione peroxidase and glutathione-S-transferase enzymes in Tilapia (<i>Oreochromis niloticus</i>). <i>Chemosphere</i> , 2013 , 90, 986-92	8.4	10
55	In vitro toxicological assessment of clays for their use in food packaging applications. <i>Food and Chemical Toxicology</i> , 2013 , 57, 266-75	4.7	52
54	Presence and bioaccumulation of microcystins and cylindrospermopsin in food and the effectiveness of some cooking techniques at decreasing their concentrations: a review. <i>Food and Chemical Toxicology</i> , 2013 , 53, 139-52	4.7	75
53	Alterations observed in the endothelial HUVEC cell line exposed to pure Cylindrospermopsin. <i>Chemosphere</i> , 2012 , 89, 1151-60	8.4	28
52	Oxidative stress responses to carboxylic acid functionalized single wall carbon nanotubes on the human intestinal cell line Caco-2. <i>Toxicology in Vitro</i> , 2012 , 26, 672-7	3.6	49

51	Biochemical and pathological toxic effects induced by the cyanotoxin Cylindrospermopsin on the human cell line Caco-2. <i>Water Research</i> , 2012 , 46, 1566-75	12.5	57
50	Time-dependent histopathological changes induced in Tilapia (<i>Oreochromis niloticus</i>) after acute exposure to pure cylindrospermopsin by oral and intraperitoneal route. <i>Ecotoxicology and Environmental Safety</i> , 2012 , 76, 102-13	7	42
49	Protective role of dietary N-acetylcysteine on the oxidative stress induced by cylindrospermopsin in tilapia (<i>Oreochromis niloticus</i>). <i>Environmental Toxicology and Chemistry</i> , 2012 , 31, 1548-55	3.8	13
48	Oxidative stress responses in tilapia (<i>Oreochromis niloticus</i>) exposed to a single dose of pure cylindrospermopsin under laboratory conditions: influence of exposure route and time of sacrifice. <i>Aquatic Toxicology</i> , 2011 , 105, 100-6	5.1	48
47	Toxicity and glutathione implication in the effects observed by exposure of the liver fish cell line PLHC-1 to pure cylindrospermopsin. <i>Ecotoxicology and Environmental Safety</i> , 2011 , 74, 1567-72	7	57
46	Influence of carboxylic acid functionalization on the cytotoxic effects induced by single wall carbon nanotubes on human endothelial cells (HUVEC). <i>Toxicology in Vitro</i> , 2011 , 25, 1883-8	3.6	50
45	Subchronic effects of cyanobacterial cells on the transcription of antioxidant enzyme genes in tilapia (<i>Oreochromis niloticus</i>). <i>Ecotoxicology</i> , 2011 , 20, 479-90	2.9	30
44	Acute effects of pure cylindrospermopsin on the activity and transcription of antioxidant enzymes in tilapia (<i>Oreochromis niloticus</i>) exposed by gavage. <i>Ecotoxicology</i> , 2011 , 20, 1852-60	2.9	43
43	Differential oxidative stress responses to pure Microcystin-LR and Microcystin-containing and non-containing cyanobacterial crude extracts on Caco-2 cells. <i>Toxicol</i> , 2010 , 55, 514-22	2.8	53
42	In vitro evaluation of cytotoxicity and genotoxicity of a commercial titanium alloy for dental implantology. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2010 , 702, 17-23	3	61
41	Dietary N-Acetylcysteine (NAC) prevents histopathological changes in tilapias (<i>Oreochromis niloticus</i>) exposed to a microcystin-producing cyanobacterial water bloom. <i>Aquaculture</i> , 2010 , 306, 35-48	4.4	13
40	Microcystin-LR induces toxic effects in differentiated and undifferentiated Caco-2 cells. <i>Archives of Toxicology</i> , 2010 , 84, 405-10	5.8	18
39	Aquatic toxicity assessment of the additive 6-methylcoumarine using four experimental systems. <i>Archives of Environmental Contamination and Toxicology</i> , 2009 , 56, 52-9	3.2	6
38	Time-dependent protective efficacy of Trolox (vitamin E analog) against microcystin-induced toxicity in tilapia (<i>Oreochromis niloticus</i>). <i>Environmental Toxicology</i> , 2009 , 24, 563-79	4.2	31
37	Effects of dietary N-acetylcysteine on the oxidative stress induced in tilapia (<i>Oreochromis niloticus</i>) exposed to a microcystin-producing cyanobacterial water bloom. <i>Environmental Toxicology and Chemistry</i> , 2009 , 28, 1679-86	3.8	33
36	The antioxidant glutathione in the fish cell lines EPC and BCF-2: response to model pro-oxidants as measured by three different fluorescent dyes. <i>Toxicology in Vitro</i> , 2009 , 23, 546-53	3.6	30
35	Cytotoxicity of carboxylic acid functionalized single wall carbon nanotubes on the human intestinal cell line Caco-2. <i>Toxicology in Vitro</i> , 2009 , 23, 1491-6	3.6	77
34	Oxidative stress induced by microcystin-LR on PLHC-1 fish cell line. <i>Toxicology in Vitro</i> , 2009 , 23, 1445-9	3.6	27

33	Effects of dietary selenium on the oxidative stress and pathological changes in tilapia (<i>Oreochromis niloticus</i>) exposed to a microcystin-producing cyanobacterial water bloom. <i>Toxicon</i> , 2009 , 53, 269-82	2.8	74
32	Comparison of the toxicity induced by microcystin-RR and microcystin-YR in differentiated and undifferentiated Caco-2 cells. <i>Toxicon</i> , 2009 , 54, 161-9	2.8	52
31	Microcystin-RR induced toxic effects in cell line Caco-2. <i>Toxicology Letters</i> , 2008 , 180, S112	4.4	2
30	Dose-dependent antioxidant responses and pathological changes in tenca (<i>Tinca tinca</i>) after acute oral exposure to <i>Microcystis</i> under laboratory conditions. <i>Toxicon</i> , 2008 , 52, 1-12	2.8	91
29	Protective role of vitamin E on the microcystin-induced oxidative stress in tilapia fish (<i>Oreochromis niloticus</i>). <i>Environmental Toxicology and Chemistry</i> , 2008 , 27, 1152-9	3.8	53
28	Differentiation of two Andalusian DO wines according to their metal content from ICP-OES by using supervised pattern recognition methods. <i>Microchemical Journal</i> , 2007 , 87, 72-76	4.8	47
27	Study of mineral profile of Montilla-Moriles wines using inductively coupled plasma atomic emission spectrometry methods. <i>Journal of Food Composition and Analysis</i> , 2007 , 20, 391-395	4.1	45
26	Toxicological assessment of indium nitrate on aquatic organisms and investigation of the effects on the PLHC-1 fish cell line. <i>Science of the Total Environment</i> , 2007 , 387, 155-65	10.2	22
25	L-carnitine attenuates oxidative stress in hypertensive rats. <i>Journal of Nutritional Biochemistry</i> , 2007 , 18, 533-40	6.3	42
24	Ecotoxicological effects of the antioxidant additive propyl gallate in five aquatic systems. <i>Water Research</i> , 2007 , 41, 2599-611	12.5	28
23	Induction of EROD activity by 1-phenylimidazole and beta-naphthoflavone in rainbow trout cultured hepatocytes: a comparative study. <i>Toxicology in Vitro</i> , 2007 , 21, 1307-10	3.6	5
22	Acute and subacute toxic effects produced by microcystin-YR on the fish cell lines RTG-2 and PLHC-1. <i>Toxicology in Vitro</i> , 2007 , 21, 1460-7	3.6	42
21	Toxicological effects of the lipid regulator gemfibrozil in four aquatic systems. <i>Aquatic Toxicology</i> , 2007 , 81, 106-15	5.1	57
20	Time-dependent oxidative stress responses after acute exposure to toxic cyanobacterial cells containing microcystins in tilapia fish (<i>Oreochromis niloticus</i>) under laboratory conditions. <i>Aquatic Toxicology</i> , 2007 , 84, 337-345	5.1	106
19	Ecotoxicological assessment of bromobenzene using a test battery with five model systems. <i>Food and Chemical Toxicology</i> , 2007 , 45, 575-84	4.7	13
18	Ecotoxicological evaluation of sodium fluoroacetate on aquatic organisms and investigation of the effects on two fish cell lines. <i>Chemosphere</i> , 2007 , 67, 1-12	8.4	17
17	Comparative cytotoxicity of alachlor on RTG-2 trout and SH-SY5Y human cells. <i>Archives of Environmental Contamination and Toxicology</i> , 2006 , 51, 515-20	3.2	16
16	Toxic effects produced by microcystins from a natural cyanobacterial bloom and a <i>Microcystis aeruginosa</i> isolated strain on the fish cell lines RTG-2 and PLHC-1. <i>Archives of Environmental Contamination and Toxicology</i> , 2006 , 51, 86-96	3.2	11

15	Differential oxidative stress responses to microcystins LR and RR in intraperitoneally exposed tilapia fish (<i>Oreochromis</i> sp.). <i>Aquatic Toxicology</i> , 2006 , 77, 314-21	5.1	141
14	Ecotoxicological evaluation of the additive butylated hydroxyanisole using a battery with six model systems and eighteen endpoints. <i>Aquatic Toxicology</i> , 2005 , 71, 183-92	5.1	33
13	The use of the fish cell lines RTG-2 and PLHC-1 to compare the toxic effects produced by microcystins LR and RR. <i>Toxicology in Vitro</i> , 2005 , 19, 865-73	3.6	41
12	High concentrations of pralidoxime are needed for the adequate reactivation of human erythrocyte acetylcholinesterase inhibited by dimethoate in vitro. <i>Toxicology in Vitro</i> , 2005 , 19, 893-7	3.6	6
11	Ecotoxicological evaluation of diethanolamine using a battery of microbiotests. <i>Toxicology in Vitro</i> , 2005 , 19, 879-86	3.6	12
10	Antioxidant enzyme activity and lipid peroxidation in liver and kidney of rats exposed to microcystin-LR administered intraperitoneally. <i>Toxicol</i> , 2005 , 45, 395-402	2.8	217
9	Acid and alkaline phosphatase activities and pathological changes induced in Tilapia fish (<i>Oreochromis</i> sp.) exposed subchronically to microcystins from toxic cyanobacterial blooms under laboratory conditions. <i>Toxicol</i> , 2005 , 46, 725-35	2.8	108
8	Toxic cyanobacterial cells containing microcystins induce oxidative stress in exposed tilapia fish (<i>Oreochromis</i> sp.) under laboratory conditions. <i>Aquatic Toxicology</i> , 2005 , 72, 261-71	5.1	179
7	Ecotoxicological evaluation of the antimalarial drug chloroquine. <i>Aquatic Toxicology</i> , 2005 , 75, 97-107	5.1	39
6	Determination of microcystins in fish by solvent extraction and liquid chromatography. <i>Journal of Chromatography A</i> , 2005 , 1080, 199-203	4.5	44
5	Study of the mineral profile of Catalanian Brut Cava using atomic spectrometric methods. <i>European Food Research and Technology</i> , 2004 , 218, 448-451	3.4	10
4	Differentiation of sparkling wines (cava and champagne) according to their mineral content. <i>Talanta</i> , 2004 , 63, 377-82	6.2	57
3	Tribromophenol induces the differentiation of SH-SY5Y human neuroblastoma cells in vitro. <i>Toxicology in Vitro</i> , 2003 , 17, 635-41	3.6	37
2	Ecotoxicological evaluation of carbamazepine using six different model systems with eighteen endpoints. <i>Toxicology in Vitro</i> , 2003 , 17, 525-32	3.6	95
1	A test battery for the ecotoxicological evaluation of pentachlorophenol. <i>Toxicology in Vitro</i> , 2001 , 15, 503-9	3.6	87