

Chul Ahn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12192207/publications.pdf>

Version: 2024-02-01

155
papers

9,971
citations

34105

52
h-index

38395

95
g-index

163
all docs

163
docs citations

163
times ranked

9705
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Mutations in smooth muscle α -actin (ACTA2) lead to thoracic aortic aneurysms and dissections. <i>Nature Genetics</i> , 2007, 39, 1488-1493. | 21.4 | 767 |
| 2 | Consolidative Radiotherapy for Limited Metastatic Non-Small-Cell Lung Cancer. <i>JAMA Oncology</i> , 2018, 4, e173501. | 7.1 | 755 |
| 3 | Association of coronary risk factors and use of statins with progression of mild valvular aortic stenosis in older persons. <i>American Journal of Cardiology</i> , 2001, 88, 693-695. | 1.6 | 280 |
| 4 | Prevalence of coexistence of coronary artery disease, peripheral arterial disease, and atherothrombotic brain infarction in men and women ≥ 62 years of age. <i>American Journal of Cardiology</i> , 1994, 74, 64-65. | 1.6 | 276 |
| 5 | Effect of Propranolol Versus No Propranolol on Total Mortality Plus Nonfatal Myocardial Infarction in Older Patients with Prior Myocardial Infarction, Congestive Heart Failure, and Left Ventricular Ejection Fraction $\leq 40\%$ Treated With Diuretics Plus Angiotensin-Converting Enzyme Inhibitors. <i>American Journal of Cardiology</i> , 1997, 80, 207-209. | 1.6 | 246 |
| 6 | Phase II Trial of Stereotactic Body Radiation Therapy Combined With Erlotinib for Patients With Limited but Progressive Metastatic Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2014, 32, 3824-3830. | 1.6 | 244 |
| 7 | Systemic lupus erythematosus in three ethnic groups: I. The effects of HLA class II, C4, and CR1 alleles, socioeconomic factors, and ethnicity at disease onset. <i>Arthritis and Rheumatism</i> , 1998, 41, 1161-1172. | 6.7 | 237 |
| 8 | Polygenic inheritance of Tourette syndrome, stuttering, attention deficit hyperactivity, conduct, and oppositional defiant disorder: The additive and subtractive effect of the three dopaminergic genes DRD2, DRD4, and DAT1. <i>American Journal of Medical Genetics Part A</i> , 1996, 67, 264-288. | 2.4 | 234 |
| 9 | Systemic sclerosis in 3 US ethnic groups: A comparison of clinical, sociodemographic, serologic, and immunogenetic determinants. <i>Seminars in Arthritis and Rheumatism</i> , 2001, 30, 332-346. | 3.4 | 228 |
| 10 | Choline Deficiency Causes Reversible Hepatic Abnormalities in Patients Receiving Parenteral Nutrition: Proof of a Human Choline Requirement: A Placebo-Controlled Trial. <i>Journal of Parenteral and Enteral Nutrition</i> , 2001, 25, 260-268. | 2.6 | 203 |
| 11 | Temporal Trends and Sex Differences in Revascularization and Outcomes of ST-Segment Elevation Myocardial Infarction in Younger Adults in the United States. <i>Journal of the American College of Cardiology</i> , 2015, 66, 1961-1972. | 2.8 | 196 |
| 12 | Comparative Effectiveness of Fecal Immunochemical Test Outreach, Colonoscopy Outreach, and Usual Care for Boosting Colorectal Cancer Screening Among the Underserved. <i>JAMA Internal Medicine</i> , 2013, 173, 1725-32. | 5.1 | 184 |
| 13 | Effect of simvastatin versus placebo on treadmill exercise time until the onset of intermittent claudication in older patients with peripheral arterial disease at six months and at one year after treatment. <i>American Journal of Cardiology</i> , 2003, 92, 711-712. | 1.6 | 178 |
| 14 | Pulmonary involvement in systemic sclerosis: Associations with genetic, serologic, sociodemographic, and behavioral factors. <i>Arthritis and Rheumatism</i> , 2007, 57, 318-326. | 6.7 | 161 |
| 15 | Association of Postprandial Hypotension With Incidence of Falls, Syncope, Coronary Events, Stroke, and Total Mortality at 29-Month Follow-Up in 499 Older Nursing Home Residents. <i>Journal of the American Geriatrics Society</i> , 1997, 45, 1051-1053. | 2.6 | 143 |
| 16 | Congestive heart failure, coronary events and atherothrombotic brain infarction in elderly blacks and whites with systemic hypertension and with and without echocardiographic and electrocardiographic evidence of left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 1991, 67, 295-299. | 1.6 | 142 |
| 17 | Prognosis of congestive heart failure in elderly patients with normal versus abnormal left ventricular systolic function associated with coronary artery disease. <i>American Journal of Cardiology</i> , 1990, 66, 1257-1259. | 1.6 | 138 |
| 18 | Characterization of the inflammatory cells in ascending thoracic aortic aneurysms in patients with Marfan syndrome, familial thoracic aortic aneurysms, and sporadic aneurysms. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 136, 922-929.e1. | 0.8 | 123 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Regional Variation in the Incidence and Outcomes of In-Hospital Cardiac Arrest in the United States. <i>Circulation</i> , 2015, 131, 1415-1425. | 1.6 | 118 |
| 20 | An evaluation of phase I cancer clinical trial designs. , 1998, 17, 1537-1549. | | 114 |
| 21 | Pain management for elderly patients with cancer at home. <i>Cancer</i> , 1994, 74, 2139-2146. | 4.1 | 110 |
| 22 | Incidence of new coronary events in older persons with prior myocardial infarction and serum low-density lipoprotein cholesterol ≥ 125 mg/dl treated with statins versus no lipid-lowering drug. <i>American Journal of Cardiology</i> , 2002, 89, 67-69. | 1.6 | 108 |
| 23 | Postprandial Hypotension in 499 Elderly Persons in a Long-Term Health Care Facility. <i>Journal of the American Geriatrics Society</i> , 1994, 42, 930-932. | 2.6 | 107 |
| 24 | Risk factors for new coronary events in a large cohort of very elderly patients with and without coronary artery disease. <i>American Journal of Cardiology</i> , 1996, 77, 864-866. | 1.6 | 106 |
| 25 | Outreach invitations for FIT and colonoscopy improve colorectal cancer screening rates: A randomized controlled trial in a safety-net health system. <i>Cancer</i> , 2016, 122, 456-463. | 4.1 | 104 |
| 26 | Multidisciplinary care improves amputation-free survival in patients with chronic critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2015, 61, 162-169.e1. | 1.1 | 100 |
| 27 | Effect of Colonoscopy Outreach vs Fecal Immunochemical Test Outreach on Colorectal Cancer Screening Completion. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 806. | 7.4 | 98 |
| 28 | Comparison of frequency of new coronary events in older subjects with and without valvular aortic sclerosis. <i>American Journal of Cardiology</i> , 1999, 83, 599-600. | 1.6 | 94 |
| 29 | Comparison of incidences of congestive heart failure in older African-Americans, Hispanics, and Whites. <i>American Journal of Cardiology</i> , 1999, 84, 611-612. | 1.6 | 94 |
| 30 | Effect of propranolol versus no antiarrhythmic drug on sudden cardiac death, total cardiac death, and total death in patients ≥ 62 years of age with heart disease, complex ventricular arrhythmias, and left ventricular ejection fraction $\geq 40\%$. <i>American Journal of Cardiology</i> , 1994, 74, 267-270. | 1.6 | 92 |
| 31 | Urine VCAM-1 as a marker of renal pathology activity index in lupus nephritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R164. | 3.5 | 85 |
| 32 | Effect of beta blockers on incidence of new coronary events in older persons with prior myocardial infarction and symptomatic peripheral arterial disease. <i>American Journal of Cardiology</i> , 2001, 87, 1284-1286. | 1.6 | 84 |
| 33 | Reasons for Lack of Diagnostic Colonoscopy After Positive Result on Fecal Immunochemical Test in a Safety-Net Health System. <i>American Journal of Medicine</i> , 2017, 130, 93.e1-93.e7. | 1.5 | 84 |
| 34 | Normal Left Ventricular Ejection Fraction in Older Persons With Congestive Heart Failure. <i>Chest</i> , 1998, 113, 867-869. | 0.8 | 83 |
| 35 | Prevalence of Atrial Fibrillation and Association of Atrial Fibrillation with Prior and New Thromboembolic Stroke in Older Patients. <i>Journal of the American Geriatrics Society</i> , 1996, 44, 521-523. | 2.6 | 80 |
| 36 | Endothelial area as a prognostic indicator for invasive breast carcinoma. <i>Cancer</i> , 1996, 77, 2077-2085. | 4.1 | 80 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Prevalence and Incidence of Cardiovascular Disease in 1160 Older Men and 2464 Older Women in a Long-term Health Care Facility. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M45-M46. | 3.6 | 79 |
| 38 | Frequency of congestive heart failure in older persons with prior myocardial infarction and serum low-density lipoprotein cholesterol \geq 125 mg/dl treated with statins versus no lipid-lowering drug. <i>American Journal of Cardiology</i> , 2002, 90, 147-149. | 1.6 | 78 |
| 39 | Sample size estimation for GEE method for comparing slopes in repeated measurements data. <i>Statistics in Medicine</i> , 2003, 22, 1305-1315. | 1.6 | 78 |
| 40 | Association of novel polymorphisms with the expression of SPARC in normal fibroblasts and with susceptibility to scleroderma. <i>Arthritis and Rheumatism</i> , 2002, 46, 2990-2999. | 6.7 | 77 |
| 41 | Association of coronary risk factors with progression of valvular aortic stenosis in older persons. <i>American Journal of Cardiology</i> , 2001, 87, 1313-1314. | 1.6 | 76 |
| 42 | Risk Factors for Symptomatic Peripheral Arterial Disease in Older Persons in an Academic Hospital-Based Geriatrics Practice. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 312-314. | 2.6 | 75 |
| 43 | Thrombomodulin Ala455Val Polymorphism and Risk of Coronary Heart Disease. <i>Circulation</i> , 2001, 103, 1386-1389. | 1.6 | 73 |
| 44 | Frequency of new coronary events in older persons with peripheral arterial disease and serum low-density lipoprotein cholesterol \geq 125 mg/dl treated with statins versus no lipid-lowering drug. <i>American Journal of Cardiology</i> , 2002, 90, 789-791. | 1.6 | 73 |
| 45 | Association of Hemoglobin A1c Level With the Severity of Coronary Artery Disease in Patients With Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2006, 97, 968-969. | 1.6 | 73 |
| 46 | Associations of anti- β 2-glycoprotein I autoantibodies with HLA class II alleles in three ethnic groups. <i>Arthritis and Rheumatism</i> , 1999, 42, 268-274. | 6.7 | 69 |
| 47 | Risk factors for new thromboembolic stroke in patients \geq 62 years of age with chronic atrial fibrillation. <i>American Journal of Cardiology</i> , 1998, 82, 119-A9. | 1.6 | 68 |
| 48 | Morphea in Adults and Children Cohort III. <i>JAMA Dermatology</i> , 2013, 149, 1159. | 4.1 | 68 |
| 49 | Urinary Angiostatin - A Novel Putative Marker of Renal Pathology Chronicity in Lupus Nephritis. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 1170-1179. | 3.8 | 68 |
| 50 | Prognosis of congestive heart failure in patients aged \geq 62 years with unoperated severe valvular aortic stenosis. <i>American Journal of Cardiology</i> , 1993, 72, 846-848. | 1.6 | 66 |
| 51 | Incidence of perioperative myocardial infarction and of 2-year mortality in 577 elderly patients undergoing noncardiac vascular surgery treated with and without statins. <i>Archives of Gerontology and Geriatrics</i> , 2010, 51, 149-151. | 3.0 | 58 |
| 52 | Optimal medical therapy predicts amputation-free survival in chronic critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2013, 58, 972-980. | 1.1 | 55 |
| 53 | Interaction Between Soluble Thrombomodulin and Intercellular Adhesion Molecule-1 in Predicting Risk of Coronary Heart Disease. <i>Circulation</i> , 2003, 107, 1729-1732. | 1.6 | 54 |
| 54 | Comparison of Frequency of New Coronary Events in Older Persons With Mild, Moderate, and Severe Valvular Aortic Stenosis With Those Without Aortic Stenosis. <i>American Journal of Cardiology</i> , 1998, 81, 647-649. | 1.6 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Association of mitral annular calcium and of aortic cuspal calcium with coronary artery disease in older patients. <i>American Journal of Cardiology</i> , 1999, 84, 1084-1085. | 1.6 | 51 |
| 56 | Prognosis of patients with heart failure and unoperated severe aortic valvular regurgitation and relation to ejection fraction. <i>American Journal of Cardiology</i> , 1994, 74, 286-288. | 1.6 | 50 |
| 57 | Electrochemical treatment of mouse and rat fibrosarcomas with direct current. <i>Bioelectromagnetics</i> , 1997, 18, 14-24. | 1.6 | 50 |
| 58 | Reduction of New Coronary Events and New Atherothrombotic Brain Infarction in Older Persons With Diabetes Mellitus, Prior Myocardial Infarction, and Serum Low-Density Lipoprotein Cholesterol ≥ 125 mg/dl Treated With Statins. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M747-M750. | 3.6 | 49 |
| 59 | Prevalence of coronary artery disease, complex ventricular arrhythmias, and silent myocardial ischemia and incidence of new coronary events in older persons with chronic renal insufficiency and with normal renal function. <i>American Journal of Cardiology</i> , 2000, 86, 1142-1143. | 1.6 | 48 |
| 60 | Sample size calculations for clustered binary data. <i>Statistics in Medicine</i> , 2001, 20, 1971-1982. | 1.6 | 48 |
| 61 | High-dose doxorubicin, etoposide, and cyclophosphamide with stem cell reinfusion in patients with metastatic or high-risk primary breast cancer. <i>Cancer</i> , 1994, 73, 1678-1685. | 4.1 | 47 |
| 62 | Rate of progression of valvular aortic stenosis in patients ≥ 60 years of age. <i>American Journal of Cardiology</i> , 2001, 87, 807-809. | 1.6 | 47 |
| 63 | Incidence of New Atherothrombotic Brain Infarction in Older Persons With Prior Myocardial Infarction and Serum Low-Density Lipoprotein Cholesterol ≥ 125 mg/dl Treated With Statins Versus No Lipid-Lowering Drug. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M333-M335. | 3.6 | 46 |
| 64 | Decrease in mortality by propranolol in patients with heart disease and complex ventricular arrhythmias is more an anti-ischemic than an antiarrhythmic effect. <i>American Journal of Cardiology</i> , 1994, 74, 613-615. | 1.6 | 45 |
| 65 | Comparison of echocardiographic abnormalities in African-American, Hispanic, and white men and women aged >60 years. <i>American Journal of Cardiology</i> , 2001, 87, 1131-1133. | 1.6 | 45 |
| 66 | Prognosis of congestive heart failure after prior myocardial infarction in older men and women with abnormal versus normal left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 2000, 85, 1382-1384. | 1.6 | 44 |
| 67 | Prognostic significance of silent ischemia in elderly patients with peripheral arterial disease with and without previous myocardial infarction. <i>American Journal of Cardiology</i> , 1992, 69, 137-139. | 1.6 | 43 |
| 68 | Association between plasma homocysteine and peripheral arterial disease in older persons. <i>Coronary Artery Disease</i> , 1998, 9, 49-50. | 0.7 | 43 |
| 69 | Association of valvular aortic stenosis with symptomatic peripheral arterial disease in older persons. <i>American Journal of Cardiology</i> , 2001, 88, 1046-1047. | 1.6 | 43 |
| 70 | Circadian variation of sudden cardiac death or fatal myocardial infarction is abolished by propranolol in patients with heart disease and complex ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1994, 74, 819-821. | 1.6 | 42 |
| 71 | Correlation of serum lipids with the presence or absence of coronary artery disease in 1,793 men and women aged ≥ 62 years. <i>American Journal of Cardiology</i> , 1994, 73, 702-703. | 1.6 | 42 |
| 72 | Risk factors for new atherothrombotic brain infarction in 664 older men and 1,488 older women. <i>American Journal of Cardiology</i> , 1996, 77, 1381-1383. | 1.6 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Major Histocompatibility Complex Class I and Class II Alleles May Confer Susceptibility to or Protection Against Morphea: Findings From the Morphea in Adults and Children Cohort. <i>Arthritis and Rheumatology</i> , 2014, 66, 3170-3177. | 5.6 | 41 |
| 74 | Recurrence of morphea after successful ultraviolet A1 phototherapy: A cohort study. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 481-488. | 1.2 | 41 |
| 75 | Sample size considerations for split-mouth design. <i>Statistical Methods in Medical Research</i> , 2017, 26, 2543-2551. | 1.5 | 41 |
| 76 | Platelet PIA2 Allele and Incidence of Coronary Heart Disease. <i>Circulation</i> , 2000, 102, 1901-1905. | 1.6 | 40 |
| 77 | Prevalence of Echocardiographic Findings in 554 Men and in 1,243 Women Aged >60 Years in a Long-Term Health Care Facility. <i>American Journal of Cardiology</i> , 1997, 79, 379. | 1.6 | 39 |
| 78 | Effect of beta blockers on incidence of new coronary events in older persons with prior myocardial infarction and diabetes mellitus. <i>American Journal of Cardiology</i> , 2001, 87, 780-781. | 1.6 | 39 |
| 79 | Urine Proteome Scans Uncover Total Urinary Protease, Prostaglandin D Synthase, Serum Amyloid P, and Superoxide Dismutase as Potential Markers of Lupus Nephritis. <i>Journal of Immunology</i> , 2010, 184, 2183-2193. | 0.8 | 39 |
| 80 | Phase I study of mitomycin C and menadione in advanced solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 1995, 36, 293-298. | 2.3 | 38 |
| 81 | Association between plasma homocysteine and extracranial carotid arterial disease in older persons. <i>American Journal of Cardiology</i> , 1997, 79, 1432-1433. | 1.6 | 36 |
| 82 | Incidence of New Thromboembolic Stroke in Persons 62 Years and Older with Chronic Atrial Fibrillation Treated with Warfarin Versus Aspirin. <i>Journal of the American Geriatrics Society</i> , 1999, 47, 366-368. | 2.6 | 36 |
| 83 | High-dose cisplatin, etoposide, and cyclophosphamide with autologous stem cell reinfusion in patients with responsive metastatic or high-risk primary breast cancer. <i>Cancer</i> , 1994, 73, 125-134. | 4.1 | 34 |
| 84 | Relation of Increased Hemoglobin A1c Levels to Severity of Peripheral Arterial Disease in Patients With Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2007, 99, 1468-1469. | 1.6 | 34 |
| 85 | Prevalence and Association of Ventricular Tachycardia and Complex Ventricular Arrhythmias With New Coronary Events in Older Men and Women With and Without Cardiovascular Disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M178-M180. | 3.6 | 33 |
| 86 | Reduction of Coronary Events With Aspirin in Older Patients With Prior Myocardial Infarction Treated With and Without Statins. <i>Heart Disease (Hagerstown, Md)</i> , 2002, 4, 159-161. | 1.3 | 33 |
| 87 | Tumor-associated antigen 43-9F is of prognostic value in squamous cell carcinoma of the lung. A retrospective immunohistochemical study. <i>Cancer</i> , 1992, 70, 1867-1872. | 4.1 | 32 |
| 88 | Correlation of serum lipids with the presence or absence of atherothrombotic brain infarction and peripheral arterial disease in 1,834 men and women aged ≥ 62 years. <i>American Journal of Cardiology</i> , 1994, 73, 995-997. | 1.6 | 31 |
| 89 | Echocardiographic findings associated with atrial fibrillation in 1,699 patients aged >60 years. <i>American Journal of Cardiology</i> , 1995, 76, 1191-1192. | 1.6 | 31 |
| 90 | Association Between Plasma Homocysteine and Coronary Artery Disease in Older Persons. <i>American Journal of Cardiology</i> , 1997, 80, 1216-1218. | 1.6 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | PROBLEMATIC FORMULATIONS OF SAS PROC.MIXED MODELS FOR REPEATED MEASUREMENTS. Journal of Biopharmaceutical Statistics, 1999, 9, 189-216. | 0.8 | 30 |
| 92 | Predictors of Mortality, Rehospitalization for Syncope, and Cardiac Syncope in 352 Consecutive Elderly Patients With Syncope. Journal of the American Medical Directors Association, 2013, 14, 326-330. | 2.5 | 30 |
| 93 | Elderly Diabetics With Peripheral Arterial Disease and No Coronary Artery Disease Have a Higher Incidence of New Coronary Events Than Elderly Nondiabetics With Peripheral Arterial Disease and Prior Myocardial Infarction Treated With Statins and With No Lipid-Lowering Drug. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2003, 58, M573-M575. | 3.6 | 28 |
| 94 | Clinical factors associated with early readmission among acutely decompensated heart failure patients. Archives of Medical Science, 2016, 3, 538-545. | 0.9 | 28 |
| 95 | Sample size and power calculations in repeated measurement analysis. Computer Methods and Programs in Biomedicine, 2001, 64, 121-124. | 4.7 | 27 |
| 96 | Phase II Trial of Stereotactic Ablative Radiation for Oligoprogressive Metastatic Kidney Cancer. European Urology Oncology, 2022, 5, 216-224. | 5.4 | 26 |
| 97 | Effect of propranolol on circadian variation of myocardial ischemia in elderly patients with heart disease and complex ventricular arrhythmias. American Journal of Cardiology, 1995, 75, 837-839. | 1.6 | 24 |
| 98 | Prevalence of Left Ventricular Hypertrophy in Persons With and Without Obstructive Sleep Apnea. Cardiology in Review, 2006, 14, 170-172. | 1.4 | 24 |
| 99 | Prevalence of Coronary Artery Disease, Atherothrombotic Brain Infarction, and Peripheral Arterial Disease: Associated Risk Factors in Older Hispanics in an Academic Hospital-Based Geriatrics Practice. Journal of the American Geriatrics Society, 1998, 46, 481-483. | 2.6 | 23 |
| 100 | Association of Electrocardiographic Left Ventricular Hypertrophy with the Incidence of New Congestive Heart Failure. Journal of the American Geriatrics Society, 1998, 46, 1280-1281. | 2.6 | 23 |
| 101 | Prevalence of and Association Between Silent Myocardial Ischemia and New Coronary Events in Older Men and Women with and without Cardiovascular Disease. Journal of the American Geriatrics Society, 2002, 50, 1075-1078. | 2.6 | 23 |
| 102 | Association of Abnormal Serum Lipids in Elderly Persons With Atherosclerotic Vascular Disease and Dementia, Atherosclerotic Vascular Disease Without Dementia, Dementia Without Atherosclerotic Vascular Disease, and No Dementia or Atherosclerotic Vascular Disease. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2003, 58, M859-M861. | 3.6 | 23 |
| 103 | ISSUES IN USE OF SAS PROC.MIXED TO TEST THE SIGNIFICANCE OF TREATMENT EFFECTS IN CONTROLLED CLINICAL TRIALS*. Journal of Biopharmaceutical Statistics, 2000, 10, 265-286. | 0.8 | 22 |
| 104 | Evaluation of an adjusted chi-square statistic as applied to observational studies involving clustered binary data. Statistics in Medicine, 2001, 20, 2149-2161. | 1.6 | 22 |
| 105 | Prognostic significance of silent myocardial ischemia in patients >61 years of age with extracranial internal or common carotid arterial disease with and without previous myocardial infarction. American Journal of Cardiology, 1993, 71, 115-117. | 1.6 | 21 |
| 106 | Plasma Choline Concentrations in Children Requiring Long-Term Home Parenteral Nutrition: A Case Control Study. Journal of Parenteral and Enteral Nutrition, 1999, 23, 305-308. | 2.6 | 21 |
| 107 | Association of extracranial carotid arterial disease and chronic atrial fibrillation with the incidence of new thromboembolic stroke in 1,846 older persons. American Journal of Cardiology, 1999, 83, 1403-1404. | 1.6 | 21 |
| 108 | Association of left ventricular hypertrophy and chronic atrial fibrillation with the incidence of new thromboembolic stroke in 2,384 older persons. American Journal of Cardiology, 1999, 84, 468-469. | 1.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Association of Plasma Homocysteine in Elderly Persons With Atherosclerotic Vascular Disease and Dementia, Atherosclerotic Vascular Disease Without Dementia, Dementia Without Atherosclerotic Vascular Disease, and No Dementia or Atherosclerotic Vascular Disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003, 58, M1135-M1136. | 3.6 | 17 |
| 110 | Effect of propranolol on circadian variation of ventricular arrhythmias in elderly patients with heart disease and complex ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1995, 75, 514-516. | 1.6 | 16 |
| 111 | Local recurrence in breast cancer: Implications for systemic disease. <i>Annals of Surgical Oncology</i> , 1997, 4, 24-27. | 1.5 | 16 |
| 112 | Association of Extracranial Carotid Arterial Disease, Prior Atherothrombotic Brain Infarction, Systemic Hypertension, and Left Ventricular Hypertrophy With the Incidence of New Atherothrombotic Brain Infarction at 45-Month Follow-Up in 1,482 Older Patients. <i>American Journal of Cardiology</i> , 1997, 79, 991-993. | 1.6 | 14 |
| 113 | Estimation of Response Probability in Correlated Binary Data: A New Approach. <i>Drug Information Journal</i> , 2000, 34, 599-604. | 0.5 | 14 |
| 114 | Sample size calculation for time-averaged differences in the presence of missing data. <i>Contemporary Clinical Trials</i> , 2012, 33, 550-556. | 1.8 | 14 |
| 115 | Risk factors for extracranial internal or common carotid arterial disease in elderly patients. <i>American Journal of Cardiology</i> , 1993, 71, 1479-1481. | 1.6 | 13 |
| 116 | Assessment of coronary heart disease risk by combined analysis of coagulation factors. <i>Atherosclerosis</i> , 2008, 198, 294-300. | 0.8 | 13 |
| 117 | Effects of correlation and missing data on sample size estimation in longitudinal clinical trials. <i>Pharmaceutical Statistics</i> , 2010, 9, 2-9. | 1.3 | 13 |
| 118 | Prevalence of Coronary Artery Disease, Ischemic Stroke, and Symptomatic Peripheral Arterial Disease and of Associated Risk Factors in Older Men and Women With and Without Diabetes Mellitus. <i>Preventive Cardiology</i> , 2000, 3, 160-163. | 1.1 | 11 |
| 119 | Financial Incentives to Promote Colorectal Cancer Screening: A Longitudinal Randomized Control Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1902-1908. | 2.5 | 11 |
| 120 | Estimation of a common odds ratio under binary cluster sampling. <i>Statistics in Medicine</i> , 1995, 14, 1567-1576. | 1.6 | 10 |
| 121 | Application of an adjusted χ^2 statistic to site-specific data in observational dental studies. <i>Journal of Clinical Periodontology</i> , 2002, 29, 79-82. | 4.9 | 10 |
| 122 | EFFECT OF DROPOUTS ON SAMPLE SIZE ESTIMATES FOR TEST ON TRENDS ACROSS REPEATED MEASUREMENTS. <i>Journal of Biopharmaceutical Statistics</i> , 2004, 15, 33-41. | 0.8 | 10 |
| 123 | Association of Plasma Renin Activity and Echocardiographic Left Ventricular Hypertrophy With Frequency of New Coronary Events and New Atherothrombotic Brain Infarction in Older Persons With Systemic Hypertension. <i>American Journal of Cardiology</i> , 1997, 79, 1543-1545. | 1.6 | 9 |
| 124 | Choline Deficiency Is Associated With Increased Risk for Venous Catheter Thrombosis. <i>Journal of Parenteral and Enteral Nutrition</i> , 2006, 30, 317-320. | 2.6 | 9 |
| 125 | Screening initiation with FIT or colonoscopy: Post-hoc analysis of a pragmatic, randomized trial. <i>Preventive Medicine</i> , 2019, 118, 332-335. | 3.4 | 9 |
| 126 | Risk factors for coronary artery disease in old persons in an academic hospital-based geriatrics practice. <i>Coronary Artery Disease</i> , 2000, 11, 437-439. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Increased Fasting Plasma Insulin Concentrations are Associated with the Severity of Angiographic Coronary Artery Disease. <i>Angiology</i> , 2005, 56, 249-251. | 1.8 | 7 |
| 128 | Risk factors for new coronary events in older african-american men and women. <i>American Journal of Cardiology</i> , 1998, 82, 902-904. | 1.6 | 6 |
| 129 | Association of diabetes mellitus using old and new diagnostic criteria with incidence of new coronary events in older men and women. <i>American Journal of Cardiology</i> , 2000, 85, 104-105. | 1.6 | 6 |
| 130 | K-Sample Test and Sample Size Calculation for Comparing Slopes in Data with Repeated Measurements. <i>Biometrical Journal</i> , 2004, 46, 554-564. | 1.0 | 6 |
| 131 | Endothelial area as a prognostic indicator for invasive breast carcinoma. <i>Cancer</i> , 1996, 77, 2077-2085. | 4.1 | 6 |
| 132 | Cluster Randomization Trials: A Simulation Study. <i>Biometrical Journal</i> , 2002, 44, 375. | 1.0 | 5 |
| 133 | Incidence of New Stroke or New Myocardial Infarction or Death at 39-Month Follow Up in Patients With Diabetes Mellitus, Hypertension, or Both Treated With and Without Angiotensin-Converting Enzyme Inhibitors or Angiotensin Receptor Blockers. <i>American Journal of Therapeutics</i> , 2009, 16, 2-4. | 0.9 | 5 |
| 134 | How many measurements for time-averaged differences in repeated measurement studies?. <i>Contemporary Clinical Trials</i> , 2011, 32, 412-417. | 1.8 | 5 |
| 135 | Sample size considerations for paired experimental design with incomplete observations of continuous outcomes. <i>Statistical Methods in Medical Research</i> , 2019, 28, 589-598. | 1.5 | 5 |
| 136 | Phase I study of 5-day continuous infusion fluorodeoxyuridine and high-dose folinic acid with oral hydroxyurea. <i>Cancer Chemotherapy and Pharmacology</i> , 1994, 35, 161-164. | 2.3 | 4 |
| 137 | Incidence of New Stroke or New Myocardial Infarction or Death at 39-Month Follow-Up in Patients with Diabetes Mellitus, Hypertension or Both with and without Microalbuminuria. <i>Cardiology</i> , 2008, 109, 62-65. | 1.4 | 4 |
| 138 | Adding Subjects or Adding Measurements in Repeated Measurement Studies Under Financial Constraints. <i>Statistics in Biopharmaceutical Research</i> , 2011, 3, 54-64. | 0.8 | 4 |
| 139 | Sample size estimation for a two-group comparison of repeated count outcomes using GEE. <i>Communications in Statistics - Theory and Methods</i> , 2017, 46, 6743-6753. | 1.0 | 4 |
| 140 | Outcomes associated with use of the Cancer Risk Intake System among primary care safety-net patients identified as needing colorectal cancer screening. <i>Preventive Medicine Reports</i> , 2019, 16, 101003. | 1.8 | 4 |
| 141 | Effect of propranolol versus no antiarrhythmic drug on serum lipids in patients with heart disease and complex ventricular arrhythmias. <i>Current Therapeutic Research</i> , 1994, 55, 1442-1445. | 1.2 | 3 |
| 142 | An evaluation of phase I cancer clinical trial designs. <i>Statistics in Medicine</i> , 1998, 17, 1537-1549. | 1.6 | 3 |
| 143 | Phase I study of mitomycin C and menadione in advanced solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 1995, 36, 293-298. | 2.3 | 3 |
| 144 | Cisplatin and Infusional Cytosine Arabinoside for the Treatment of Colorectal Adenocarcinoma: A Phase II Trial. <i>Cancer Investigation</i> , 1999, 17, 114-117. | 1.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Risk Factors for Ischemic Stroke in Older Persons in an Academic Hospital Based Geriatrics Practice. Preventive Cardiology, 2000, 3, 118-120. | 1.1 | 2 |
| 146 | Sample size estimation for comparing rates of change in K -group repeated count outcomes. Communications in Statistics - Theory and Methods, 2017, 46, 11204-11213. | 1.0 | 2 |
| 147 | Efficiency of the Slope Estimator in Repeated Measurements. Drug Information Journal, 2004, 38, 143-148. | 0.5 | 1 |
| 148 | Biostatistics Used for Clinical Investigation of Coronary Artery Disease. , 2016, , 215-221. | | 1 |
| 149 | Electrochemical treatment of mouse and rat fibrosarcomas with direct current. Bioelectromagnetics, 1997, 18, 14-24. | 1.6 | 1 |
| 150 | Cisplatin and Infusional Cytosine Arabinoside for the Treatment of Colorectal Adenocarcinoma: A Phase II Trial. Cancer Investigation, 1999, 17, 114-117. | 1.3 | 1 |
| 151 | Risk factors for new coronary events in older Hispanic men and women. American Journal of Cardiology, 2001, 88, 901-903. | 1.6 | 0 |
| 152 | The Expected Toxicity Rate at the Maximum Tolerated Dose in Bridging Studies in Alzheimer's Disease. Drug Information Journal, 2005, 39, 149-157. | 0.5 | 0 |
| 153 | Sample size estimation for comparing rates of change in K -group repeated binary measurements studies. Communications in Statistics - Theory and Methods, 2020, , 1-10. | 1.0 | 0 |
| 154 | Phase I Cancer Clinical Trials. , 2010, , 1011-1015. | | 0 |
| 155 | Sample size calculation for comparing time-averaged responses in K -group repeated binary outcomes. Communications for Statistical Applications and Methods, 2018, 25, 321-328. | 0.3 | 0 |