

Claudine Berr

List of Publications by Citations

Source: <https://exaly.com/author-pdf/121961/claudine-berr-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

270
papers

25,102
citations

70
h-index

155
g-index

316
ext. papers

30,344
ext. citations

6.6
avg, IF

5.99
L-index

#	Paper	IF	Citations
270	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. <i>Nature Genetics</i> , 2013 , 45, 1452-8	36.3	2714
269	Genome-wide association study identifies variants at CLU and CR1 associated with Alzheimer's disease. <i>Nature Genetics</i> , 2009 , 41, 1094-9	36.3	1819
268	TREM2 variants in Alzheimer's disease. <i>New England Journal of Medicine</i> , 2013 , 368, 117-27	59.2	1805
267	Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. <i>Nature Genetics</i> , 2011 , 43, 429-35	36.3	1421
266	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates A β tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019 , 51, 414-430	36.3	917
265	Genome-wide analysis of genetic loci associated with Alzheimer disease. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 1832-40	27.4	888
264	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
263	Multiancestry genome-wide association study of 520,000 subjects identifies 32 loci associated with stroke and stroke subtypes. <i>Nature Genetics</i> , 2018 , 50, 524-537	36.3	536
262	Dietary patterns and risk of dementia: the Three-City cohort study. <i>Neurology</i> , 2007 , 69, 1921-30	6.5	519
261	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017 , 49, 1373-1384	36.3	508
260	Timing of onset of cognitive decline: results from Whitehall II prospective cohort study. <i>BMJ, The</i> , 2012 , 344, d7622	5.9	435
259	APOE and Alzheimer disease: a major gene with semi-dominant inheritance. <i>Molecular Psychiatry</i> , 2011 , 16, 903-7	15.1	391
258	Apolipoprotein E, epsilon 4 allele as a major risk factor for sporadic early and late-onset forms of Alzheimer's disease: analysis of the 19q13.2 chromosomal region. <i>Human Molecular Genetics</i> , 1994 , 3, 569-74	5.6	344
257	Amnesic syndrome of the medial temporal type identifies prodromal AD: a longitudinal study. <i>Neurology</i> , 2007 , 69, 1859-67	6.5	320
256	Cognitive decline and fatty acid composition of erythrocyte membranes--The EVA Study. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 803-8	7	264
255	Increased expression of BIN1 mediates Alzheimer genetic risk by modulating tau pathology. <i>Molecular Psychiatry</i> , 2013 , 18, 1225-34	15.1	251
254	Genetic contributions to variation in general cognitive function: a meta-analysis of genome-wide association studies in the CHARGE consortium (N=53949). <i>Molecular Psychiatry</i> , 2015 , 20, 183-92	15.1	250

253	Changes in cognitive abilities over a 4-year period are unfavorably affected in elderly diabetic subjects: results of the Epidemiology of Vascular Aging Study. <i>Diabetes Care</i> , 2001 , 24, 366-70	14.6	250
252	Relationships of dehydroepiandrosterone sulfate in the elderly with functional, psychological, and mental status, and short-term mortality: a French community-based study. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 13410-5	11.5	239
251	Metabolic syndrome and risk for incident Alzheimer's disease or vascular dementia: the Three-City Study. <i>Diabetes Care</i> , 2009 , 32, 169-74	14.6	224
250	Leisure activities and the risk of dementia in the elderly: results from the Three-City Study. <i>Neurology</i> , 2009 , 73, 854-61	6.5	213
249	Cognitive decline is associated with systemic oxidative stress: the EVA study. Etude du Vieillessement Artfiel. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 1285-91	5.6	201
248	Common carotid intima-media thickness predicts occurrence of carotid atherosclerotic plaques: longitudinal results from the Aging Vascular Study (EVA) study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 1622-9	9.4	199
247	High frequency of potentially pathogenic SORL1 mutations in autosomal dominant early-onset Alzheimer disease. <i>Molecular Psychiatry</i> , 2012 , 17, 875-9	15.1	197
246	Risk profiles for mild cognitive impairment and progression to dementia are gender specific. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008 , 79, 979-84	5.5	181
245	Relation of intima-media thickness to atherosclerotic plaques in carotid arteries. The Vascular Aging (EVA) Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996 , 16, 310-6	9.4	180
244	A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , 2016 , 21, 108-17	15.1	175
243	IANA task force on nutrition and cognitive decline with aging. <i>Journal of Nutrition, Health and Aging</i> , 2007 , 11, 132-52	5.2	164
242	Meta-analysis of 65,734 individuals identifies TSPAN15 and SLC44A2 as two susceptibility loci for venous thromboembolism. <i>American Journal of Human Genetics</i> , 2015 , 96, 532-42	11	163
241	Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39 740 adults from 20 prospective cohort studies. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 965-974	18.1	150
240	Designing prevention programmes to reduce incidence of dementia: prospective cohort study of modifiable risk factors. <i>BMJ, The</i> , 2010 , 341, c3885	5.9	150
239	Convergent genetic and expression data implicate immunity in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2015 , 11, 658-71	1.2	146
238	Prevalence of dementia in the elderly in Europe. <i>European Neuropsychopharmacology</i> , 2005 , 15, 463-71	1.2	146
237	Apathy in patients with mild cognitive impairment and the risk of developing dementia of Alzheimer's disease: a one-year follow-up study. <i>Clinical Neurology and Neurosurgery</i> , 2006 , 108, 733-6	2	143
236	Transcriptomic and genetic studies identify IL-33 as a candidate gene for Alzheimer's disease. <i>Molecular Psychiatry</i> , 2009 , 14, 1004-16	15.1	141

235	Excessive sleepiness is predictive of cognitive decline in the elderly. <i>Sleep</i> , 2012 , 35, 1201-7	1.1	140
234	Selenium and mortality in the elderly: results from the EVA study. <i>Clinical Chemistry</i> , 2005 , 51, 2117-23	5.5	139
233	Prospective measurements of dehydroepiandrosterone sulfate in a cohort of elderly subjects: relationship to gender, subjective health, smoking habits, and 10-year mortality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 8145-50	11.5	134
232	Plasma selenium over time and cognitive decline in the elderly. <i>Epidemiology</i> , 2007 , 18, 52-8	3.1	129
231	Alternative Healthy Eating Index and mortality over 18 y of follow-up: results from the Whitehall II cohort. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 247-53	7	122
230	Chronic kidney disease, cognitive decline, and incident dementia: the 3C Study. <i>Neurology</i> , 2011 , 77, 2048-51	4.5	121
229	Long-term association of food and nutrient intakes with cognitive and functional decline: a 13-year follow-up study of elderly French women. <i>British Journal of Nutrition</i> , 2009 , 102, 419-27	3.6	112
228	Association of plasma amyloid beta with risk of dementia: the prospective Three-City Study. <i>Neurology</i> , 2009 , 73, 847-53	6.5	111
227	Cross-sectional and 4-year longitudinal associations between brachial pulse pressure and common carotid intima-media thickness in a general population. The EVA study. <i>Stroke</i> , 1999 , 30, 550-5	6.7	111
226	Implication of the immune system in Alzheimer's disease: evidence from genome-wide pathway analysis. <i>Journal of Alzheimer's Disease</i> , 2010 , 20, 1107-18	4.3	109
225	Peripheral antioxidant enzyme activities and selenium in elderly subjects and in dementia of Alzheimer's type--place of the extracellular glutathione peroxidase. <i>Free Radical Biology and Medicine</i> , 1996 , 20, 579-87	7.8	106
224	Impact of a premature menopause on cognitive function in later life. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 1729-39	3.7	104
223	Pronounced impact of Th1/E47cs mutation compared with -491 AT mutation on neural APOE gene expression and risk of developing Alzheimer's disease. <i>Human Molecular Genetics</i> , 1998 , 7, 1511-6	5.6	101
222	Identification of additional risk loci for stroke and small vessel disease: a meta-analysis of genome-wide association studies. <i>Lancet Neurology</i> , 2016 , 15, 695-707	24.1	100
221	Association of Cardiovascular Health Level in Older Age With Cognitive Decline and Incident Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 657-664	27.4	97
220	Olive oil consumption, plasma oleic acid, and stroke incidence: the Three-City Study. <i>Neurology</i> , 2011 , 77, 418-25	6.5	97
219	Influence of apolipoprotein E genotype on the risk of cognitive deterioration in moderate drinkers and smokers. <i>Epidemiology</i> , 2000 , 11, 280-4	3.1	97
218	Correlates of regular fish consumption in French elderly community dwellers: data from the Three-City study. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 817-25	5.2	96

217	Olive oil and cognition: results from the three-city study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 28, 357-64	2.6	95
216	Factors of carotid arterial enlargement in a population aged 59 to 71 years: the EVA study. <i>Stroke</i> , 1996 , 27, 654-60	6.7	93
215	Plasma carotenoid levels and cognitive performance in an elderly population: results of the EVA Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 308-16	6.4	90
214	Gene-wide analysis detects two new susceptibility genes for Alzheimer's disease. <i>PLoS ONE</i> , 2014 , 9, e94661	3.7	90
213	Relationship between body mass index and different domains of disability in older persons: the 3C study. <i>International Journal of Obesity</i> , 2004 , 28, 1555-60	5.5	87
212	Combined effects of lipid peroxidation and antioxidant status on carotid atherosclerosis in a population aged 59-71 y: The EVA Study. Etude sur le Vieillissement Artfiel. <i>American Journal of Clinical Nutrition</i> , 1997 , 65, 121-7	7	86
211	Confirmation of the epsilon 4 allele of the apolipoprotein E gene as a risk factor for late-onset Alzheimer's disease. <i>Neurology</i> , 1994 , 44, 342-4	6.5	82
210	Plasma selenium and risk of dysglycemia in an elderly French population: results from the prospective Epidemiology of Vascular Ageing Study. <i>Nutrition and Metabolism</i> , 2010 , 7, 21	4.6	80
209	Mediterranean diet and cognitive decline in women with cardiovascular disease or risk factors. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012 , 112, 816-23	3.9	78
208	Genome-wide haplotype association study identifies the FRMD4A gene as a risk locus for Alzheimer's disease. <i>Molecular Psychiatry</i> , 2013 , 18, 461-70	15.1	77
207	Frequency and risk factors of potentially inappropriate medication use in a community-dwelling elderly population: results from the 3C Study. <i>European Journal of Clinical Pharmacology</i> , 2005 , 60, 813-9 ^{2.8}	2.8	76
206	Evidence of a role for lactadherin in Alzheimer's disease. <i>American Journal of Pathology</i> , 2007 , 170, 921-9 ^{3.8}	3.8	74
205	Twenty-seven-year time trends in dementia incidence in Europe and the United States: The Alzheimer Cohorts Consortium. <i>Neurology</i> , 2020 , 95, e519-e531	6.5	73
204	Apolipoprotein E allele epsilon 4 is linked to increased deposition of the amyloid beta-peptide (A-beta) in cases with or without Alzheimer's disease. <i>Neuroscience Letters</i> , 1994 , 178, 221-4	3.3	73
203	Dehydroepiandrosterone sulfate in a long-term care aged population. <i>Gerontology</i> , 1995 , 41, 343-51	5.5	72
202	Ideal Cardiovascular Health, Mortality, and Vascular Events in Elderly Subjects: The Three-City Study. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 3015-3026	15.1	71
201	Epidemiology and prognostic significance of chronic kidney disease in the elderly--the Three-City prospective cohort study. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 3286-95	4.3	70
200	Early effect of ApoE-epsilon 4 allele on cognitive results in a group of highly performing subjects: the EVA study. Etude sur le Vieillissement Artfiel. <i>Neuroscience Letters</i> , 1996 , 218, 9-12	3.3	66

199	Risk factors in multiple sclerosis: a population-based case-control study in Hautes-Pyrénées, France. <i>Acta Neurologica Scandinavica</i> , 1989 , 80, 46-50	3.8	66
198	Group and individual cognitive therapies in Alzheimer's disease: the ETNA3 randomized trial. <i>International Psychogeriatrics</i> , 2016 , 28, 707-17	3.4	65
197	Inappropriate drug use and mortality in community-dwelling elderly with impaired kidney function--the Three-City population-based study. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 2852-9	4.3	64
196	How many dementia cases in France and Europe? Alternative projections and scenarios 2010-2050. <i>European Journal of Neurology</i> , 2010 , 17, 252-9	6	63
195	Quantifying and comparing dynamic predictive accuracy of joint models for longitudinal marker and time-to-event in presence of censoring and competing risks. <i>Biometrics</i> , 2015 , 71, 102-113	1.8	62
194	Polymorphism of the prion protein is associated with cognitive impairment in the elderly: the EVA study. <i>Neurology</i> , 1998 , 51, 734-7	6.5	58
193	Ultrasonographic assessment of carotid wall characteristics and cognitive functions in a community sample of 59- to 71-year-olds. The EVA Study Group. <i>Stroke</i> , 1996 , 27, 1290-5	6.7	58
192	Benzodiazepine, psychotropic medication, and dementia: A population-based cohort study. <i>Alzheimer's and Dementia</i> , 2016 , 12, 604-13	1.2	57
191	A prospective study of the bi-directional association between vision loss and depression in the elderly. <i>Journal of Affective Disorders</i> , 2013 , 151, 164-70	6.6	57
190	Validity of the free and cued selective reminding test in predicting dementia: the 3C study. <i>Neurology</i> , 2010 , 74, 1760-7	6.5	57
189	Systemic oxidative stress and cognitive performance in the population-based EVA study. Etude du Vieillissement Artfiel. <i>Free Radical Biology and Medicine</i> , 1998 , 24, 1202-8	7.8	57
188	Lipid lowering agents, cognitive decline, and dementia: the three-city study. <i>Journal of Alzheimer's Disease</i> , 2012 , 30, 629-37	4.3	55
187	Importance of lack of interest in patients with mild cognitive impairment. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 770-6	6.5	55
186	Operational Definition of Active and Healthy Ageing (AHA): A Conceptual Framework. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 955-60	5.2	54
185	Systematic analysis of candidate genes for Alzheimer's disease in a French, genome-wide association study. <i>Journal of Alzheimer's Disease</i> , 2010 , 20, 1181-8	4.3	54
184	Factors associated with longitudinal plasma selenium decline in the elderly: the EVA study. <i>Journal of Nutritional Biochemistry</i> , 2007 , 18, 482-7	6.3	54
183	Evaluation of a Genetic Risk Score to Improve Risk Prediction for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016 , 53, 921-32	4.3	54
182	Selenium and cognitive impairment: a brief-review based on results from the EVA study. <i>BioFactors</i> , 2012 , 38, 139-44	6.1	53

181	Neuropsychological performance in mild cognitive impairment with and without apathy. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006 , 21, 192-7	2.6	53
180	Subjective cognitive complaints and mortality: does the type of complaint matter?. <i>Journal of Psychiatric Research</i> , 2014 , 48, 73-8	5.2	52
179	The renin angiotensin system and Alzheimer's disease. <i>Annals of the New York Academy of Sciences</i> , 2000 , 903, 437-41	6.5	52
178	Is the urea cycle involved in Alzheimer's disease?. <i>Journal of Alzheimer's Disease</i> , 2010 , 21, 1013-21	4.3	51
177	Hypnotics and mortality in an elderly general population: a 12-year prospective study. <i>BMC Medicine</i> , 2013 , 11, 212	11.4	50
176	The CALHM1 P86L polymorphism is a genetic modifier of age at onset in Alzheimer's disease: a meta-analysis study. <i>Journal of Alzheimer's Disease</i> , 2010 , 22, 247-55	4.3	48
175	Selenium and oxygen-metabolizing enzymes in elderly community residents: a pilot epidemiological study. <i>Journal of the American Geriatrics Society</i> , 1993 , 41, 143-8	5.6	48
174	Sex differences in the associations between lipid levels and incident dementia. <i>Journal of Alzheimer's Disease</i> , 2013 , 34, 519-28	4.3	47
173	Metabolic syndrome and onset of depressive symptoms in the elderly: findings from the three-city study. <i>Diabetes Care</i> , 2011 , 34, 904-9	14.6	47
172	Cognitive impairment and oxidative stress in the elderly: results of epidemiological studies. <i>BioFactors</i> , 2000 , 13, 205-9	6.1	47
171	PLD3 and sporadic Alzheimer's disease risk. <i>Nature</i> , 2015 , 520, E1	50.4	46
170	Education modulates the impact of white matter lesions on the risk of mild cognitive impairment and dementia. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1336-45	6.5	45
169	Caffeine and cognitive decline in elderly women at high vascular risk. <i>Journal of Alzheimer's Disease</i> , 2013 , 35, 413-21	4.3	44
168	Chronic use of benzodiazepines and latent cognitive decline in the elderly: results from the Three-city study. <i>European Neuropsychopharmacology</i> , 2013 , 23, 212-23	1.2	43
167	Total plasma carotenoids and mortality in the elderly: results of the Epidemiology of Vascular Ageing (EVA) study. <i>British Journal of Nutrition</i> , 2009 , 101, 86-92	3.6	43
166	Relation of serum elastase activity to ultrasonographically assessed carotid artery wall lesions and cardiovascular risk factors. The EVA study. <i>Atherosclerosis</i> , 1996 , 120, 47-55	3.1	43
165	Shared genetic contribution to Ischaemic Stroke and Alzheimer's Disease. <i>Annals of Neurology</i> , 2016 , 79, 739-747	9.4	42
164	Fish Intake, Genetic Predisposition to Alzheimer Disease, and Decline in Global Cognition and Memory in 5 Cohorts of Older Persons. <i>American Journal of Epidemiology</i> , 2018 , 187, 933-940	3.8	41

163	Metabolic syndrome and disability: findings from the prospective three-city study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 79-86	6.4	41
162	Self-rated health and risk of incident dementia: a community-based elderly cohort, the 3C study. <i>Neurology</i> , 2011 , 77, 1457-64	6.5	41
161	Vision loss and 12-year risk of dementia in older adults: the 3C cohort study. <i>European Journal of Epidemiology</i> , 2019 , 34, 141-152	12.1	40
160	Measuring cognitive change in subjects with prodromal Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, 363-70	5.5	39
159	Plasma lipids and cerebral small vessel disease. <i>Neurology</i> , 2014 , 83, 1844-52	6.5	39
158	Relationship between diet and plasma long-chain n-3 PUFAs in older people: impact of apolipoprotein E genotype. <i>Journal of Lipid Research</i> , 2013 , 54, 2559-67	6.3	37
157	The clinical picture of Alzheimer's disease in the decade before diagnosis: clinical and biomarker trajectories. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e305-11	4.6	36
156	Evidence for induction of the ornithine transcarbamylase expression in Alzheimer's disease. <i>Molecular Psychiatry</i> , 2009 , 14, 106-16	15.1	35
155	Cost of dementia in Europe. <i>European Journal of Neurology</i> , 2005 , 12 Suppl 1, 50-3	6	35
154	Effect of the angiotensin I-converting enzyme I/D polymorphism on cognitive decline. The EVA Study Group. <i>Neurobiology of Aging</i> , 2000 , 21, 75-80	5.6	35
153	Gender-specific associations between lipids and cognitive decline in the elderly. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1056-66	1.2	34
152	Sociodemographic differences in dietary habits in a population-based sample of elderly subjects: the 3C study. <i>Journal of Nutrition, Health and Aging</i> , 2004 , 8, 497-502	5.2	34
151	Characteristics of tinnitus in a population of 555 patients: specificities of tinnitus induced by noise trauma. <i>International Tinnitus Journal</i> , 2006 , 12, 64-70	1.6	34
150	Developmental determinants in non-communicable chronic diseases and ageing. <i>Thorax</i> , 2015 , 70, 595-77.3		33
149	Increased selenium intake in elderly high fish consumers may account for health benefits previously ascribed to omega-3 fatty acids. <i>Journal of Nutrition, Health and Aging</i> , 2009 , 13, 14-8	5.2	33
148	Genes encoding endothelin-converting enzyme-1 and endothelin-1 interact to influence blood pressure in women: the EVA study. <i>Journal of Hypertension</i> , 2004 , 22, 739-43	1.9	32
147	Orthostatic Hypotension and Risk of Incident Dementia: Results From a 12-Year Follow-Up of the Three-City Study Cohort. <i>Hypertension</i> , 2017 , 70, 44-49	8.5	31
146	Normalized Mini-Mental State Examination for assessing cognitive change in population-based brain aging studies. <i>Neuroepidemiology</i> , 2014 , 43, 15-25	5.4	31

145	Anxiety symptoms and disorder predict activity limitations in the elderly. <i>Journal of Affective Disorders</i> , 2012 , 141, 276-85	6.6	30
144	Plasma carotenoids and onset of dysglycemia in an elderly population: results of the Epidemiology of Vascular Ageing Study. <i>Diabetes Care</i> , 2008 , 31, 1355-9	14.6	30
143	Occupational solvent exposure and cognition: does the association vary by level of education?. <i>Neurology</i> , 2012 , 78, 1754-60	6.5	29
142	Paraoxonase 1 gene polymorphisms and dementia in humans. <i>Neuroscience Letters</i> , 2004 , 358, 41-4	3.3	29
141	Neuropsychological predictors of dependency in patients with Alzheimer disease. <i>Neurology</i> , 2005 , 64, 1027-31	6.5	29
140	ADAM30 Downregulates APP-Linked Defects Through Cathepsin D Activation in Alzheimer's Disease. <i>EBioMedicine</i> , 2016 , 9, 278-292	8.8	28
139	A genome-wide association meta-analysis of plasma A β peptides concentrations in the elderly. <i>Molecular Psychiatry</i> , 2014 , 19, 1326-35	15.1	27
138	Nutritional status in community-dwelling elderly in France in urban and rural areas. <i>PLoS ONE</i> , 2014 , 9, e105137	3.7	27
137	Metabolic syndrome, its components, and mortality in the elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, E327-32	5.6	27
136	Neuroprotection and neurodegenerative diseases: from biology to clinical practice. <i>Alzheimer Disease and Associated Disorders</i> , 2005 , 19, 226-39	2.5	27
135	New insights into the genetic etiology of Alzheimer's disease and related dementias.. <i>Nature Genetics</i> , 2022 ,	36.3	27
134	Metabolic syndrome and localization of white matter hyperintensities in the elderly population. <i>Alzheimer's and Dementia</i> , 2012 , 8, S88-95.e1	1.2	26
133	Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 20-21, 2014, Lisbon July 2, 2015. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1020-6	5.9	25
132	Late life depression and incident activity limitations: influence of gender and symptom severity. <i>Journal of Affective Disorders</i> , 2011 , 133, 42-50	6.6	25
131	New insights on the genetic etiology of Alzheimer's and related dementia		25
130	Domains of cognitive function in early old age: which ones are predicted by pre-retirement psychosocial work characteristics?. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 640-7	2.1	25
129	Poor nutritional status is associated with a higher risk of falling and fracture in elderly people living at home in France: the Three-City cohort study. <i>Osteoporosis International</i> , 2015 , 26, 2157-64	5.3	24
128	Evaluation of the Concurrent Trajectories of Cardiometabolic Risk Factors in the 14 Years Before Dementia. <i>JAMA Psychiatry</i> , 2018 , 75, 1033-1042	14.5	24

127	Abdominal obesity and late-onset asthma: cross-sectional and longitudinal results: the 3C study. <i>Obesity</i> , 2012 , 20, 628-35	8	24
126	Validation study of a French version of the modified telephone interview for cognitive status (F-TICS-m) in elderly women. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 1142-9	3.9	24
125	Evidence for the association of the S100beta gene with low cognitive performance and dementia in the elderly. <i>Molecular Psychiatry</i> , 2007 , 12, 870-80	15.1	24
124	Enzymatic antioxidant balance and cognitive decline in aging--the EVA study. <i>European Journal of Epidemiology</i> , 2004 , 19, 133-8	12.1	24
123	Is the LDL receptor-related protein involved in Alzheimer's disease?. <i>Neurogenetics</i> , 1999 , 2, 109-13	3	24
122	Sex-specific association between neighborhood characteristics and dementia: The Three-City cohort. <i>Alzheimer's and Dementia</i> , 2018 , 14, 473-482	1.2	24
121	Demographic and cardiovascular risk factors in relation to antioxidant status: the EVA Study. <i>International Journal for Vitamin and Nutrition Research</i> , 1998 , 68, 26-35	1.7	24
120	Estrogen receptor polymorphisms and incident dementia: the prospective 3C study. <i>Alzheimer's and Dementia</i> , 2014 , 10, 27-35	1.2	23
119	Association study of the CFH Y402H polymorphism with Alzheimer's disease. <i>Neurobiology of Aging</i> , 2010 , 31, 165-6	5.6	23
118	Estimated numbers of postmenopausal women treated by hormone therapy in France. <i>Maturitas</i> , 2005 , 52, 296-305	5	23
117	Spatial distribution of cerebral white matter lesions predicts progression to mild cognitive impairment and dementia. <i>PLoS ONE</i> , 2013 , 8, e56972	3.7	22
116	Polymorphism of the codon 129 of the prion protein (PrP) gene and neuropathology of cerebral ageing. <i>Acta Neuropathologica</i> , 2003 , 106, 71-4	14.3	22
115	Oxidative stress and cognitive impairment in the elderly. <i>Journal of Nutrition, Health and Aging</i> , 2002 , 6, 261-6	5.2	22
114	Associations of circulating very-long-chain saturated fatty acids and incident type 2 diabetes: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1216-1223	7	21
113	Association of anthropometry and weight change with risk of dementia and its major subtypes: A meta-analysis consisting 2.8 million adults with 57 294 cases of dementia. <i>Obesity Reviews</i> , 2020 , 21, e12989	10.6	21
112	Time may not fully attenuate solvent-associated cognitive deficits in highly exposed workers. <i>Neurology</i> , 2014 , 82, 1716-23	6.5	20
111	High alcohol consumption in middle-aged adults is associated with poorer cognitive performance only in the low socio-economic group. Results from the GAZEL cohort study. <i>Addiction</i> , 2011 , 106, 93-104	4.6	20
110	Plasma insulin-like growth factor I levels in the elderly: relation to plasma dehydroepiandrosterone sulfate levels, nutritional status, health and mortality. <i>Gerontology</i> , 2001 , 47, 198-206	5.5	20

109	VLDL receptor polymorphism, cognitive impairment, and dementia. <i>Neurology</i> , 2001 , 56, 1183-8	6.5	20
108	Trends in the incidence of dementia: design and methods in the Alzheimer Cohorts Consortium. <i>European Journal of Epidemiology</i> , 2017 , 32, 931-938	12.1	19
107	Prevention of progression to dementia in the elderly: rationale and proposal for a health-promoting memory consultation (an IANA Task Force). <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 520-9	5.2	19
106	Association of plasma Aβ-peptides with blood pressure in the elderly. <i>PLoS ONE</i> , 2011 , 6, e18536	3.7	19
105	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020 , 139, 1025-1044	14.3	18
104	Retrospective identification and characterization of mild cognitive impairment from a prospective population cohort. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 692-700	6.5	18
103	Loss of calcium-homeostatic mechanisms in polymorphonuclear leukocytes of demented and nondemented elderly subjects. <i>Gerontology</i> , 1993 , 39, 163-9	5.5	18
102	Immunoglobulin allotypes and susceptibility to multiple sclerosis. An epidemiological and genetic study in the Hautes-Pyrénées county of France. <i>Journal of the Neurological Sciences</i> , 1986 , 75, 1-5	3.2	18
101	Prospective analysis of the association between estrogen receptor gene variants and the risk of cognitive decline in elderly women. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1763-8	1.2	17
100	Perception of Alzheimer's disease in the French population. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 393-9	5.2	17
99	Steroid and nonsteroidal anti-inflammatory drugs, cognitive decline, and dementia. <i>Neurobiology of Aging</i> , 2012 , 33, 2082-90	5.6	17
98	Nutrition and mortality in the elderly over 10 years of follow-up: the Three-City study. <i>British Journal of Nutrition</i> , 2016 , 116, 882-9	3.6	17
97	Plasma Amyloid 40 levels are positively associated with mortality risks in the elderly. <i>Alzheimer's and Dementia</i> , 2015 , 11, 672-80	1.2	16
96	MACVIA-LR, Reference site of the European Innovation Partnership on Active and Healthy Ageing (EIP on AHA) in Languedoc Roussillon. <i>European Geriatric Medicine</i> , 2014 , 5, 406-415	3	16
95	Plasma amyloid-β levels and prognosis in incident dementia cases of the 3-City Study. <i>Journal of Alzheimer's Disease</i> , 2013 , 33, 381-91	4.3	16
94	Early detection of patients in the pre demented stage of Alzheimer's disease: the Pre-Al Study. <i>Journal of Nutrition, Health and Aging</i> , 2009 , 13, 21-6	5.2	16
93	Elderly benzodiazepine users at increased risk of activity limitations: influence of chronicity, indications, and duration of action—the three-city cohort. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 840-51	6.5	15
92	Amyloid Angiopathy in Brain Hemorrhage: A Postmortem Neuropathological-Magnetic Resonance Imaging Study. <i>Cerebrovascular Diseases</i> , 2018 , 45, 124-131	3.2	15

91	Occupational exposure to solvents and cognitive performance in the GAZEL cohort: preliminary results. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 30, 12-9	2.6	15
90	Neuropathological epidemiology of cerebral aging: a study of two genetic polymorphisms. <i>Neurobiology of Aging</i> , 2001 , 22, 227-35	5.6	15
89	Long-term exposure to ambient air pollution and risk of dementia: Results of the prospective Three-City Study. <i>Environment International</i> , 2021 , 148, 106376	12.9	15
88	Impact of sleep disturbances on kidney function decline in the elderly. <i>European Respiratory Journal</i> , 2016 , 47, 860-8	13.6	14
87	Excessive Sleepiness and Longer Nighttime in Bed Increase the Risk of Cognitive Decline in Frail Elderly Subjects: The MAPT-Sleep Study. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 312	5.3	14
86	Fibrates but not statins increase plasma selenium in dyslipidemic aged patients--the EVA study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2009 , 23, 21-8	4.1	14
85	Survival and early recourse to care for dementia: A population based study. <i>Alzheimer & Dementia</i> , 2015 , 11, 385-93	1.2	13
84	Are migraine and non-migrainous headache risk factors for stroke in the elderly? Findings from a 12-year cohort follow-up. <i>European Journal of Neurology</i> , 2016 , 23, 1463-70	6	13
83	Estimated number of women likely to benefit from bone mineral density measurement in France. <i>Joint Bone Spine</i> , 2004 , 71, 409-18	2.9	13
82	Orosomuroid: a mortality risk factor in elderly people living in the community?. <i>Clinical Nutrition</i> , 2002 , 21, 45-50	5.9	13
81	Operative definition of active and healthy ageing (AHA): Meeting report. Montpellier October 2011, 2014. <i>European Geriatric Medicine</i> , 2015 , 6, 196-200	3	12
80	Anxiety and 10-Year Risk of Incident Dementia-An Association Shaped by Depressive Symptoms: Results of the Prospective Three-City Study. <i>Frontiers in Neuroscience</i> , 2018 , 12, 248	5.1	12
79	Hierarchical structure of the activities of daily living scale in dementia. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 698-704	5.2	12
78	Gender differences in the association between socioeconomic status and subclinical atherosclerosis. <i>PLoS ONE</i> , 2013 , 8, e80195	3.7	12
77	Long-term effects of compulsory schooling on physical, mental and cognitive ageing: a natural experiment. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 370-376	5.1	12
76	Predicting dementia using socio-demographic characteristics and the Free and Cued Selective Reminding Test in the general population. <i>Alzheimer & Research and Therapy</i> , 2017 , 9, 21	9	11
75	Intake of Meat, Fish, Fruits, and Vegetables and Long-Term Risk of Dementia and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019 , 68, 711-722	4.3	11
74	Effect size for the main cognitive function determinants in a large cross-sectional study. <i>European Journal of Neurology</i> , 2016 , 23, 1614-1626	6	11

73	Haplotypes across ACE and the risk of Alzheimer's disease: the three-city study. <i>Journal of Alzheimer's Disease</i> , 2008 , 13, 333-9	4.3	11
72	Incidence and characteristics of benzodiazepine use in an elderly cohort: the EVA study. <i>Therapie</i> , 2005 , 60, 561-6	3.8	11
71	Absence of familial association between dementia of Alzheimer type and Down syndrome. <i>American Journal of Medical Genetics Part A</i> , 1989 , 33, 545-50		11
70	Anticholinergic drug use and cognitive performances in middle age: findings from the CONSTANCES cohort. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 1107-1115	5.5	11
69	Pure-tone threshold description of an elderly French screened population. <i>Otology and Neurotology</i> , 2008 , 29, 432-40	2.6	10
68	Kidney Function Decline and Apparent Treatment-Resistant Hypertension in the Elderly. <i>PLoS ONE</i> , 2016 , 11, e0146056	3.7	10
67	Dynamic prediction models for clustered and interval-censored outcomes: Investigating the intra-couple correlation in the risk of dementia. <i>Statistical Methods in Medical Research</i> , 2017 , 26, 2168-2183	2.3	9
66	Effect of Early Referral to Specialist in Dementia on Institutionalization and Functional Decline: Findings from a Population-Based Study. <i>Journal of Alzheimer's Disease</i> , 2016 , 49, 819-28	4.3	9
65	A simple score to predict survival with dementia in the general population. <i>Neuroepidemiology</i> , 2013 , 41, 20-8	5.4	9
64	Increased Prevalence of Neurocognitive Impairment in Aging People Living With Human Immunodeficiency Virus: The ANRS EP58 HAND 55-70 Study. <i>Clinical Infectious Diseases</i> , 2020 , 70, 2641-2648	11.6	9
63	Influence of activity space on the association between neighborhood characteristics and dementia risk: results from the 3-City study cohort. <i>BMC Geriatrics</i> , 2019 , 19, 4	4.1	8
62	Vitamin K Antagonists and Cognitive Function in Older Adults: The Three-City Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1356-62	6.4	8
61	Sex-specific depressive symptoms as markers of pre-Alzheimer dementia: findings from the Three-City cohort study. <i>Translational Psychiatry</i> , 2019 , 9, 291	8.6	8
60	Single polymorphism nucleotide rs1333049 on chromosome 9p21 is associated with carotid plaques but not with common carotid intima-media thickness in older adults. A combined analysis of the Three-City and the EVA studies. <i>Atherosclerosis</i> , 2012 , 222, 187-90	3.1	8
59	Viral antibody titers, immunogenetic markers, and their interrelations in multiple sclerosis patients and controls. <i>Human Immunology</i> , 1991 , 31, 94-9	2.3	8
58	ADL disability and death in dementia in a French population-based cohort: New insights with an illness-death model. <i>Alzheimer's and Dementia</i> , 2016 , 12, 909-16	1.2	7
57	APOE promoter polymorphisms and dementia in the elderly. <i>Neuroscience Letters</i> , 2004 , 365, 116-9	3.3	7
56	Cognitive performance and three-year mortality in the PAQUID elderly study. <i>Revue d'Epidemiologie Et De Sante Publique</i> , 1994 , 42, 277-84	0.6	7

55	Norms for standard neuropsychological tests from the French CONSTANCES cohort. <i>European Journal of Neurology</i> , 2019 , 26, 786-793	6	7
54	Gender effect on driving cessation in pre-dementia and dementia phases: results of the 3C population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1049-1058	3.9	6
53	Absence of Relationship Between Self-Reported Sleep Measures and Amyloid Load in Elderly Subjects. <i>Frontiers in Neurology</i> , 2019 , 10, 989	4.1	6
52	Épidémiologie de la maladie d'Alzheimer. <i>Medecine/Sciences</i> , 2002 , 18, 737-743		6
51	Aromatic polypyromellitimides from aromatic polyamic acids. <i>Journal of Polymer Science Part A</i> , 1996 , 34, 2069-2086	2.5	6
50	Cerebrospinal Fluid and Plasma Biomarkers do not Differ in the Presenile and Late-Onset Behavioral Variants of Frontotemporal Dementia. <i>Journal of Alzheimer's Disease</i> , 2020 , 74, 903-911	4.3	5
49	The APOE epsilon 4 polymorphism does not predict late onset depression: the Three-City Study. <i>Neurobiology of Aging</i> , 2016 , 40, 191.e9-191.e10	5.6	5
48	Functional and genetic analysis of haplotypic sequence variation at the nicastrin genomic locus. <i>Neurobiology of Aging</i> , 2012 , 33, 1848.e1-13	5.6	5
47	MACVIA-LR (Fighting Chronic Diseases for Active and Healthy Ageing in Languedoc-Roussillon): A Success Story of the European Innovation Partnership on Active and Healthy Ageing. <i>Journal of Frailty & Aging, the</i> , 2016 , 5, 233-241	2.6	5
46	Plasma amyloid β levels are driven by genetic variants near APOE, BACE1, APP, PSEN2: A genome-wide association study in over 12,000 non-demented participants. <i>Alzheimer's and Dementia</i> , 2021 , 17, 1663-1674	1.2	5
45	Cognitive Event-Related Potential, an Early Diagnosis Biomarker in Frail Elderly Subjects: The ERP-MAPT-PLUS Ancillary Study. <i>Journal of Alzheimer's Disease</i> , 2017 , 58, 87-97	4.3	4
44	Diabetes-Associated Dementia Risk and Competing Risk of Death in the Three-City Study. <i>Journal of Alzheimer's Disease</i> , 2019 , 71, 1339-1350	4.3	4
43	Palmomental Reflex a Relevant Sign in Early Alzheimer's Disease Diagnosis?. <i>Journal of Alzheimer's Disease</i> , 2016 , 49, 1135-41	4.3	4
42	Performance of a short dietary questionnaire to assess nutrient intake using regression-based weights. <i>Public Health Nutrition</i> , 2009 , 12, 547-52	3.3	4
41	Neurodegenerative dementia and parkinsonism. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 37-44	5.2	4
40	Effects of lipid peroxidation and antioxidant status on peak flow in a population aged 59-71 years: the EVA study. <i>Respiratory Medicine</i> , 2003 , 97, 939-46	4.6	4
39	Individual and neighbourhood socioeconomic inequalities in cognitive impairment: cross-sectional findings from the French CONSTANCES cohort. <i>BMJ Open</i> , 2020 , 10, e033751	3	4
38	Near Visual Impairment Incidence in Relation to Diabetes in Older People: The Three-Cities Study. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 699-705	5.6	3

37	Associations between physical activity types and multi-domain cognitive decline in older adults from the Three-city cohort. <i>PLoS ONE</i> , 2021 , 16, e0252500	3.7	3
36	How to optimize the use of biobanks from population-based cohorts in aging research. <i>Biogerontology</i> , 2016 , 17, 221-7	4.5	2
35	Hypertension Control, Apparent Treatment Resistance, and Outcomes in the Elderly Population With Chronic Kidney Disease. <i>Kidney International Reports</i> , 2017 , 2, 180-191	4.1	2
34	Limiting Factors of Brain Donation in Neurodegenerative Diseases: The Example of French Memory Clinics. <i>Journal of Alzheimer's Disease</i> , 2016 , 49, 1075-83	4.3	2
33	P048 Validation d'un questionnaire de fréquence de consommation alimentaire dans une population âgée. <i>Nutrition Clinique Et Metabolisme</i> , 2007 , 21, 69-70	0.8	2
32	Estimation du nombre de femmes françaises à risque d'ostéoporose susceptibles de bénéficier d'une ostéodensitométrie. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2004 , 71, 790-800	0.1	2
31	Effectiveness of a Standardized and Specific Follow-Up in Memory Centers in Patients with Alzheimer's Disease. <i>Current Alzheimer Research</i> , 2017 , 14, 255-267	3	2
30	P3-596: VISUAL LOSS AND COGNITIVE DECLINE IN OLDER ADULTS: RESULTS FROM A FRENCH POPULATION-BASED COHORT STUDY 2018 , 14, P1355-P1356		2
29	Similarities in cognitive abilities in older couples: a study of mutual influences. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2021 , 43, 78-90	2.1	2
28	Health administrative data enrichment using cohort information: Comparative evaluation of methods by simulation and application to real data. <i>PLoS ONE</i> , 2019 , 14, e0211118	3.7	1
27	Association between occupational solvent exposure and cognitive performance in the French CONSTANCES study. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 223-230	2.1	1
26	Differential dietary nutrient intake according to hormone replacement therapy use: an underestimated confounding factor in epidemiologic studies?. <i>American Journal of Epidemiology</i> , 2007 , 166, 1451-60	3.8	1
25	Dermatoglyphic patterns in dementia of the Alzheimer type: a case-control study. <i>Journal of Epidemiology and Community Health</i> , 1992 , 46, 512-6	5.1	1
24	Occupational Determinants of Cognitive Decline and Dementia 2020 , 235-249		1
23	Occupational Determinants of Cognitive Decline and Dementia 2019 , 1-15		1
22	Exome sequencing identifies rare damaging variants in the ATP8B4 and ABCA1 genes as novel risk factors for Alzheimer's Disease		1
21	Anticholinergic Activity of Psychotropic Drugs and Cognitive Impairment Among Participants Aged 45 and Over: The CONSTANCES Study. <i>Drug Safety</i> , 2021 , 44, 565-579	5.1	1
20	Outdoor air pollution exposure and cognitive performance: findings from the enrolment phase of the CONSTANCES cohort.. <i>Lancet Planetary Health, The</i> , 2022 , 6, e219-e229	9.8	1

19	O1-09-04: Community environment and incident dementia: Results from the three-city study 2015 , 11, P150-P151		o
18	Complaints of daytime sleepiness, insomnia, hypnotic use, and risk of dementia: a prospective cohort study in the elderly.. <i>Alzheimer & Research and Therapy</i> , 2022 , 14, 12	9	o
17	Exposure to ambient air pollution and cognitive decline: Results of the prospective Three-City cohort study.. <i>Environment International</i> , 2022 , 161, 107118	12.9	o
16	Late-life cynical hostility is associated with white matter alterations and the risk of Alzheimer's disease. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	o
15	Socioeconomic inequalities in dementia risk among a French population-based cohort: quantifying the role of cardiovascular health and vascular events. <i>European Journal of Epidemiology</i> , 2021 , 36, 1015-1023	12.1	o
14	Brief Report: Frailty in Aging People Living With HIV: A Matched Controlled Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 88, 305-309	3.1	o
13	O1-02-05: Presbycusis and Dementia: Results From 8 Years of Follow-Up in the Three-City Montpellier Study 2016 , 12, P175-P175		o
12	Dynamic reciprocal relationships between cognitive and functional declines along the Alzheimer's disease continuum in the prospective COGICARE study. <i>Alzheimer & Research and Therapy</i> , 2021 , 13, 148	9	o
11	Modeling exposure to airborne metals using moss biomonitoring in cemeteries in two urban areas around Paris and Lyon in France.. <i>Environmental Pollution</i> , 2022 , 303, 119097	9.3	o
10	Gene-diet interaction and dementia risk: The example of coffee and CYP1A2 gene. <i>Alzheimer & Dementia</i> , 2020 , 16, e039850	1.2	
9	O2-03-05: Fish intake, Alzheimer disease genes, and cognitive decline in five cohorts of older subjects 2015 , 11, P179-P179		
8	Peroxydation lipidique et vieillissement cérébral : l'apport des études épidémiologiques. <i>Oleagineux Corps Gras Lipides</i> , 2006 , 13, 54-58		
7	Carcinome de l'athmosphère chez un patient fabriquant des semelles de chaussures orthopédiques en liège. <i>Archives Des Maladies Professionnelles Et De L'Environnement</i> , 2004 , 65, 25-29	0.1	
6	Risk of dementia in parents of probands with and without the apolipoprotein E4 allele. The EVA study. <i>Journal of Epidemiology and Community Health</i> , 1999 , 53, 393-8	5.1	
5	Sulcal morphology as cognitive decline predictor in older adults with memory complaints.. <i>Neurobiology of Aging</i> , 2022 , 113, 84-94	5.6	
4	L'higme de Melkisédek. <i>Revue De La Histoire Des Religions</i> , 1994 , 211, 297-333	o	
3	P3-624: PRIMARY DEMENTIA PREVENTION: RECOMMENDATIONS FOR FRENCH PUBLIC HEALTH POLICY 2018 , 14, P1370-P1371		
2	P3-274: COMBINATION OF A FUNCTIONAL SYNAPTIC BIOMARKER (ERP) AND VERBAL FLUENCY TEST TO SELECT AMYLOID POSITIVE ELDERLY SUBJECTS IN CLINICAL TRIALS 2018 , 14, P1182-P1182		

- 1 Genetically elevated high-density lipoprotein cholesterol through the cholesteryl ester transfer protein gene does not associate with risk of Alzheimer's disease. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*, **2018**, 10, 595-598 5.2