

Yanfeng Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1219730/publications.pdf>

Version: 2024-02-01

85
papers

4,695
citations

76294

40
h-index

102432

66
g-index

85
all docs

85
docs citations

85
times ranked

3916
citing authors

#	ARTICLE	IF	CITATIONS
1	Carbon modification endows WO ₃ with anti-humidity property and long-term stability for ultrafast H ₂ S detection. <i>Sensors and Actuators B: Chemical</i> , 2022, 350, 130884.	4.0	21
2	Hierarchical mesoporous zinc oxide microspheres for ethanol gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2022, 357, 131333.	4.0	44
3	Electrospinning Derived NiO/NiFe ₂ O ₄ Fiber-in-Tube Composite for Fast Triethylamine Detection under Different Humidity. <i>ACS Sensors</i> , 2022, 7, 995-1007.	4.0	40
4	Conductometric ppb-level triethylamine sensor based on macroporous WO ₃ -W ₁₈ O ₄₉ heterostructures functionalized with carbon layers and PdO nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2022, 361, 131707.	4.0	25
5	MOF-derived porous NiO/NiFe ₂ O ₄ nanocubes for improving the acetone detection. <i>Sensors and Actuators B: Chemical</i> , 2022, 366, 131985.	4.0	18
6	Investigation of doping effects of different noble metals for ethanol gas sensors based on mesoporous In ₂ O ₃ . <i>Nanotechnology</i> , 2021, 32, 305503.	1.3	19
7	Sn doping effect on NiO hollow nanofibers based gas sensors about the humidity dependence for triethylamine detection. <i>Sensors and Actuators B: Chemical</i> , 2021, 340, 129971.	4.0	108
8	Preparation of Pd/PdO loaded WO ₃ microspheres for H ₂ S detection. <i>Sensors and Actuators B: Chemical</i> , 2020, 321, 128629.	4.0	67
9	High-performance acetone gas sensor based on Ru-doped SnO ₂ nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2020, 320, 128292.	4.0	124
10	Acetone sensors with high stability to humidity changes based on Ru-doped NiO flower-like microspheres. <i>Sensors and Actuators B: Chemical</i> , 2020, 313, 127965.	4.0	94
11	Fast detection of alcohols by novel sea cucumber-like indium tungsten oxide. <i>Sensors and Actuators B: Chemical</i> , 2020, 319, 128158.	4.0	9
12	A high sensitivity and selectivity n-butanol sensor based on monodispersed Pd-doped SnO ₂ nanoparticles mediated by glucose carbonization. <i>Semiconductor Science and Technology</i> , 2020, 35, 095030.	1.0	5
13	Dispersed WO ₃ nanoparticles with porous nanostructure for ultrafast toluene sensing. <i>Sensors and Actuators B: Chemical</i> , 2019, 289, 195-206.	4.0	59
14	Template-free synthesis of cubic-rhombohedral-In ₂ O ₃ flower for ppb level acetone detection. <i>Sensors and Actuators B: Chemical</i> , 2019, 290, 459-466.	4.0	54
15	Detection of triethylamine with fast response by Al ₂ O ₃ /Fe ₂ O ₃ composite nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 139-148.	4.0	62
16	Preparation and gas sensing properties of hierarchical leaf-like SnO ₂ materials. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 2944-2951.	4.0	43
17	Enhanced nitrogen oxide sensing performance based on tin-doped tungsten oxide nanoplates by a hydrothermal method. <i>Journal of Colloid and Interface Science</i> , 2018, 512, 740-749.	5.0	23
18	Superior acetone gas sensor based on electrospun SnO ₂ nanofibers by Rh doping. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 861-869.	4.0	211

#	ARTICLE	IF	CITATIONS
19	Enhanced hydrogen sulfide sensing properties of Pt-functionalized In_2O_3 nanowires prepared by one-step electrospinning. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 1015-1023.	4.0	50
20	Ultra-sensitive sensing platform based on Pt-ZnO-In $_2$ O $_3$ nanofibers for detection of acetone. <i>Sensors and Actuators B: Chemical</i> , 2018, 272, 185-194.	4.0	90
21	Enhanced sensing properties of SnO $_2$ nanofibers with a novel structure by carbonization. <i>Sensors and Actuators B: Chemical</i> , 2018, 271, 44-53.	4.0	30
22	Metal-organic frameworks derived tin-doped cobalt oxide yolk-shell nanostructures and their gas sensing properties. <i>Journal of Colloid and Interface Science</i> , 2018, 528, 53-62.	5.0	42
23	Detection of Methanol with Fast Response by Monodispersed Indium Tungsten Oxide Ellipsoidal Nanospheres. <i>ACS Sensors</i> , 2017, 2, 648-654.	4.0	40
24	Enhanced NO $_2$ gas sensing properties by Ag-doped hollow urchin-like In $_2$ O $_3$ hierarchical nanostructures. <i>Sensors and Actuators B: Chemical</i> , 2017, 252, 418-427.	4.0	65
25	Reduced graphene oxide/ In_2O_3 composite nanofibers for application in gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2017, 244, 233-242.	4.0	124
26	One-dimensional Cr-doped NiO nanostructures serving as a highly sensitive gas sensor for trace xylene detection. <i>RSC Advances</i> , 2017, 7, 41105-41110.	1.7	17
27	Synthesis and NO $_2$ gas-sensing properties of coral-like indium oxide via a facile solvothermal method. <i>RSC Advances</i> , 2017, 7, 49273-49278.	1.7	13
28	One-pot synthesis of In doped NiO nanofibers and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2017, 253, 584-591.	4.0	79
29	Horseshoe-shaped SnO $_2$ with annulus-like mesoporous for ethanol gas sensing application. <i>Sensors and Actuators B: Chemical</i> , 2017, 240, 1321-1329.	4.0	76
30	Highly sensitive amperometric Nafion-based CO sensor using Pt/C electrodes with different kinds of carbon materials. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 696-703.	4.0	33
31	NH $_3$ gas sensing performance enhanced by Pt-loaded on mesoporous WO $_3$. <i>Sensors and Actuators B: Chemical</i> , 2017, 238, 473-481.	4.0	181
32	Au-loaded mesoporous WO $_3$: Preparation and n-butanol sensing performances. <i>Sensors and Actuators B: Chemical</i> , 2016, 236, 67-76.	4.0	92
33	A 2.0 V capacitive device derived from shape-preserved metal nitride nanorods. <i>Nano Energy</i> , 2016, 26, 1-6.	8.2	31
34	3D TiO $_2$ /ZnO composite nanospheres as an excellent electron transport anode for efficient dye-sensitized solar cells. <i>RSC Advances</i> , 2016, 6, 51320-51326.	1.7	11
35	Detection of nitrogen dioxide down to ppb levels using flower-like tungsten oxide nanostructures under different annealing temperatures. <i>Journal of Colloid and Interface Science</i> , 2016, 483, 314-320.	5.0	17
36	The enhanced CO gas sensing performance of Pd/SnO $_2$ hollow sphere sensors under hydrothermal conditions. <i>RSC Advances</i> , 2016, 6, 80455-80461.	1.7	15

#	ARTICLE	IF	CITATIONS
37	Synthesis of Co-doped SnO ₂ nanofibers and their enhanced gas-sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2016, 236, 425-432.	4.0	120
38	Low operating temperature toluene sensor based on novel $\text{In}_2\text{Fe}_2\text{O}_3/\text{SnO}_2$ heterostructure nanowire arrays. <i>RSC Advances</i> , 2016, 6, 52604-52610.	1.7	25
39	Mixed-potential type NO sensor using stabilized zirconia and MoO ₃ -In ₂ O ₃ nanocomposites. <i>Ceramics International</i> , 2016, 42, 12503-12507.	2.3	37
40	Improvement of NO ₂ gas sensing performance based on discoid tin oxide modified by reduced graphene oxide. <i>Sensors and Actuators B: Chemical</i> , 2016, 227, 419-426.	4.0	102
41	A pulse-driven sensor based on ordered mesoporous Ag ₂ O/SnO ₂ with improved H ₂ S-sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2016, 228, 529-538.	4.0	48
42	High specific surface area urchin-like hierarchical ZnO-TiO ₂ architectures: Hydrothermal synthesis and photocatalytic properties. <i>Materials Letters</i> , 2016, 175, 52-55.	1.3	39
43	Three-dimensional flake-flower Co/Sn oxide composite and its excellent ethanol sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2016, 230, 17-24.	4.0	19
44	Hierarchical nanorod-flowers indium oxide microspheres and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2016, 227, 547-553.	4.0	36
45	Vitamin C-assisted synthesis and gas sensing properties of coaxial In ₂ O ₃ nanorod bundles. <i>Sensors and Actuators B: Chemical</i> , 2015, 220, 68-74.	4.0	44
46	Facile synthesis and gas sensing properties of In ₂ O ₃ -WO ₃ heterojunction nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2015, 209, 622-629.	4.0	102
47	High performance three-phase boundary obtained by sand blasting technology for mixed-potential-type zirconia-based NO ₂ sensors. <i>Sensors and Actuators B: Chemical</i> , 2015, 210, 91-95.	4.0	35
48	Nanosheets assembled hierarchical flower-like WO ₃ nanostructures: Synthesis, characterization, and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2015, 210, 75-81.	4.0	106
49	Facile synthesis and gas sensing properties of La ₂ O ₃ -WO ₃ nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2015, 221, 434-442.	4.0	59
50	One-pot synthesis of hierarchical WO ₃ hollow nanospheres and their gas sensing properties. <i>RSC Advances</i> , 2015, 5, 29698-29703.	1.7	26
51	High-efficiency dye-sensitized solar cells with hierarchical structures titanium dioxide to transfer photogenerated charge. <i>Electrochimica Acta</i> , 2015, 170, 276-283.	2.6	20
52	Synthesis, characterization and gas sensing properties of porous flower-like indium oxide nanostructures. <i>RSC Advances</i> , 2015, 5, 30297-30302.	1.7	21
53	Hierarchical TiO ₂ flower-spheres with large surface area and high scattering ability: an excellent candidate for high efficiency dye sensitized solar cells. <i>Chemical Research in Chinese Universities</i> , 2015, 31, 841-845.	1.3	4
54	Mixed-potential-type YSZ-based sensor with nano-structured NiO and porous TPB processed with pore-formers using coating technique. <i>Sensors and Actuators B: Chemical</i> , 2015, 221, 1321-1329.	4.0	22

#	ARTICLE	IF	CITATIONS
55	Enhanced sensitive and selective xylene sensors using W-doped NiO nanotubes. Sensors and Actuators B: Chemical, 2015, 221, 1475-1482.	4.0	101
56	Enhancement of NO ₂ gas sensing response based on ordered mesoporous Fe-doped In ₂ O ₃ . Sensors and Actuators B: Chemical, 2014, 191, 806-812.	4.0	141
57	One-pot synthesis of cuboid WO ₃ crystal and its gas sensing properties. RSC Advances, 2014, 4, 18365-18369.	1.7	15
58	Novel cage-like $\hat{\pm}$ -Fe ₂ O ₃ /SnO ₂ composite nanofibers by electrospinning for rapid gas sensing properties. RSC Advances, 2014, 4, 27552-27555.	1.7	35
59	Facile synthesis benzene sensor based on V ₂ O ₅ -doped SnO ₂ nanofibers. RSC Advances, 2014, 4, 47549-47555.	1.7	19
60	Hierarchical flower-like WO ₃ nanostructures and their gas sensing properties. Sensors and Actuators B: Chemical, 2014, 204, 224-230.	4.0	111
61	In ₂ O ₃ nanoplates: preparation, characterization and gas sensing properties. RSC Advances, 2014, 4, 4831.	1.7	48
62	Controlled synthesis of hierarchical Sn-doped $\hat{\pm}$ -Fe ₂ O ₃ with novel sheaf-like architectures and their gas sensing properties. RSC Advances, 2013, 3, 7112.	1.7	23
63	Template-free synthesis and gas sensing properties of hierarchical hollow ZnO microspheres. CrystEngComm, 2013, 15, 7438.	1.3	59
64	Synthesis and gas sensing properties of hierarchical SnO ₂ nanostructures. Sensors and Actuators B: Chemical, 2013, 187, 301-307.	4.0	92
65	Template-free synthesis of novel In ₂ O ₃ nanostructures and their application to gas sensors. Sensors and Actuators B: Chemical, 2013, 185, 32-38.	4.0	39
66	Highly sensitive mixed-potential-type NO ₂ sensor using porous double-layer YSZ substrate. Sensors and Actuators B: Chemical, 2013, 183, 474-477.	4.0	38
67	Preparation and gas sensing properties of hierarchical flower-like In ₂ O ₃ microspheres. Sensors and Actuators B: Chemical, 2013, 176, 405-412.	4.0	84
68	Hierarchical $\hat{\pm}$ -Fe ₂ O ₃ /SnO ₂ semiconductor composites: Hydrothermal synthesis and gas sensing properties. Sensors and Actuators B: Chemical, 2013, 182, 336-343.	4.0	130
69	Ant colony optimization image registration algorithm based on wavelet transform and mutual information. , 2013, , .		1
70	Facile synthesis and gas-sensing properties of monodisperse $\hat{\pm}$ -Fe ₂ O ₃ discoid crystals. RSC Advances, 2012, 2, 9824.	1.7	29
71	Template-free synthesis of monodisperse $\hat{\pm}$ -Fe ₂ O ₃ porous ellipsoids and their application to gas sensors. CrystEngComm, 2012, 14, 2229.	1.3	30
72	Gas sensing with hollow $\hat{\pm}$ -Fe ₂ O ₃ urchin-like spheres prepared via template-free hydrothermal synthesis. CrystEngComm, 2012, 14, 8335.	1.3	38

#	ARTICLE	IF	CITATIONS
73	Porous hierarchical In ₂ O ₃ nanostructures: Hydrothermal preparation and gas sensing properties. Sensors and Actuators B: Chemical, 2012, 171-172, 1066-1072.	4.0	61
74	Novel Zn-doped SnO ₂ hierarchical architectures: synthesis, characterization, and gas sensing properties. CrystEngComm, 2012, 14, 1701-1708.	1.3	65
75	Hydrothermal synthesis of 3D urchin-like γ -Fe ₂ O ₃ nanostructure for gas sensor. Sensors and Actuators B: Chemical, 2012, 173, 52-57.	4.0	130
76	Flower-like hierarchical zinc oxide architectures: Synthesis and gas sensing properties. Materials Letters, 2012, 69, 45-47.	1.3	17
77	Porous SnO ₂ hierarchical nanosheets: hydrothermal preparation, growth mechanism, and gas sensing properties. CrystEngComm, 2011, 13, 3718.	1.3	174
78	One-step synthesis and gas sensing characteristics of hierarchical SnO ₂ nanorods modified by Pd loading. Sensors and Actuators B: Chemical, 2011, 160, 244-250.	4.0	43
79	Synthesis of novel SnO ₂ /ZnSnO ₃ core-shell microspheres and their gas sensing properties. Sensors and Actuators B: Chemical, 2011, 155, 606-611.	4.0	51
80	Dispersive SnO ₂ nanosheets: Hydrothermal synthesis and gas-sensing properties. Sensors and Actuators B: Chemical, 2011, 156, 779-783.	4.0	85
81	Synthesis and gas sensing properties of bundle-like γ -Fe ₂ O ₃ nanorods. Sensors and Actuators B: Chemical, 2011, 156, 368-374.	4.0	70
82	One-Pot Synthesis and Gas Sensitivities of SnO ₂ Hollow Microspheres. Sensor Letters, 2011, 9, 856-860.	0.4	6
83	Highly Sensitive Methane Sensors Based on Pd/HMS and Pd/SBA-15 Composite Prepared by Homogeneous Deposition-Precipitation Method. Sensor Letters, 2011, 9, 820-823.	0.4	0
84	Al-doped ZnO thin films deposited by reactive frequency magnetron sputtering: H ₂ -induced property changes. Thin Solid Films, 2007, 515, 3057-3060.	0.8	39
85	Solid-electrolyte NASICON thick film CO ₂ sensor prepared on small-volume ceramic tube substrate. Materials Chemistry and Physics, 2005, 91, 338-342.	2.0	24