

Ali Shakouri

List of Publications by Citations

Source: <https://exaly.com/author-pdf/12198060/ali-shakouri-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

186
papers

8,384
citations

41
h-index

89
g-index

202
ext. papers

9,218
ext. citations

5.3
avg, IF

6.4
L-index

#	Paper	IF	Citations
186	Nanostructured thermoelectrics: big efficiency gains from small features. <i>Advanced Materials</i> , 2010 , 22, 3970-80	24	1085
185	Thermal conductivity reduction and thermoelectric figure of merit increase by embedding nanoparticles in crystalline semiconductors. <i>Physical Review Letters</i> , 2006 , 96, 045901	7.4	680
184	Recent Developments in Semiconductor Thermoelectric Physics and Materials. <i>Annual Review of Materials Research</i> , 2011 , 41, 399-431	12.8	529
183	Flexible thermoelectric materials and device optimization for wearable energy harvesting. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 10362-10374	7.1	412
182	Improved thermoelectric power factor in metal-based superlattices. <i>Physical Review Letters</i> , 2004 , 92, 106103	7.4	370
181	Steep-slope hysteresis-free negative capacitance MoS transistors. <i>Nature Nanotechnology</i> , 2018 , 13, 24-28	28.7	282
180	Heterostructure integrated thermionic coolers. <i>Applied Physics Letters</i> , 1997 , 71, 1234-1236	3.4	280
179	Thermal conductivity of Si/SiGe and SiGe/SiGe superlattices. <i>Applied Physics Letters</i> , 2002 , 80, 1737-1739	3.4	276
178	SiGeC/Si superlattice microcoolers. <i>Applied Physics Letters</i> , 2001 , 78, 1580-1582	3.4	196
177	Cost-efficiency trade-off and the design of thermoelectric power generators. <i>Environmental Science & Technology</i> , 2011 , 45, 7548-53	10.3	145
176	Profiling the thermoelectric power of semiconductor junctions with nanometer resolution. <i>Science</i> , 2004 , 303, 816-8	33.3	143
175	Electron energy filtering by a nonplanar potential to enhance the thermoelectric power factor in bulk materials. <i>Physical Review B</i> , 2013 , 87,	3.3	130
174	EGa2O3 on insulator field-effect transistors with drain currents exceeding 1.5 A/mm and their self-heating effect. <i>Applied Physics Letters</i> , 2017 , 111, 092102	3.4	128
173	Electronic and thermoelectric transport in semiconductor and metallic superlattices. <i>Journal of Applied Physics</i> , 2004 , 95, 1233-1245	2.5	123
172	Effect of nanoparticle scattering on thermoelectric power factor. <i>Applied Physics Letters</i> , 2009 , 94, 202105	3.4	117
171	Optimization of power and efficiency of thermoelectric devices with asymmetric thermal contacts. <i>Journal of Applied Physics</i> , 2012 , 111, 024509	2.5	111
170	Right sizes of nano- and microstructures for high-performance and rigid bulk thermoelectrics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 10949-54	11.5	108

169	Enhanced thermoelectric properties in bulk nanowire heterostructure-based nanocomposites through minority carrier blocking. <i>Nano Letters</i> , 2015 , 15, 1349-55	11.5	106
168	Thermoreflectance based thermal microscope. <i>Review of Scientific Instruments</i> , 2005 , 76, 024903	1.7	89
167	Passive microring-resonator-coupled lasers. <i>Applied Physics Letters</i> , 2001 , 79, 3561-3563	3.4	84
166	Thermionic emission cooling in single barrier heterostructures. <i>Applied Physics Letters</i> , 1999 , 74, 88-89	3.4	84
165	Enhancing the thermoelectric figure of merit through the reduction of bipolar thermal conductivity with heterostructure barriers. <i>Applied Physics Letters</i> , 2014 , 105, 052106	3.4	83
164	Electron transport modeling and energy filtering for efficient thermoelectric Mg ₂ Si _{1-x} Sn _x solid solutions. <i>Physical Review B</i> , 2014 , 89,	3.3	82
163	Cross-plane lattice and electronic thermal conductivities of ErAs:InGaAs/InGaAlAs superlattices. <i>Applied Physics Letters</i> , 2006 , 88, 242107	3.4	74
162	Thermoelectric properties of epitaxial ScN films deposited by reactive magnetron sputtering onto MgO(001) substrates. <i>Journal of Applied Physics</i> , 2013 , 113, 153704	2.5	71
161	Design and characterization of thin film microcoolers. <i>Journal of Applied Physics</i> , 2001 , 89, 4059-4064	2.5	70
160	Minority carrier blocking to enhance the thermoelectric figure of merit in narrow-band-gap semiconductors. <i>Physical Review B</i> , 2016 , 93,	3.3	68
159	Composition modulation of Ag ₂ Te nanowires for tunable electrical and thermal properties. <i>Nano Letters</i> , 2014 , 14, 5398-404	11.5	68
158	Enhanced Thermionic Emission Cooling in High Barrier Superlattice Heterostructures. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 545, 449		62
157	Evaluating Broader Impacts of Nanoscale Thermal Transport Research. <i>Nanoscale and Microscale Thermophysical Engineering</i> , 2015 , 19, 127-165	3.7	60
156	Thermoelectric Transport in a ZrN/ScN Superlattice. <i>Journal of Electronic Materials</i> , 2009 , 38, 960-963	1.9	58
155	Cross-plane thermal conductivity of (Ti,W)N/(Al,Sc)N metal/semiconductor superlattices. <i>Physical Review B</i> , 2016 , 93,	3.3	55
154	Optimization of thermoelectric topping combined steam turbine cycles for energy economy. <i>Applied Energy</i> , 2013 , 109, 1-9	10.7	52
153	Thermodynamic Studies of InGaO Nanomembrane Field-Effect Transistors on a Sapphire Substrate. <i>ACS Omega</i> , 2017 , 2, 7723-7729	3.9	52
152	Cross-plane Seebeck coefficient of ErAs:InGaAs/InGaAlAs superlattices. <i>Journal of Applied Physics</i> , 2007 , 101, 034502	2.5	52

151	Hot carrier filtering in solution processed heterostructures: a paradigm for improving thermoelectric efficiency. <i>Advanced Materials</i> , 2014 , 26, 2755-61, 2618	24	51
150	Synthesis and characterization of Mg ₂ Si/Si nanocomposites prepared from MgH ₂ and silicon, and their thermoelectric properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 24805		48
149	Low-temperature thermoelectric power factor enhancement by controlling nanoparticle size distribution. <i>Nano Letters</i> , 2011 , 11, 225-30	11.5	48
148	Analytical modeling of silicon thermoelectric microcooler. <i>Journal of Applied Physics</i> , 2006 , 100, 014501	2.5	47
147	Rocksalt nitride metal/semiconductor superlattices: A new class of artificially structured materials. <i>Applied Physics Reviews</i> , 2018 , 5, 021101	17.3	42
146	Compensation of native donor doping in ScN: Carrier concentration control and p-type ScN. <i>Applied Physics Letters</i> , 2017 , 110, 252104	3.4	42
145	Structure and thermoelectric properties of spark plasma sintered ultrathin PbTe nanowires. <i>Nano Letters</i> , 2014 , 14, 3466-73	11.5	41
144	Ultrafast chemical imaging by widefield photothermal sensing of infrared absorption. <i>Science Advances</i> , 2019 , 5, eaav7127	14.3	40
143	Nanoscale solid-state cooling: a review. <i>Reports on Progress in Physics</i> , 2016 , 79, 095901	14.4	40
142	. <i>IEEE Transactions on Electron Devices</i> , 2015 , 62, 3516-3523	2.9	39
141	Thermoelectric transport perpendicular to thin-film heterostructures calculated using the Monte Carlo technique. <i>Physical Review B</i> , 2006 , 74,	3.3	39
140	Nonlinear Peltier effect in semiconductors. <i>Applied Physics Letters</i> , 2007 , 91, 122104	3.4	38
139	Full-field thermal imaging of quasiballistic crosstalk reduction in nanoscale devices. <i>Nature Communications</i> , 2018 , 9, 255	17.4	37
138	Thermionic power generation at high temperatures using SiGeBi superlattices. <i>Journal of Applied Physics</i> , 2007 , 101, 053719	2.5	36
137	Large enhancement in the thermoelectric properties of Pb _{0.98} Na _{0.02} Te by optimizing the synthesis conditions. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11269	13	35
136	ErAs:InGaAsInGaAlAs superlattice thin-film power generator array. <i>Applied Physics Letters</i> , 2006 , 88, 113502	3.4	35
135	Thermoelectric power generator module of 16Bi ₂ Te ₃ and 0.6% ErAs:(InGaAs) _{1-x} (InAlAs) _x segmented elements. <i>Applied Physics Letters</i> , 2009 , 95, 083503	3.4	33
134	High-power-density spot cooling using bulk thermoelectrics. <i>Applied Physics Letters</i> , 2004 , 85, 2977-2979	3.4	33

133	Phonon wave effects in the thermal transport of epitaxial TiN/(Al,Sc)N metal/semiconductor superlattices. <i>Journal of Applied Physics</i> , 2017 , 121, 015109	2.5	31
132	Thermoelectric figure of merit of (In _{0.53} Ga _{0.47} As) _{0.8} (In _{0.52} Al _{0.48} As) _{0.2} III-V semiconductor alloys. <i>Physical Review B</i> , 2010 , 81,	3.3	31
131	Cross-plane Seebeck coefficient in superlattice structures in the miniband conduction regime. <i>Physical Review B</i> , 2006 , 74,	3.3	31
130	Thermal Transport Driven by Extraneous Nanoparticles and Phase Segregation in Nanostructured Mg ₂ (Si,Sn) and Estimation of Optimum Thermoelectric Performance. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 7003-12	9.5	30
129	Enhanced solid-state thermionic emission in nonplanar heterostructures. <i>Applied Physics Letters</i> , 2006 , 88, 012102	3.4	30
128	Thermoelectric topping cycles for power plants to eliminate cooling water consumption. <i>Energy Conversion and Management</i> , 2014 , 84, 244-252	10.6	29
127	MODELING AND OPTIMIZATION OF SINGLE-ELEMENT BULK SiGe THIN-FILM COOLERS. <i>Microscale Thermophysical Engineering</i> , 2005 , 9, 99-118		29
126	Effect of deposition pressure on the microstructure and thermoelectric properties of epitaxial ScN(001) thin films sputtered onto MgO(001) substrates. <i>Journal of Materials Research</i> , 2015 , 30, 626-634 ⁵		28
125	Synthesis and investigation of thermoelectric and electrochemical properties of porous Ca ₉ Co ₁₂ O ₂₈ nanowires. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11901	13	28
124	Effect of Nanoparticles on Electron and Thermoelectric Transport. <i>Journal of Electronic Materials</i> , 2009 , 38, 954-959	1.9	28
123	Nanoengineered Materials for Thermoelectric Energy Conversion. <i>Topics in Applied Physics</i> , 2009 , 225-299.5		28
122	Design of Bulk Thermoelectric Modules for Integrated Circuit Thermal Management. <i>IEEE Transactions on Components and Packaging Technologies</i> , 2006 , 29, 750-757		27
121	Temperature-dependent thermal and thermoelectric properties of n-type and p-type Sc _{1-x} Mg _x N. <i>Physical Review B</i> , 2018 , 97,	3.3	26
120	. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2014 , 22, 2366-2379	2.6	26
119	Resonant carrier scattering by core-shell nanoparticles for thermoelectric power factor enhancement. <i>Applied Physics Letters</i> , 2012 , 100, 012102	3.4	26
118	ErAs:(InGaAs) _{1-x} (InAlAs) _x alloy power generator modules. <i>Applied Physics Letters</i> , 2007 , 91, 263510	3.4	26
117	Thermoelectric heat recovery from glass melt processes. <i>Energy</i> , 2017 , 118, 1035-1043	7.9	24
116	High Performance β -Ga ₂ O ₃ Nano-Membrane Field Effect Transistors on a High Thermal Conductivity Diamond Substrate. <i>IEEE Journal of the Electron Devices Society</i> , 2019 , 7, 914-918	2.3	24

115	Thermoelectric power factor enhancement by ionized nanoparticle scattering. <i>Applied Physics Letters</i> , 2011 , 99, 072118	3.4	24
114	Fused vertical couplers. <i>Applied Physics Letters</i> , 1998 , 72, 2637-2638	3.4	24
113	Direct measurement of thin-film thermoelectric figure of merit. <i>Applied Physics Letters</i> , 2009 , 94, 212508	3.4	23
112	Thermal measurements of active semiconductor micro-structures acquired through the substrate using near IR thermoreflectance. <i>Microelectronics Journal</i> , 2004 , 35, 791-796	1.8	23
111	Hybrid Low-Power Wide-Area Mesh Network for IoT Applications. <i>IEEE Internet of Things Journal</i> , 2021 , 8, 901-915	10.7	21
110	Fractal Like Heat Transport in Nanoparticle Embedded Semiconductor Alloys. <i>Nano Letters</i> , 2015 , 15, 4269-73	11.5	20
109	Three-dimensional modeling of nanoscale Seebeck measurements by scanning thermoelectric microscopy. <i>Applied Physics Letters</i> , 2005 , 87, 053115	3.4	20
108	Monolithic integration of thin-film coolers with optoelectronic devices. <i>Optical Engineering</i> , 2000 , 39, 2847	1.1	20
107	Thermoelectric properties of epitaxial TbAs:InGaAs nanocomposites. <i>Journal of Applied Physics</i> , 2012 , 111, 094312	2.5	19
106	Thermoreflectance CCD Imaging of Self-Heating in Power MOSFET Arrays. <i>IEEE Transactions on Electron Devices</i> , 2014 , 61, 3047-3053	2.9	18
105	NONEQUILIBRIUM ELECTRONS AND PHONONS IN THIN FILM THERMIONIC COOLERS. <i>Microscale Thermophysical Engineering</i> , 2004 , 8, 91-100		18
104	Quasi-ballistic thermal transport in Al _{0.1} Ga _{0.9} N thin film semiconductors. <i>Applied Physics Letters</i> , 2016 , 109, 243107	3.4	18
103	Thermoelectric topping cycles with scalable design and temperature dependent material properties. <i>Scripta Materialia</i> , 2016 , 111, 58-63	5.6	17
102	Scalable Cost/Performance Analysis for Thermoelectric Waste Heat Recovery Systems. <i>Journal of Electronic Materials</i> , 2012 , 41, 1845-1850	1.9	16
101	Growth and characterization of TbAs:GaAs nanocomposites. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2011 , 29, 03C114	1.3	16
100	Monte Carlo simulation of electron transport in degenerate and inhomogeneous semiconductors. <i>Applied Physics Letters</i> , 2007 , 90, 092111	3.4	16
99	Computational simulations as virtual laboratories for online engineering education: A case study in the field of thermoelectricity. <i>Computer Applications in Engineering Education</i> , 2016 , 24, 428-442	1.6	16
98	Power Generator Modules of Segmented Bi ₂ Te ₃ and ErAs:(InGaAs) _{1-x} (InAlAs) _x . <i>Journal of Electronic Materials</i> , 2008 , 37, 1786-1792	1.9	15

97	Ring Resonator Lasers using Passive Waveguides and Integrated Semiconductor Optical Amplifiers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2007 , 13, 1249-1256	3.8	15
96	HgCdTe superlattices for solid-state cryogenic refrigeration. <i>Applied Physics Letters</i> , 2006 , 88, 132110	3.4	14
95	Thermoelectric Micro-Cooler for Hot-Spot Thermal Management 2005 , 2161		14
94	Performance and mass optimization of thermoelectric microcoolers. <i>International Journal of Thermal Sciences</i> , 2015 , 97, 143-151	4.1	13
93	Cross-plane thermoelectric transport in p-type La _{0.67} Sr _{0.33} MnO ₃ /LaMnO ₃ oxide metal/semiconductor superlattices. <i>Journal of Applied Physics</i> , 2013 , 113, 193702	2.5	13
92	Cost-effective waste heat recovery using thermoelectric systems. <i>Journal of Materials Research</i> , 2012 , 27, 1211-1217	2.5	13
91	Picosecond Transient Thermal Imaging Using a CCD Based Thermoreflectance System 2010 ,		13
90	Method of images for the fast calculation of temperature distributions in packaged VLSI chips 2007 ,		13
89	Fast transient thermoreflectance CCD imaging of pulsed self heating in AlGaIn/GaN power transistors 2013 ,		12
88	High exergetic modified Brayton cycle with thermoelectric energy conversion. <i>Applied Thermal Engineering</i> , 2017 , 114, 1366-1371	5.8	10
87	2012 ,		10
86	Cooling power optimization for hybrid solid-state and liquid cooling in integrated circuit chips with hotspots 2012 ,		10
85	Cross-plane electronic and thermal transport properties of p-type La _{0.67} Sr _{0.33} MnO ₃ /LaMnO ₃ perovskite oxide metal/semiconductor superlattices. <i>Journal of Applied Physics</i> , 2012 , 112, 063714	2.5	10
84	Bulk-Like Laminated Nitride Metal/Semiconductor Superlattices for Thermoelectric Devices. <i>Journal of Microelectromechanical Systems</i> , 2014 , 23, 672-680	2.5	9
83	Seebeck Enhancement Through Miniband Conduction in III-V Semiconductor Superlattices at Low Temperatures. <i>Journal of Electronic Materials</i> , 2012 , 41, 1498-1503	1.9	9
82	Reduced thermal conductivity in Er-doped epitaxial In _x Ga _{1-x} Sb alloys. <i>Applied Physics Letters</i> , 2013 , 103, 103102	3.4	9
81	Power Trace: An Efficient Method for Extracting the Power Dissipation Profile in an IC Chip From Its Temperature Map. <i>IEEE Transactions on Components and Packaging Technologies</i> , 2009 , 32, 309-316		9
80	Conservation of Lateral Momentum in Heterostructure Integrated Thermionic Coolers. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 691, 1		9

79	Evidence of Universal Temperature Scaling in Self-Heated Percolating Networks. <i>Nano Letters</i> , 2016 , 16, 3130-6	11.5	9
78	High-Temperature Thermoelectric Characterization of III-V Semiconductor Thin Films by Oxide Bonding. <i>Journal of Electronic Materials</i> , 2010 , 39, 1125-1132	1.9	8
77	Cooling Power Density of SiGe/Si Superlattice Micro Refrigerators. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 793, 124		7
76	Transient Self-Heating at Nanowire Junctions in Silver Nanowire Network Conductors. <i>IEEE Nanotechnology Magazine</i> , 2018 , 17, 1171-1180	2.6	7
75	Experimental Characterization of Hybrid Solid-State and Fluidic Cooling for Thermal Management of Localized Hotspots. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2015 , 5, 57-64	1.7	6
74	Transient Thermal Response of Hotspots in Graphene-Silver Nanowire Hybrid Transparent Conducting Electrodes. <i>IEEE Nanotechnology Magazine</i> , 2018 , 17, 276-284	2.6	6
73	Enabling power density and thermal-aware floorplanning 2012 ,		6
72	Thermal imaging of encapsulated LEDs 2011 ,		6
71	Nanosecond transient thermoreflectance imaging of snapback in semiconductor controlled rectifiers 2011 ,		6
70	Experimental Characterization and Modeling of InP-based Microcoolers. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 793, 87		6
69	Transient Harman Measurement of the Cross-plane ZT of InGaAs/InGaAlAs Superlattices with Embedded ErAs Nanoparticles. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 886, 1		6
68	Valleytronics of III-V solid solutions for thermoelectric application. <i>RSC Advances</i> , 2017 , 7, 7310-7314	3.7	5
67	Enhanced thermoelectric performance of P-type Bi ₂ Sb ₂ Te ₃ nanowires with pulsed laser assisted electrochemical deposition. <i>Extreme Mechanics Letters</i> , 2016 , 9, 386-396	3.9	5
66	Calculation of Nonlinear Thermoelectric Coefficients of InAs _{1-x} Sb _x Using Monte Carlo Method. <i>Journal of Electronic Materials</i> , 2012 , 41, 1370-1375	1.9	5
65	MOCVD Growth of Erbium Monoantimonide Thin Film and Nanocomposites for Thermoelectrics. <i>Journal of Electronic Materials</i> , 2012 , 41, 971-976	1.9	5
64	Application of thermoreflectance imaging to identify defects in photovoltaic solar cells 2010 ,		5
63	Extraction of Power Dissipation Profile in an IC Chip from Temperature Map. <i>IEEE Semiconductor Thermal Measurement and Management Symposium</i> , 2007 ,		5
62	Influence of Doping Concentration and Ambient Temperature on the Cross-Plane Seebeck Coefficient of InGaAs/InAlAs superlattices. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 793, 140		5

61	BEOL Compatible Indium-Tin-Oxide Transistors: Switching of Ultrahigh-Density 2-D Electron Gas Over 0.8 $\times 10^{14}/\text{cm}^2$ at Oxide/Oxide Interface by the Change of Ferroelectric Polarization. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 3195-3199	2.9	5
60	Analytical Optimization of the Design of Film-Laminated Thermoelectric Power Generators. <i>Journal of Electronic Materials</i> , 2019 , 48, 7312-7319	1.9	4
59	Ultrafast submicron thermal characterization of integrated circuits 2012 ,		4
58	Thermal challenges on solar concentrated thermoelectric CHP systems 2012 ,		4
57	Thermoelectric Transport in InGaAs with High Concentration of Rare-Earth TbAs Embedded Nanoparticles. <i>Journal of Electronic Materials</i> , 2012 , 41, 1820-1825	1.9	4
56	Cost performance trade-off in thermoelectric modules with low fractional area coverage. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1396,		4
55	Temperature Profile Inside Microscale Thermoelectric Module Acquired Using Near-Infrared Thermoreflectance. <i>IEEE Transactions on Components and Packaging Technologies</i> , 2009 , 32, 447-452		4
54	High-resolution noncontact thermal characterization of semiconductor devices 2001 ,		4
53	Battery-Less Wireless Chipless Sensor Tag for Subsoil Moisture Monitoring. <i>IEEE Sensors Journal</i> , 2021 , 21, 6071-6082	4	4
52	Electroreflectance imaging of gold-H ₃ PO ₄ supercapacitors. Part II: microsupercapacitor ageing characterization. <i>Analyst, The</i> , 2016 , 141, 1462-71	5	3
51	Electron Transport Engineering by Nanostructures for Efficient Thermoelectrics. <i>Lecture Notes in Nanoscale Science and Technology</i> , 2014 , 41-92	0.3	3
50	Short Time Transient Behavior of SiGe-based Microrefrigerators. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1166, 6		3
49	Frequency-Dependent Thermal Conductivity in Time Domain Thermoreflectance Analysis of Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1347, 1		3
48	Enhanced Hot Spot Cooling Using Bonded Superlattice Microcoolers With a Trench Structure. <i>IEEE Transactions on Components and Packaging Technologies</i> , 2008 , 31, 552-558		3
47	Cooling Enhancement Using Inhomogeneous Thermoelectric Materials 2006 ,		3
46	3D Electrothermal Simulation of Heterostructure Thin Film Micro-Coolers 2003 , 39		3
45	Integrated cooling for optoelectronic devices 2000 ,		3
44	Experimental Investigation of Thin Film InGaAsP Coolers. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 626, 1441		3

43	High Cooling Power Density of SiGe/Si Superlattice Microcoolers. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 691, 1		3
42	Enhancement of Thermal Transfer From GaAs Nano-Membrane Field-Effect Transistors to High Thermal Conductivity Substrate by Inserting an Interlayer. <i>IEEE Transactions on Electron Devices</i> , 2022 , 1-5	2.9	3
41	High Thermoelectric Power Factor and ZT in TbAs:InGaAs Epitaxial Nanocomposite Material. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900015	6.4	3
40	A biodegradable chipless sensor for wireless subsoil health monitoring.. <i>Scientific Reports</i> , 2022 , 12, 8011	1.9	3
39	Thermal optimization of embedded thermoelectric generators in refractory furnaces 2016 ,		2
38	Numerical Model of Thermoelectric Topping Cycle of Coal-Fired Power Plant. <i>Journal of Heat Transfer</i> , 2015 , 137,	1.8	2
37	Controlling n-Type Carrier Density from Er Doping of InGaAs with MBE Growth Temperature. <i>Journal of Electronic Materials</i> , 2012 , 41, 948-953	1.9	2
36	2010 ,		2
35	Experimental validation of the power blurring method 2010 ,		2
34	Thermal characterization of high power transistor arrays 2009 ,		2
33	Enhanced Cooling in Doped Semiconductors Due to Nonlinear Peltier Effect. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 1044, 1		2
32	Characterization of Thin-film Thermoelectric Micro-modules using Transient Harman ZT Measurement and Near-IR Thermoreflectance. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 1044, 1		2
31	High-power limitation of passive ring-resonator-coupled lasers in the presence of material nonlinearity. <i>Journal of Applied Physics</i> , 2004 , 95, 3816-3818	2.5	2
30	Solid-State and Vacuum Thermionic Energy Conversion. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 886, 1		2
29	Characteristic equations for different ARROW structures. <i>Optical and Quantum Electronics</i> , 1999 , 31, 1267-1276	2.4	2
28	Far-field thermal imaging below diffraction limit. <i>Optics Express</i> , 2020 , 28, 7036-7050	3.3	2
27	Thermal imaging of nanometer features 2016 ,		2
26	Fuel-burning thermoelectric generators for the future of electric vehicles. <i>Energy Conversion and Management</i> , 2021 , 227, 113523	10.6	2

25	Analytic Optimization of Cost Effective Thermoelectric Generation on Top of Rankine Cycle 2013 ,		1
24	Novel metal/semiconductor nanocomposite and superlattice materials and devices for thermoelectrics 2010 ,		1
23	Power Generation Efficiency with Extremely Large Z factor Thermoelectric Material. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1325, 9		1
22	Temperature nonuniformity and bias-dependent thermal resistance in multi-finger MOS transistors 2008 ,		1
21	Phonon Confinement in Germanium Nanowires 2006 ,		1
20	Characterization of Heat Propagation along Single Tin Dioxide Nanobelt using the Thermoreflectance Method. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 1022, 1		1
19	400 element ErAs:InGaAs/InGaAlAs superlattice power generator. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 886, 1		1
18	The Effects of Defects and Acoustic Impedance Mismatch on Heat Conduction in SiGe Based Superlattices 2002 , 19		1
17	Anisotropic thermal conductivity of the nanoparticles embedded GaSb thin film semiconductor. <i>Nanotechnology</i> , 2021 , 32, 035702	3.4	1
16	Simulation and Design of a Silicon Nanowire based Phase Change Memory Cell. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1431, 20		0
15	Heat Flux Based Optimization of Combined Heat and Power Thermoelectric Heat Exchanger. <i>Energies</i> , 2021 , 14, 7791	3.1	0
14	Calibrated sub-micron temperature mapping of an operating plasmonic HAMR device by thermoreflectance imaging. <i>MRS Advances</i> , 2017 , 2, 3613-3618	0.7	
13	Energy Efficient Solid-State Cooling for Hot Spot Removal 2014 , 169-196		
12	ENERGY EFFICIENT SOLID-STATE COOLING FOR HOT SPOT REMOVAL. <i>WSPC Series in Advanced Integration and Packaging</i> , 2014 , 195-226		
11	Energy Efficient Solid-State Cooling for Hot Spot Removal 2014 , 169-196		
10	Design and thermoreflectance imaging of high-speed SiGe superlattice microrefrigerators. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1329, 1		
9	Investigating coherent zone-folded acoustic phonons in Si/SiGe superlattice by transient thermoreflectance technique. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1221, 8031		
8	Transient thermal imaging of Si/SiGe superlattice and bulk Si microrefrigerators. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1218, 1		

- 7 Thermoelectric power factor enhancement in metal/semiconductor nanocomposites by ionized nanoparticle scattering. *Materials Research Society Symposia Proceedings*, **2011**, 1329, 1
- 6 6 Watt Segmented Power Generator Modules using Bi₂Te₃ and (InGaAs)_{1-x}(InAlAs)_x Elements Embedded with ErAs Nanoparticles.. *Materials Research Society Symposia Proceedings*, **2008**, 1129, 1
- 5 Segmented Power Generator Modules of Bi₂Te₃ and ErAs: InGaAlAs Embedded with ErAs Nanoparticles. *Materials Research Society Symposia Proceedings*, **2007**, 1044, 1
- 4 SiGeC Cantilever Micro Cooler. *Materials Research Society Symposia Proceedings*, **2003**, 793, 80
- 3 Thermal Conductivity Reduction in Nanostructured Semiconductor Using Broad-Band-Phonon Scattering **2004**, 55
- 2 Design of Heterostructures for High Efficiency Thermionic Emission. *Materials Research Society Symposia Proceedings*, **2005**, 886, 1
- 1 P-type SiGe/Si Superlattice Cooler. *Materials Research Society Symposia Proceedings*, **2000**, 626, 1151