
## Levente Jozsef

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12203331/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Conformational Rearrangement in C-Reactive Protein Is Required for Proinflammatory Actions on Human Endothelial Cells. Circulation, 2004, 109, 2016-2022.	1.6	245
2	Lipoxin A4 and aspirin-triggered 15-epi-lipoxin A4 inhibit peroxynitrite formation, NF-ÂB and AP-1 activation, and IL-8 gene expression in human leukocytes. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 13266-13271.	3.3	240
3	15-Epi-lipoxin A <sub>4</sub> Inhibits Myeloperoxidase Signaling and Enhances Resolution of Acute Lung Injury. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 311-319.	2.5	199
4	Myeloperoxidase Delays Neutrophil Apoptosis Through CD11b/CD18 Integrins and Prolongs Inflammation. Circulation Research, 2008, 103, 352-359.	2.0	155
5	Loss of Pentameric Symmetry of C-reactive Protein Is Associated with Delayed Apoptosis of Human Neutrophils. Journal of Biological Chemistry, 2002, 277, 40775-40781.	1.6	138
6	Loss of Pentameric Symmetry in C-Reactive Protein Induces Interleukin-8 Secretion Through Peroxynitrite Signaling in Human Neutrophils. Circulation Research, 2005, 97, 690-697.	2.0	129
7	Aspirin-Triggered Lipoxins Override the Apoptosis-Delaying Action of Serum Amyloid A in Human Neutrophils: A Novel Mechanism for Resolution of Inflammation. Journal of Immunology, 2007, 179, 616-622.	0.4	128
8	Opposing Effects of C-Reactive Protein Isoforms on Shear-Induced Neutrophil-Platelet Adhesion and Neutrophil Aggregation in Whole Blood. Circulation, 2004, 110, 2713-2720.	1.6	105
9	Mutation of Nogo-B Receptor, a Subunit of cis-Prenyltransferase, Causes a Congenital Disorder of Glycosylation. Cell Metabolism, 2014, 20, 448-457.	7.2	104
10	CpG motifs in bacterial DNA delay apoptosis of neutrophil granulocytes. FASEB Journal, 2004, 18, 1776-1778.	0.2	88
11	Activation of TLR-9 Induces IL-8 Secretion through Peroxynitrite Signaling in Human Neutrophils. Journal of Immunology, 2006, 176, 1195-1202.	0.4	88
12	Bacterial DNA Activates Endothelial Cells and Promotes Neutrophil Adherence through TLR9 Signaling. Journal of Immunology, 2009, 182, 4386-4394.	0.4	77
13	Selenium-containing compounds attenuate peroxynitrite-mediated NF-ήB and AP-1 activation and interleukin-8 gene and protein expression in human leukocytes. Free Radical Biology and Medicine, 2003, 35, 1018-1027.	1.3	75
14	Opposing regulation of neutrophil apoptosis through the formyl peptide receptor-like 1/lipoxin A4 receptor: implications for resolution of inflammation. Journal of Leukocyte Biology, 2008, 84, 600-606.	1.5	49
15	Palmitoylation of the ciliary GTPase ARL13b is necessary for its stability and its role in cilia formation. Journal of Biological Chemistry, 2017, 292, 17703-17717.	1.6	48
16	Inhibition of K+ efflux prevents mitochondrial dysfunction, and suppresses caspase-3-, apoptosis-inducing factor-, and endonuclease G-mediated constitutive apoptosis in human neutrophils. Cellular Signalling, 2006, 18, 2302-2313.	1.7	30
17	Neutrophil recognition of bacterial DNA and Toll-like receptor 9-dependent and -independent regulation of neutrophil function. Archivum Immunologiae Et Therapiae Experimentalis, 2008, 56, 41-53.	1.0	30
18	Extracellular signal-regulated kinase plays an essential role in endothelin-1-induced homotypic adhesion of human neutrophil granulocytes. British Journal of Pharmacology, 2002, 135, 1167-1174.	2.7	29

LEVENTE JOZSEF

#	Article	IF	CITATIONS
19	Lipoxins and aspirin-triggered lipoxins in neutrophil adhesion and signal transduction. Prostaglandins Leukotrienes and Essential Fatty Acids, 2005, 73, 257-262.	1.0	25
20	Activation of extracellular signal-regulated kinase couples platelet-activating factor-induced adhesion and delayed apoptosis of human neutrophils. Cellular Signalling, 2004, 16, 801-810.	1.7	23
21	The Protein Acyl Transferase ZDHHC21 Modulates α1 Adrenergic Receptor Function and Regulates Hemodynamics. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 370-379.	1.1	18
22	Saponin monomer 13 of dwarf lilyturf tuber (DT-13) protects serum withdrawal-induced apoptosis through PI3K/Akt in HUVEC. Biochemical and Biophysical Research Communications, 2014, 443, 74-79.	1.0	12
23	Serum amyloid A (SAA) prevents mitochondrial dysfunction and delays constitutive neutrophil apoptosis. FASEB Journal, 2007, 21, A13.	0.2	1
24	Loss of pentameric symmetry of Câ€reactive protein induces interleukinâ€8 production through peroxynitrite signaling in human neutrophils. FASEB Journal, 2006, 20, A1084.	0.2	1
25	Aspirinâ€ŧriggered lipoxins enhance resolution of myeloperoxidaseâ€mediated lung inflammation by promoting neutrophil apoptosis. FASEB Journal, 2009, 23, 235.1.	0.2	1
26	CpG motifs in bacterial DNA evokes peroxynitrite signaling in human neutrophils. FASEB Journal, 2006, 20, A204.	0.2	0
27	Inhibition of K+ efflux prevents mitochondrial dysfunction and suppresses constitutive apoptosis in human neutrophils. FASEB Journal, 2006, 20, A1.	0.2	0
28	Bacterial DNA promotes neutrophil adhesion to endothelial cells. FASEB Journal, 2007, 21, A125.	0.2	0
29	Myeloperoxidase (MPO) delays neutrophil apoptosis and prolongs acute pulmonary inflammation. FASEB Journal, 2008, 22, 328.6.	0.2	0
30	Myeloperoxidase suppresses apoptosis of human neutrophils. FASEB Journal, 2008, 22, 1121.8.	0.2	0