

Levente Jozsef

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12203331/publications.pdf>

Version: 2024-02-01

30
papers

2,038
citations

361296

20
h-index

580701

25
g-index

30
all docs

30
docs citations

30
times ranked

2760
citing authors

#	ARTICLE	IF	CITATIONS
1	Palmitoylation of the ciliary GTPase ARL13b is necessary for its stability and its role in cilia formation. <i>Journal of Biological Chemistry</i> , 2017, 292, 17703-17717.	1.6	48
2	The Protein Acyl Transferase ZDHHC21 Modulates β 1 Adrenergic Receptor Function and Regulates Hemodynamics. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 370-379.	1.1	18
3	Saponin monomer 13 of dwarf lilyturf tuber (DT-13) protects serum withdrawal-induced apoptosis through PI3K/Akt in HUVEC. <i>Biochemical and Biophysical Research Communications</i> , 2014, 443, 74-79.	1.0	12
4	Mutation of Nogo-B Receptor, a Subunit of cis-Prenyltransferase, Causes a Congenital Disorder of Glycosylation. <i>Cell Metabolism</i> , 2014, 20, 448-457.	7.2	104
5	Bacterial DNA Activates Endothelial Cells and Promotes Neutrophil Adherence through TLR9 Signaling. <i>Journal of Immunology</i> , 2009, 182, 4386-4394.	0.4	77
6	15-Epi-lipoxin A ₄ Inhibits Myeloperoxidase Signaling and Enhances Resolution of Acute Lung Injury. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009, 180, 311-319.	2.5	199
7	Aspirin-triggered lipoxins enhance resolution of myeloperoxidase-mediated lung inflammation by promoting neutrophil apoptosis. <i>FASEB Journal</i> , 2009, 23, 235.1.	0.2	1
8	Neutrophil recognition of bacterial DNA and Toll-like receptor 9-dependent and -independent regulation of neutrophil function. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2008, 56, 41-53.	1.0	30
9	Opposing regulation of neutrophil apoptosis through the formyl peptide receptor-like 1/lipoxin A ₄ receptor: implications for resolution of inflammation. <i>Journal of Leukocyte Biology</i> , 2008, 84, 600-606.	1.5	49
10	Myeloperoxidase Delays Neutrophil Apoptosis Through CD11b/CD18 Integrins and Prolongs Inflammation. <i>Circulation Research</i> , 2008, 103, 352-359.	2.0	155
11	Myeloperoxidase (MPO) delays neutrophil apoptosis and prolongs acute pulmonary inflammation. <i>FASEB Journal</i> , 2008, 22, 328.6.	0.2	0
12	Myeloperoxidase suppresses apoptosis of human neutrophils. <i>FASEB Journal</i> , 2008, 22, 1121.8.	0.2	0
13	Aspirin-Triggered Lipoxins Override the Apoptosis-Delaying Action of Serum Amyloid A in Human Neutrophils: A Novel Mechanism for Resolution of Inflammation. <i>Journal of Immunology</i> , 2007, 179, 616-622.	0.4	128
14	Serum amyloid A (SAA) prevents mitochondrial dysfunction and delays constitutive neutrophil apoptosis. <i>FASEB Journal</i> , 2007, 21, A13.	0.2	1
15	Bacterial DNA promotes neutrophil adhesion to endothelial cells. <i>FASEB Journal</i> , 2007, 21, A125.	0.2	0
16	Inhibition of K ⁺ efflux prevents mitochondrial dysfunction, and suppresses caspase-3-, apoptosis-inducing factor-, and endonuclease G-mediated constitutive apoptosis in human neutrophils. <i>Cellular Signalling</i> , 2006, 18, 2302-2313.	1.7	30
17	Activation of TLR-9 Induces IL-8 Secretion through Peroxynitrite Signaling in Human Neutrophils. <i>Journal of Immunology</i> , 2006, 176, 1195-1202.	0.4	88
18	CpG motifs in bacterial DNA evokes peroxynitrite signaling in human neutrophils. <i>FASEB Journal</i> , 2006, 20, A204.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Inhibition of K ⁺ efflux prevents mitochondrial dysfunction and suppresses constitutive apoptosis in human neutrophils. <i>FASEB Journal</i> , 2006, 20, A1.	0.2	0
20	Loss of pentameric symmetry of C-reactive protein induces interleukin-8 production through peroxynitrite signaling in human neutrophils. <i>FASEB Journal</i> , 2006, 20, A1084.	0.2	1
21	Loss of Pentameric Symmetry in C-Reactive Protein Induces Interleukin-8 Secretion Through Peroxynitrite Signaling in Human Neutrophils. <i>Circulation Research</i> , 2005, 97, 690-697.	2.0	129
22	Lipoxins and aspirin-triggered lipoxins in neutrophil adhesion and signal transduction. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2005, 73, 257-262.	1.0	25
23	Opposing Effects of C-Reactive Protein Isoforms on Shear-Induced Neutrophil-Platelet Adhesion and Neutrophil Aggregation in Whole Blood. <i>Circulation</i> , 2004, 110, 2713-2720.	1.6	105
24	CpG motifs in bacterial DNA delay apoptosis of neutrophil granulocytes. <i>FASEB Journal</i> , 2004, 18, 1776-1778.	0.2	88
25	Conformational Rearrangement in C-Reactive Protein Is Required for Proinflammatory Actions on Human Endothelial Cells. <i>Circulation</i> , 2004, 109, 2016-2022.	1.6	245
26	Activation of extracellular signal-regulated kinase couples platelet-activating factor-induced adhesion and delayed apoptosis of human neutrophils. <i>Cellular Signalling</i> , 2004, 16, 801-810.	1.7	23
27	Selenium-containing compounds attenuate peroxynitrite-mediated NF- κ B and AP-1 activation and interleukin-8 gene and protein expression in human leukocytes. <i>Free Radical Biology and Medicine</i> , 2003, 35, 1018-1027.	1.3	75
28	Loss of Pentameric Symmetry of C-reactive Protein Is Associated with Delayed Apoptosis of Human Neutrophils. <i>Journal of Biological Chemistry</i> , 2002, 277, 40775-40781.	1.6	138
29	Lipoxin A4 and aspirin-triggered 15-epi-lipoxin A4 inhibit peroxynitrite formation, NF- κ B and AP-1 activation, and IL-8 gene expression in human leukocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 13266-13271.	3.3	240
30	Extracellular signal-regulated kinase plays an essential role in endothelin-1-induced homotypic adhesion of human neutrophil granulocytes. <i>British Journal of Pharmacology</i> , 2002, 135, 1167-1174.	2.7	29