
Emmanuel Cuny

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12205824/publications.pdf Version: 2024-02-01



EMMANUEL CUNY

#	Article	IF	CITATIONS
1	Bilateral pallidal deep brain stimulation for the treatment of patients with dystonia-choreoathetosis cerebral palsy: a prospective pilot study. Lancet Neurology, The, 2009, 8, 709-717.	10.2	313
2	Deep brain stimulation of the ventral caudate nucleus in the treatment of obsessive—compulsive disorder and major depression. Journal of Neurosurgery, 2004, 101, 682-686.	1.6	306
3	Pathophysiology of obsessive–compulsive disorder. Progress in Neurobiology, 2004, 72, 195-221.	5.7	303
4	Provocation of obsessive-compulsive symptoms: a quantitative voxel-based meta-analysis of functional neuroimaging studies. Journal of Psychiatry and Neuroscience, 2008, 33, 405-12.	2.4	169
5	Lack of agreement between direct magnetic resonance imaging and statistical determination of a subthalamic target: the role of electrophysiological guidance. Journal of Neurosurgery, 2002, 97, 591-597.	1.6	140
6	Parkinson's disease patients with bilateral subthalamic deep brain stimulation gain weight. Movement Disorders, 2004, 19, 206-212.	3.9	113
7	Distinct striatal targets in treating obsessive-compulsive disorder and major depression. Journal of Neurosurgery, 2009, 111, 775-779.	1.6	86
8	Deep Brain Stimulation for OCD and Major Depression. American Journal of Psychiatry, 2005, 162, 2192-2192.	7.2	83
9	Anterior pallidal deep brain stimulation for Tourette's syndrome: a randomised, double-blind, controlled trial. Lancet Neurology, The, 2017, 16, 610-619.	10.2	82
10	Neuronal Correlates of Obsessions in the Caudate Nucleus. Biological Psychiatry, 2008, 63, 557-562.	1.3	77
11	Effects of subthalamic nucleus deep brain stimulation and levodopa on energy production rate and substrate oxidation in Parkinson's disease. British Journal of Nutrition, 2005, 93, 191-198.	2.3	50
12	Short and Long Term Outcome of Bilateral Pallidal Stimulation in Chorea-Acanthocytosis. PLoS ONE, 2013, 8, e79241.	2.5	44
13	Statistical determination of the optimal subthalamic nucleus stimulation site in patients with Parkinson disease. Journal of Neurosurgery, 2007, 106, 101-110.	1.6	43
14	Updated overview of the putative role of the serotoninergic system in obsessive-compulsive disorder. Neuropsychiatric Disease and Treatment, 2005, 1, 231-43.	2.2	39
15	A Phase 2 Randomized Trial of Asleep versus Awake Subthalamic Nucleus Deep Brain Stimulation for Parkinson's Disease. Stereotactic and Functional Neurosurgery, 2021, 99, 230-240.	1.5	22
16	Longâ€ŧerm effects of anterior pallidal deep brain stimulation for tourette's syndrome. Movement Disorders, 2019, 34, 586-588.	3.9	16
17	The Mamillothalamic Tract Is a Good Landmark for the Anterior Border of the Subthalamic Nucleus on Axial MR Images. Stereotactic and Functional Neurosurgery, 2011, 89, 286-290.	1.5	10
18	Lesions in the Associative Striatum Improve Obsessive-Compulsive Disorder. Biological Psychiatry, 2009, 65, e11-e13.	1.3	4

#	Article	IF	CITATIONS
19	ls Deep Brain Stimulation Able to Make Antidepressants Effective in Resistant Obsessive-Compulsive Disorder?. Biological Psychiatry, 2012, 71, e43-e44.	1.3	3