Vincenzo Sicari

List of Publications by Citations

Source: https://exaly.com/author-pdf/1221306/vincenzo-sicari-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers3,190
citations28
h-index51
g-index138
ext. papers4,035
ext. citations4.4
avg, IF5.38
L-index

#	Paper	IF	Citations
125	Genistein and cancer: current status, challenges, and future directions. <i>Advances in Nutrition</i> , 2015 , 6, 408-19	10	289
124	Biological Activities of Essential Oils: From Plant Chemoecology to Traditional Healing Systems. <i>Molecules</i> , 2017 , 22,	4.8	274
123	Biological and pharmacological activities of iridoids: recent developments. <i>Mini-Reviews in Medicinal Chemistry</i> , 2008 , 8, 399-420	3.2	192
122	The influence of fruit ripening on the phytochemical content and biological activity of Capsicum chinense Jacq. cv Habanero. <i>Food Chemistry</i> , 2009 , 114, 553-560	8.5	167
121	Edible Flowers: A Rich Source of Phytochemicals with Antioxidant and Hypoglycemic Properties. Journal of Agricultural and Food Chemistry, 2016 , 64, 2467-74	5.7	100
120	An overview on chemical aspects and potential health benefits of limonoids and their derivatives. <i>Critical Reviews in Food Science and Nutrition</i> , 2014 , 54, 225-50	11.5	84
119	Advances on Natural Polyphenols as Anticancer Agents for Skin Cancer. <i>Pharmacological Research</i> , 2020 , 151, 104584	10.2	84
118	Omega-3 polyunsaturated fatty acids and cancer: lessons learned from clinical trials. <i>Cancer and Metastasis Reviews</i> , 2015 , 34, 359-80	9.6	83
117	Evaluation of chemical profile and antioxidant activity of twenty cultivars from Capsicum annuum, Capsicum baccatum, Capsicum chacoense and Capsicum chinense: A comparison between fresh and processed peppers. <i>LWT - Food Science and Technology</i> , 2015 , 64, 623-631	5.4	71
116	Evaluation of Citrus aurantifolia peel and leaves extracts for their chemical composition, antioxidant and anti-cholinesterase activities. <i>Journal of the Science of Food and Agriculture</i> , 2012 , 92, 2960-7	4.3	70
115	Comparative study on the antioxidant capacity and cholinesterase inhibitory activity of Citrus aurantifolia Swingle, C. aurantium L., and C. bergamia Risso and Poit. peel essential oils. <i>Journal of Food Science</i> , 2012 , 77, H40-6	3.4	70
114	Phytochemical and biological studies of Stachys species in relation to chemotaxonomy: a review. <i>Phytochemistry</i> , 2014 , 102, 7-39	4	68
113	Comparative study on the chemical composition, antioxidant properties and hypoglycaemic activities of two Capsicum annuum L. cultivars (Acuminatum small and Cerasiferum). <i>Plant Foods for Human Nutrition</i> , 2011 , 66, 261-9	3.9	57
112	In vitro antioxidant and antiproliferative activities of nine Salvia species. <i>Natural Product Research</i> , 2014 , 28, 2278-85	2.3	47
111	Cytotoxic activity and inhibitory effect on nitric oxide production of triterpene saponins from the roots of Physospermum verticillatum (Waldst & Kit) (Apiaceae). <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 4542-7	3.4	44
110	Regulatory Efficacy of Brown Seaweed Lessonia nigrescens Extract on the Gene Expression Profile and Intestinal Microflora in Type 2 Diabetic Mice. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, 1700	o7 5 78	41
109	Antioxidant and hypoglycaemic activities and their relationship to phytochemicals in Capsicum annuum cultivars during fruit development. <i>LWT - Food Science and Technology</i> , 2013 , 53, 370-377	5.4	39

(2016-2013)

108	Influence of drying and cooking process on the phytochemical content, antioxidant and hypoglycaemic properties of two bell Capsicum annum L. cultivars. <i>Food and Chemical Toxicology</i> , 2013 , 53, 392-401	4.7	38
107	In vitro cytotoxic effects of Senecio stabianus Lacaita (Asteraceae) on human cancer cell lines. <i>Natural Product Research</i> , 2009 , 23, 1707-18	2.3	38
106	Influence of ripening stage on health benefits properties of Capsicum annuum var. acuminatum L.: in vitro studies. <i>Journal of Medicinal Food</i> , 2008 , 11, 184-9	2.8	36
105	Jacaranone: a cytotoxic constituent from Senecio ambiguus subsp. ambiguus (biv.) DC. against renal adenocarcinoma ACHN and prostate carcinoma LNCaP cells. <i>Archives of Pharmacal Research</i> , 2007 , 30, 701-7	6.1	36
104	Poncirus trifoliata (L.) Raf.: Chemical composition, antioxidant properties and hypoglycaemic activity via the inhibition of \(\mathbb{H}\)mylase and \(\mathbb{H}\)glucosidase enzymes. <i>Journal of Functional Foods</i> , 2016 , 25, 477-485	5.1	35
103	A potential role of alkaloid extracts from Salsola species (Chenopodiaceae) in the treatment of AlzheimerQ disease. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2009 , 24, 818-24	5.6	32
102	Optimization of a Solid-Phase Microextraction method for the Gas Chromatography-Mass Spectrometry analysis of blackberry (Rubus ulmifolius Schott) fruit volatiles. <i>Food Chemistry</i> , 2015 , 178, 10-7	8.5	31
101	Anti-inflammatory and Antioxidant Agents from Salvia Genus (Lamiaceae): An Assessment of the Current State of Knowledge. <i>Anti-Inflammatory and Anti-Allergy Agents in Medicinal Chemistry</i> , 2017 , 16, 70-86	2	30
100	Supercritical carbon dioxide (SC-CO2) extraction of grapefruit flavedo. <i>Flavour and Fragrance Journal</i> , 1998 , 13, 125-130	2.5	29
99	Characterization and Prebiotic Effect of the Resistant Starch from Purple Sweet Potato. <i>Molecules</i> , 2016 , 21,	4.8	29
98	Angiotensin-converting enzyme inhibitory activity and antioxidant properties of Nepeta crassifolia Boiss & Buhse and Nepeta binaludensis Jamzad. <i>Phytotherapy Research</i> , 2013 , 27, 572-80	6.7	28
97	Annona species (Annonaceae): a rich source of potential antitumor agents?. <i>Annals of the New York Academy of Sciences</i> , 2017 , 1398, 30-36	6.5	27
96	Phytochemical and pharmacological properties of essential oils from Cedrus species. <i>Natural Product Research</i> , 2018 , 32, 1415-1427	2.3	27
95	Antioxidant and Carbohydrate-Hydrolysing Enzymes Potential of Sechium edule (Jacq.) Swartz (Cucurbitaceae) Peel, Leaves and Pulp Fresh and Processed. <i>Plant Foods for Human Nutrition</i> , 2016 , 71, 381-387	3.9	27
94	Chemical Profile and Antioxidant Properties of Extracts and Essential Oils from Citrus immon (L.) Burm. cv. Femminello Comune. <i>Chemistry and Biodiversity</i> , 2016 , 13, 571-81	2.5	26
93	Cytotoxicity of cucurbitacin E from Citrullus colocynthis against multidrug-resistant cancer cells. <i>Phytomedicine</i> , 2019 , 62, 152945	6.5	25
92	From Vegetable Waste to New Agents for Potential Health Applications: Antioxidant Properties and Effects of Extracts, Fractions and Pinocembrin from Glycyrrhiza glabra L. Aerial Parts on Viability of Five Human Cancer Cell Lines. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 7944-795	5·7 4	25
91	Bioactive compounds and antioxidant activity of citrus juices produced from varieties cultivated in Calabria. <i>Journal of Food Measurement and Characterization</i> , 2016 , 10, 773-780	2.8	25

90	In vitro cytotoxic activity of extracts and isolated constituents of Salvia leriifolia Benth. against a panel of human cancer cell lines. <i>Chemistry and Biodiversity</i> , 2011 , 8, 1152-62	2.5	23
89	Recent Knowledge on Medicinal Plants as Source of Cholinesterase Inhibitors for the Treatment of Dementia. <i>Mini-Reviews in Medicinal Chemistry</i> , 2016 , 16, 605-18	3.2	23
88	Tomato seed oil for biodiesel production. <i>European Journal of Lipid Science and Technology</i> , 2016 , 118, 640-650	3	22
87	Evaluation of fatty acids and biogenic amines profiles in mullet and tuna roe during six months of storage at 4°C. <i>Journal of Food Composition and Analysis</i> , 2015 , 40, 52-60	4.1	21
86	Contribution of Flavonoids and Iridoids to the Hypoglycaemic, Antioxidant, and Nitric Oxide (NO) Inhibitory Activities of L. <i>Antioxidants</i> , 2020 , 9,	7.1	20
85	Effects of the Fruit Ripening Stage on Antioxidant Capacity, Total Phenolics, and Polyphenolic Composition of Crude Palm Oil from Interspecific Hybrid Elaeis oleifera Œlaeis guineensis. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 852-9	5.7	20
84	Fresh refrigerated Tuber melanosporum truffle: effect of the storage conditions on the antioxidant profile, antioxidant activity and volatile profile. <i>European Food Research and Technology</i> , 2017 , 243, 22	:55 ² 2 ¹ 26	3 ²⁰
83	The impact of cultivar on polyphenol and biogenic amine profiles in Calabrian red grapes during winemaking. <i>Food Research International</i> , 2017 , 102, 303-312	7	19
82	and (Leguminosae): Edible Flower Extracts as Functional Ingredients. <i>Foods</i> , 2015 , 4, 338-348	4.9	19
81	The effect of different packaging on physical and chemical properties of oranges during storage. <i>Journal of Food Processing and Preservation</i> , 2017 , 41, e13168	2.1	17
80	Studies on the potential antioxidant properties of Senecio stabianus Lacaita (Asteraceae) and its inhibitory activity against carbohydrate-hydrolysing enzymes. <i>Natural Product Research</i> , 2012 , 26, 393-	-40 ² 4 ³	17
79	Olive Mill Wastewater Polyphenol-Enriched Fractions by Integrated Membrane Process: A Promising Source of Antioxidant, Hypolipidemic and Hypoglycaemic Compounds. <i>Antioxidants</i> , 2020 , 9,	7.1	17
78	Anchusa azurea Mill. (Boraginaceae) aerial parts methanol extract interfering with cytoskeleton organization induces programmed cancer cells death. <i>Food and Function</i> , 2019 , 10, 4280-4290	6.1	16
77	Crocus cancellatus subsp. damascenus stigmas: chemical profile, and inhibition of \textstyre{\texts	5.6	16
76	Native Colombian Fruits and Their by-Products: Phenolic Profile, Antioxidant Activity and Hypoglycaemic Potential. <i>Foods</i> , 2019 , 8,	4.9	15
75	Statistical analysis for improving data precision in the SPME GC-MS analysis of blackberry (Rubus ulmifolius Schott) volatiles. <i>Talanta</i> , 2014 , 125, 248-56	6.2	15
74	Subsp. (Guss.) Troia & Raimondo from Sicily (Italy): Isolation of Essential Oil and Evaluation of Its Bioactivity. <i>Molecules</i> , 2020 , 25,	4.8	15
73	The Influence of Ultrafiltration of L. Burm. cv Femminello Comune Juice on Its Chemical Composition and Antioxidant and Hypoglycemic Properties. <i>Antioxidants</i> , 2019 , 8,	7.1	14

72	Comparative analysis of chemical composition, antioxidant and anti-proliferative activities of Italian Vitis vinifera by-products for a sustainable agro-industry. <i>Food and Chemical Toxicology</i> , 2019 , 127, 127	7-1 3 4	14	
71	Citrus medica L. cv Diamante (Rutaceae) peel extract improves glycaemic status of Zucker diabetic fatty (ZDF) rats and protects against oxidative stress. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016 , 31, 1270-6	5.6	14	
7º	Anti-Psoriasis Agents from Natural Plant Sources. Current Medicinal Chemistry, 2016, 23, 1250-67	4.3	14	
69	Advances in the Tyrosinase Inhibitors from Plant Source. Current Medicinal Chemistry, 2019, 26, 3279-3	29 93	14	
68	Flavonoids targeting NRF2 in neurodegenerative disorders. <i>Food and Chemical Toxicology</i> , 2020 , 146, 111817	4.7	14	
67	Mechanistic aspects of carotenoid health benefits - where are we now?. <i>Nutrition Research Reviews</i> , 2021 , 34, 276-302	7	14	
66	Hort. Juice Enriched with Its By-Products (Peels and Leaves): Chemical Composition, In Vitro Bioactivity, and Impact of Processing. <i>Antioxidants</i> , 2020 , 9,	7.1	13	
65	Investigating the in vitro hypoglycaemic and antioxidant properties of Citrus Elementina Hort. juice. <i>European Food Research and Technology</i> , 2018 , 244, 523-534	3.4	13	
64	Bioactive and Antioxidant Activity from Citrus bergamia Risso (Bergamot) Juice Collected in Different Areas of Reggio Calabria Province, Italy. <i>International Journal of Food Properties</i> , 2016 , 19, 19	962-197	1 ¹³	
63	Chemical composition and bioactivity of dried fruits and honey of Ficus carica cultivars Dottato, San Francesco and Citrullara. <i>Journal of the Science of Food and Agriculture</i> , 2014 , 94, 2179-86	4.3	13	
62	In vitro cytotoxic activity of Salsola oppositifolia Desf. (Amaranthaceae) in a panel of tumour cell lines. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2008 , 63, 347-54	1.7	13	
61	Functional Properties of Punica granatum L. Juice Clarified by Hollow Fiber Membranes. <i>Processes</i> , 2016 , 4, 21	2.9	13	
60	Packaging and storage condition affect the physicochemical properties of red raspberries (Rubus idaeus L., cv. Erika). <i>Food Control</i> , 2019 , 97, 105-113	6.2	13	
59	Concentration of Bioactive Phenolic Compounds in Olive Mill Wastewater by Direct Contact Membrane Distillation. <i>Molecules</i> , 2021 , 26,	4.8	13	
58	Concentration of Bioactive Compounds from Elderberry (Sambucus nigra L.) Juice by Nanofiltration Membranes. <i>Plant Foods for Human Nutrition</i> , 2018 , 73, 336-343	3.9	12	
57	Impact of extraction processes on phytochemicals content and biological activity of Citrus Itlementina Hort. Ex Tan. leaves: New opportunity for under-utilized food by-products. <i>Food Research International</i> , 2020 , 127, 108742	7	12	
56	Influence of packaging conditions on biogenic amines and fatty acids evolution during 15months storage of a typical spreadable salami (Q Iduja). <i>Food Chemistry</i> , 2016 , 213, 115-122	8.5	12	
55	High resolution mass approach to characterize refrigerated black truffles stored under different storage atmospheres. <i>Food Research International</i> , 2017 , 102, 526-535	7	11	

54	(A. StHil.) Seeds Oil: Fatty Acids Profiling by GC-MS and NMR and Bioactivity. <i>Molecules</i> , 2020 , 25,	4.8	11
53	Flower and Leaf Extracts of L.: Application of Membrane Processes to Obtain Fractions with Antioxidant and Antityrosinase Properties. <i>Membranes</i> , 2019 , 9,	3.8	11
52	Natural compounds and vegetable powders improve the stability and antioxidant properties of Brassica napus L. var. oleifera (rapeseed) oil. <i>European Journal of Lipid Science and Technology</i> , 2017 , 119, 1600228	3	11
51	Evaluation of Aloe arborescens gel as new coating to maintain the organoleptic and functional properties of strawberry (Fragaria hanassa cv. Cadonga) fruits. <i>International Journal of Food Science and Technology</i> , 2020 , 55, 861-870	3.8	11
50	Recovery of Bergamot Seed Oil by Supercritical Carbon Dioxide Extraction and Comparison with Traditional Solvent Extraction. <i>Journal of Food Process Engineering</i> , 2017 , 40, e12341	2.4	10
49	Comparison of the Volatile Component of the Essential Oil of Kumquat (Fortunella margarita swingle) Extracted by Supercritical Carbon Dioxide, Hydrodistillation and Conventional Solvent Extraction. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2017 , 20, 87-94	1.7	10
48	The Essential Oil of Spenn. from Italy as a Source of Health-Promoting Compounds: Chemical Profile and Antioxidant and Cholinesterase Inhibitory Activity. <i>Plants</i> , 2020 , 9,	4.5	10
47	Packaging technology for improving shelf-life of fruits based on a nanoporous@rystalline polymer. Journal of Applied Polymer Science, 2018, 135, 46256	2.9	10
46	Arbutus species (Ericaceae) as source of valuable bioactive products. <i>Critical Reviews in Food Science and Nutrition</i> , 2019 , 59, 864-881	11.5	10
45	Potential Application of L. and L. Leaf Essential Oils as Antioxidant and of Cholinesterases Inhibitors. <i>Antioxidants</i> , 2018 , 8,	7.1	10
44	The Influence of Film and Storage on the Phenolic and Antioxidant Properties of Red Raspberries (L.) cv. Erika. <i>Antioxidants</i> , 2019 , 8,	7.1	9
43	Evaluation of the status quo of polyphenols analysis: Part I-phytochemistry, bioactivity, interactions, and industrial uses. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020 , 19, 3191	-36:48	9
42	Antioxidant and anti-cholinesterase activity of Globularia meridionalis extracts and isolated constituents. <i>Natural Product Communications</i> , 2012 , 7, 1015-20	0.9	9
41	Application of nine air-dried Capsicum annum cultivars as food preservative: Micronutrient content, antioxidant activity, and foodborne pathogens inhibitory effects. <i>International Journal of Food Properties</i> , 2017 , 20, 899-910	3	8
40	Differences in the composition of phenolic compounds, carotenoids, and volatiles between juice and pomace of four citrus fruits from Southern Italy. <i>European Food Research and Technology</i> , 2020 , 246, 1991-2005	3.4	8
39	A Review of the Traditional Uses, Phytochemistry and Biological Activities of the Genus Santolina. <i>Planta Medica</i> , 2018 , 84, 627-637	3.1	8
38	Antioxidant activity of olive oil mill wastewater obtained from different thermal treatments. <i>Grasas Y Aceites</i> , 2012 , 63, 209-213	1.3	8
37	Chemical Profile, Antioxidant, Anti-Inflammatory, and Anti-Cancer Effects of Italian Spenn. Methanol Leaves Extracts. <i>Antioxidants</i> , 2020 , 9,	7.1	8

(2021-2020)

36	The Role of Anthocyanins in Drug Discovery: Recent Developments. <i>Current Drug Discovery Technologies</i> , 2020 , 17, 286-298	1.5	7	
35	L. from Italy: A Comparative Chemical and Biological Study of Its Essential Oil in the Mediterranean Context. <i>Molecules</i> , 2020 , 25,	4.8	7	
34	Chemical Compositions and Antioxidant Activities of Essential Oils, and Their Combinations, Obtained from Flavedo By-Product of Seven Cultivars of Sicilian L <i>Molecules</i> , 2022 , 27,	4.8	7	
33	Chemical composition and antimicrobial activity of essential oils from Pinus brutia (calabrian pine) growing in Lebanon. <i>Chemistry of Natural Compounds</i> , 2008 , 44, 784-786	0.7	6	
32	High-Performance Liquid Chromatography/Electrospray Ionization Tandem Mass Spectrometry (HPLC-ESI-MS) Analysis and Bioactivity Useful for Prevention of "Diabesity" of Allium commutatum Guss. <i>Plant Foods for Human Nutrition</i> , 2020 , 75, 124-130	3.9	6	
31	Quality parameters, chemical compositions and antioxidant activities of Calabrian (Italy) monovarietal extra virgin olive oils from autochthonous (Ottobratica) and allochthonous (Coratina, Leccino, and Nocellara Del Belice) varieties. <i>Journal of Food Measurement and Characterization</i> ,	2.8	6	
30	Use of orange by-products (dry peel) as an alternative gelling agent for marmalade production: Evaluation of antioxidant activity and inhibition of HMF formation during different storage temperature. <i>Journal of Food Processing and Preservation</i> , 2018 , 42, e13429	2.1	6	
29	In vitro Cancer Cell Growth Inhibition and Antioxidant Activity of Bombax ceiba (Bombacaceae) Flower Extracts. <i>Natural Product Communications</i> , 2014 , 9, 1934578X1400900	0.9	5	
28	Comparative chemical composition and bioactivity of leaves essential oils from nine Sicilian accessions of Myrtus communis L <i>Journal of Essential Oil Research</i> , 2019 , 31, 546-555	2.3	4	
27	Antioxidant, Biochemical, and In-Life Effects of L. Natural Juice vs. Clarified Juice by Polyvinylidene Fluoride Membrane. <i>Foods</i> , 2020 , 9,	4.9	4	
26	Optimization of the Supercritical Carbon Dioxide Separation of Bergapten from Bergamot Essential Oil. <i>Journal of AOAC INTERNATIONAL</i> , 2018 , 101, 293-297	1.7	4	
25	Gamma Irradiated Extract Ameliorates Testosterone-Induced Benign Prostatic Hyperplasia by Downregulating 5-Alpha Reductase and Restoring Testosterone in Rats. <i>Molecules</i> , 2019 , 24,	4.8	4	
24	Natural Products as Gastroprotective and Antiulcer Agents: Recent Developments. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800301	0.9	4	
23	The Effect of Blanching on Phytochemical Content and Bioactivity of and Species (Asteraceae), Vegetables Traditionally Used in Southern Italy. <i>Foods</i> , 2020 , 10,	4.9	4	
22	Calabrian extra-virgin olive oil from Frantoio cultivar: chemical composition and health properties. <i>Emirates Journal of Food and Agriculture</i> ,631	1	4	
21	Vaccinium Species (Ericaceae): From Chemical Composition to Bio-Functional Activities. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 5655	2.6	4	
20	Novel microspheres based on triterpene saponins from the roots of Physospermum verticillatum (Waldst & Kit) (Apiaceae) for the improvement of gemcitabine release. <i>Journal of Pharmacy and Pharmacology</i> , 2016 , 68, 275-81	4.8	4	
19	New Insights into the Antioxidant and Anti-Inflammatory Effects of Italian Leaf and Flower Extracts in Lipopolysaccharide and Tumor-Mediated Inflammation Models. <i>Antioxidants</i> , 2021 , 10,	7.1	4	

18	Almond (cv. Casteltermini) Skin Confectionery By-Products: New Opportunity for the Development of a Functional Blackberry (Schott) Jam. <i>Antioxidants</i> , 2021 , 10,	7.1	4
17	Hypoglycaemic Effects of Plants Food Constituents via Inhibition of Carbohydrate-Hydrolysing Enzymes: From Chemistry to Future Applications 2017 , 135-161		3
16	Antioxidant and Anti-cholinesterase Activity of Globularia meridionalis Extracts and Isolated Constituents. <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200700	0.9	3
15	Tratt. and L.: a study of anti-proliferative activity towards human cancer cells and antioxidant properties. <i>Natural Product Research</i> , 2019 , 33, 1809-1812	2.3	3
14	In vitro anti-proliferative and anti-bacterial properties of new C7 benzoate derivatives of pinocembrin. <i>Natural Product Research</i> , 2021 , 35, 1783-1791	2.3	3
13	Investigating the Antiproliferative and Antioxidant Properties of L. (Amaryllidaceae) Stems, Flowers, Bulbs, and Fruits Extracts. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 9301247	2.3	3
12	Carolea olive oil enriched with an infusion of Capsicuum annuum and C. chinense dried pepper powders to produce an added value flavoured olive oils. <i>Journal of Food Processing and Preservation</i> , 2021 , 45, e15776	2.1	3
11	Non-Pungent -3 Polyunsaturated Fatty Acid (PUFA)-Derived Capsaicin Analogues as Potential Functional Ingredients with Antioxidant and Carbohydrate-Hydrolysing Enzyme Inhibitory Activities. <i>Antioxidants</i> , 2019 , 8,	7.1	2
10	Chemical Composition, Antioxidant Properties and Anti-cholinesterase Activity of Cordia gilletii (Boraginaceae) Leaves Essential Oil. <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100600	0.9	2
9	Systematics, Phytochemistry, Biological Activities and Health Promoting Effects of the Plants from the Subfamily Bombacoideae (Family Malvaceae). <i>Plants</i> , 2021 , 10,	4.5	1
8	LC-ESI/HRMS analysis of glucosinolates, oxylipins and phenols in Italian rocket salad (Diplotaxis erucoides subsp. erucoides (L.) DC.) and evaluation of its healthy potential. <i>Journal of the Science of Food and Agriculture</i> , 2021 , 101, 5872-5879	4.3	1
7	Chemical Profile and In Vitro Bioactivity of Vicia faba Beans and Pods. <i>Proceedings (mdpi)</i> , 2021 , 70, 45	0.3	O
6	Influence of Organic and Conventional Agricultural Practices on Chemical Profile, In Vitro Antioxidant and Anti-Obesity Properties of Zingiber officinale Roscoe. <i>Medical Sciences Forum</i> , 2021 , 2, 3		O
5	Contribution of bioactive compounds from Mediterranean plant foods in promoting health effects: A profile of Rosa Tundis. <i>Food Frontiers</i> , 2021 , 2, 91-92	4.2	O
4	Reuse of Food Waste: The Chemical Composition and Health Properties of Pomelo (Citrus maxima) Cultivar Essential Oils. <i>Molecules</i> , 2022 , 27, 3273	4.8	O
3	Addition of Orange By-Products (Dry Peel) in Orange Jam: Evaluation of Physicochemical Characteristics, Bioactive Compounds and Antioxidant Activity. <i>Medical Sciences Forum</i> , 2021 , 2, 11		
2	Extracts of Different Polarity of Daphne laureola L. as Valuable Source of Antioxidant and Neuroprotective Compounds. <i>Medical Sciences Forum</i> , 2021 , 2, 19		
1	Comparison of traditional hot water and vacuum assisted blanching methods on the physico-chemical quality parameters and antioxidant activity of zucchini (Cucurbita pepo L.) slices. <i>Journal of Food Measurement and Characterization</i> ,1	2.8	