Janne Kudsk Klitgaard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/122211/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Whole-genome sequence analyses by a new easy-to-use software solution support the suspicion of a neonatal ward outbreak of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) and transmission between hospitals. Infection Control and Hospital Epidemiology, 2022, 43, 947-949.	1.8	3
2	The menaquinone pathway is important for susceptibility of Staphylococcus aureus to the antibiotic adjuvant, cannabidiol. Microbiological Research, 2022, 257, 126974.	5.3	13
3	Bacteria-host transcriptional response during endothelial invasion by Staphylococcus aureus. Scientific Reports, 2021, 11, 6037.	3.3	5
4	Insight Into the Anti-staphylococcal Activity of JBC 1847 at Sub-Inhibitory Concentration. Frontiers in Microbiology, 2021, 12, 786173.	3.5	1
5	Discovery of a Potent Adenine–Benzyltriazolo–Pleuromutilin Conjugate with Pronounced Antibacterial Activity against MRSA. Journal of Medicinal Chemistry, 2020, 63, 15693-15708.	6.4	20
6	Cannabidiol is an effective helper compound in combination with bacitracin to kill Gram-positive bacteria. Scientific Reports, 2020, 10, 4112.	3.3	43
7	Studies of Impending Oligonucleotide Therapeutics in Simulated Biofluids. Nucleic Acid Therapeutics, 2018, 28, 348-356.	3.6	2
8	Molecular mechanisms of thioridazine resistance in Staphylococcus aureus. PLoS ONE, 2018, 13, e0201767.	2.5	12
9	Systemic thioridazine in combination with dicloxacillin against early aortic graft infections caused by Staphylococcus aureus in a porcine model: In vivo results do not reproduce the in vitro synergistic activity. PLoS ONE, 2017, 12, e0173362.	2.5	8
10	Combination of thioridazine and dicloxacillin as a possible treatment strategy of staphylococci. New Microbiologica, 2017, 40, 146-147.	0.1	4
11	Co-release of dicloxacillin and thioridazine from catheter material containing an interpenetrating polymer network for inhibiting device-associated Staphylococcus aureus infection. Journal of Controlled Release, 2016, 241, 125-134.	9.9	22
12	Assessments of Thioridazine as a Helper Compound to Dicloxacillin against Methicillin-Resistant Staphylococcus aureus: In Vivo Trials in a Mouse Peritonitis Model. PLoS ONE, 2015, 10, e0135571.	2.5	11
13	Combination therapy with thioridazine and dicloxacillin combats meticillin-resistant Staphylococcus aureus infection in Caenorhabditis elegans. Journal of Medical Microbiology, 2014, 63, 1174-1180.	1.8	12
14	Thioridazine potentiates the effect of a beta-lactam antibiotic against Staphylococcus aureus independently of mecA expression. Research in Microbiology, 2013, 164, 181-188.	2.1	27
15	Thioridazine Induces Major Changes in Global Gene Expression and Cell Wall Composition in Methicillin-Resistant Staphylococcus aureus USA300. PLoS ONE, 2013, 8, e64518.	2.5	44
16	Thioridazine affects transcription of genes involved in cell wall biosynthesis in methicillin-resistant Staphylococcus aureus. FEMS Microbiology Letters, 2011, 318, 168-176.	1.8	28
17	Defining a role for Hfq in Gram-positive bacteria: evidence for Hfq-dependent antisense regulation in Listeria monocytogenes. Nucleic Acids Research, 2010, 38, 907-919.	14.5	142
18	Reversal of methicillin resistance in Staphylococcus aureus by thioridazine. Journal of Antimicrobial Chemotherapy, 2008, 62, 1215-1221.	3.0	62

#	Article	IF	CITATIONS
19	LNA nucleotides improve cleavage efficiency of singular and binary hammerhead ribozymes. Bioorganic and Medicinal Chemistry, 2007, 15, 6135-6143.	3.0	18
20	The response regulator ResD modulates virulence gene expression in response to carbohydrates in Listeria monocytogenes. Molecular Microbiology, 2006, 61, 1622-1635.	2.5	61
21	Identification of small Hfq-binding RNAs in Listeria monocytogenes. Rna, 2006, 12, 1383-1396.	3.5	150
22	The RNA-Binding Protein Hfq of Listeria monocytogenes: Role in Stress Tolerance and Virulence. Journal of Bacteriology, 2004, 186, 3355-3362.	2.2	232
23	Acyl-CoA-binding protein, Acb1p, is required for normal vacuole function and ceramide synthesis in Saccharomyces cerevisiae. Biochemical Journal, 2004, 380, 907-918.	3.7	73