Juan M Guerrero

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1222296/juan-m-guerrero-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153 8,570 49 89 g-index

154 9,109 5.5 5.53 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
153	Development and validation of a laboratory-based risk score to predict the occurrence of critical illness in hospitalized patients with COVID-19. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021 , 81, 282-289	2	1
152	Genotype-phenotype correlation of 17 cases of Pompe disease in Spanish patients and identification of 4 novel GAA variants. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 233	4.2	1
151	Accuracy diagnosis improvement of Fabry disease from dried blood spots: Enzyme activity, lyso-Gb3 accumulation and GLA gene sequencing. <i>Clinical Genetics</i> , 2021 , 99, 761-771	4	2
150	Genotype/phenotype relationship in Gaucher disease patients. Novel mutation in glucocerebrosidase gene. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 2017-2024	5.9	3
149	Seasonal Variations in Macrophages/Microglia Underlie Changes in the Mouse Model of Multiple Sclerosis Severity. <i>Molecular Neurobiology</i> , 2020 , 57, 4082-4089	6.2	1
148	Point-of-care haemostasis monitoring during liver transplantation is cost effective. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 883-890	5.9	5
147	Effects of immediate-release niacin and dietary fatty acids on acute insulin and lipid status in individuals with metabolic syndrome. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 2194-2200	0 ^{4.3}	4
146	Family study of a novel mutation of mucopolysaccharidosis type VI with a severe phenotype and good response to enzymatic replacement therapy: Case report. <i>Medicine (United States)</i> , 2018 , 97, e128	72 ⁸	1
145	Noninvasive prenatal diagnosis by cell-free DNA screening for fetomaternal HPA-1a platelet incompatibility. <i>Transfusion</i> , 2018 , 58, 2272-2279	2.9	13
144	Melatonin reduces inflammatory response in peripheral T helper lymphocytes from relapsing-remitting multiple sclerosis patients. <i>Journal of Pineal Research</i> , 2017 , 63, e12442	10.4	37
143	Non-invasive Prenatal Diagnosis of Feto-Maternal Platelet Incompatibility by Cold High Resolution Melting Analysis. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 924, 67-70	3.6	5
142	Evaluation of the State of Transplanted Liver Health by Monitoring of Organ-Specific Genomic Marker in Circulating DNA from Receptor. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 924, 113-116	3.6	5
141	Detection of p53 Mutations in Circulating DNA of Transplanted Hepatocellular Carcinoma Patients as a Biomarker of Tumor Recurrence. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 924, 25-28	3.6	6
140	Screening of KRAS Mutation in Pre- and Post-Surgery Serum of Patients Suffering from Colon Cancer by COLD-PCR HRM. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 924, 39-41	3.6	3
139	Circulating cell-free DNA is a predictor of short-term neurological outcome in stroke patients treated with intravenous thrombolysis. <i>Journal of Circulating Biomarkers</i> , 2016 , 5, 1849454416668791	3.3	15
138	Pleural fluid cell-free DNA in parapneumonic pleural effusion. Clinical Biochemistry, 2015, 48, 1003-5	3.5	5
137	Point-of-care haemostasis monitoring during liver transplantation reduces transfusion requirements and improves patient outcome. <i>Clinica Chimica Acta</i> , 2015 , 446, 277-83	6.2	45

(2010-2015)

136	Melatonin controls experimental autoimmune encephalomyelitis by altering the T effector/regulatory balance. <i>Brain, Behavior, and Immunity</i> , 2015 , 50, 101-114	16.6	58
135	The utility of C-reactive protein and procalcitonin for sepsis diagnosis in critically burned patients: A preliminary study. <i>Plastic Surgery</i> , 2015 , 23, 239-243	0.8	13
134	Melatonin treatment improves primary progressive multiple sclerosis: a case report. <i>Journal of Pineal Research</i> , 2015 , 58, 173-7	10.4	39
133	Associations between frailty and serum N-terminal propeptide of type I procollagen and 25-hydroxyvitamin D in older Spanish women: The Toledo Study for Healthy Aging. <i>Experimental Gerontology</i> , 2015 , 69, 79-84	4.5	21
132	Evaluation of the immunomodulatory effect of melatonin on the T-cell response in peripheral blood from systemic lupus erythematosus patients. <i>Journal of Pineal Research</i> , 2015 , 58, 219-26	10.4	34
131	The utility of C-reactive protein and procalcitonin for sepsis diagnosis in critically burned patients: A preliminary study. <i>Plastic Surgery</i> , 2015 , 23, 239-43	0.8	2
130	Monitoring of transplanted liver health by quantification of organ-specific genomic marker in circulating DNA from receptor. <i>PLoS ONE</i> , 2014 , 9, e113987	3.7	36
129	Multiple Facets of Melatonin in Immunity: Clinical Applications 2014 , 117-141		
128	Melatonin: buffering the immune system. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 8638-83	6.3	399
127	Role of circulating cell-free DNA levels in patients with severe preeclampsia and HELLP syndrome. <i>American Journal of Hypertension</i> , 2013 , 26, 1377-80	2.3	31
126	Melatonin inhibits cell proliferation and induces caspase activation and apoptosis in human malignant lymphoid cell lines. <i>Journal of Pineal Research</i> , 2012 , 53, 366-73	10.4	62
125	Role of early cell-free DNA levels decrease as a predictive marker of fatal outcome after severe traumatic brain injury. <i>Clinica Chimica Acta</i> , 2012 , 414, 12-7	6.2	67
124	Standardization non-invasive fetal RHD and SRY determination into clinical routine using a new multiplex RT-PCR assay for fetal cell-free DNA in pregnant women plasma: results in clinical benefits and cost saving. <i>Clinica Chimica Acta</i> , 2012 , 413, 490-4	6.2	28
123	Non-invasive prenatal diagnosis of multiple endocrine neoplasia type 2A using COLD-PCR combined with HRM genotyping analysis from maternal serum. <i>PLoS ONE</i> , 2012 , 7, e51024	3.7	18
122	Mobile Laboratory Unit: a disruptor solution for hemostasis management during major surgery. Usage in the context of face transplantation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1621	-4 ·9	4
121	Melatonin synthesized by T lymphocytes as a ligand of the retinoic acid-related orphan receptor. <i>Journal of Pineal Research</i> , 2011 , 51, 454-62	10.4	70
120	Hemoglobin Seville [2 2 81(EF5) Leu-Phe] a silent phenotypic variant that interferes in hemoglobin A1c measurement by ion-exchange HPLC method. <i>Clinical Biochemistry</i> , 2011 , 44, 933-5	3.5	5
119	Blocking of melatonin synthesis and MT(1) receptor impairs the activation of Jurkat T cells. <i>Cellular and Molecular Life Sciences</i> , 2010 , 67, 3163-72	10.3	20

118	Autophagy upregulation and loss of NF-kappaB in oxidative stress-related immunodeficient SAMP8 mice. <i>Mechanisms of Ageing and Development</i> , 2009 , 130, 722-30	5.6	22
117	C cells evolve at the same rhythm as follicular cells when thyroidal status changes in rats. <i>Journal of Anatomy</i> , 2009 , 214, 301-9	2.9	21
116	Effect of melatonin administration on sleep, behavioral disorders and hypnotic drug discontinuation in the elderly: a randomized, double-blind, placebo-controlled study. <i>Aging Clinical and Experimental Research</i> , 2009 , 21, 38-42	4.8	54
115	Treatment with testosterone or estradiol in melatonin treated females and males MRL/MpJ-Faslpr mice induces negative effects in developing systemic lupus erythematosus. <i>Journal of Pineal Research</i> , 2008 , 45, 204-11	10.4	10
114	Melatonin is a phytochemical in olive oil. <i>Food Chemistry</i> , 2007 , 104, 609-612	8.5	67
113	Evidence for melatonin synthesis in the rat brain during development. <i>Journal of Pineal Research</i> , 2007 , 42, 240-6	10.4	53
112	Melatonin synthesized by Jurkat human leukemic T cell line is implicated in IL-2 production. <i>Journal of Cellular Physiology</i> , 2006 , 206, 273-9	7	35
111	Sex-dependent effect of melatonin on systemic erythematosus lupus developed in Mrl/Mpj-Faslpr mice: it ameliorates the disease course in females, whereas it exacerbates it in males. <i>Endocrinology</i> , 2006 , 147, 1717-24	4.8	27
110	Mitochondrial damage induced by fetal hyperphenylalaninemia in the rat brain and liver: its prevention by melatonin, Vitamin E, and Vitamin C. <i>Neuroscience Letters</i> , 2006 , 392, 1-4	3.3	33
109	Inverse correlation between endogenous melatonin levels and oxidative damage in some tissues of SAM P8 mice. <i>Journal of Pineal Research</i> , 2006 , 40, 153-7	10.4	23
108	The use of melatonin as a vaccine agent. <i>Vaccine</i> , 2005 , 23, 5321-7	4.1	22
107	Serum, saliva, and gingival crevicular fluid osteocalcin: their relation to periodontal status and bone mineral density in postmenopausal women. <i>Journal of Periodontology</i> , 2005 , 76, 513-9	4.6	44
106	A review of the multiple actions of melatonin on the immune system. <i>Endocrine</i> , 2005 , 27, 189-200		459
105	Dual effect of melatonin as proinflammatory and antioxidant in collagen-induced arthritis in rats. <i>Journal of Pineal Research</i> , 2005 , 38, 93-9	10.4	29
104	Melatonin synthesis and melatonin-membrane receptor (MT1) expression during rat thymus development: role of the pineal gland. <i>Journal of Pineal Research</i> , 2005 , 39, 77-83	10.4	38
103	Beneficial pleiotropic actions of melatonin in an experimental model of septic shock in mice: regulation of pro-/anti-inflammatory cytokine network, protection against oxidative damage and anti-apoptotic effects. <i>Journal of Pineal Research</i> , 2005 , 39, 400-8	10.4	682
102	Melatonin prevents hyperhomocysteinemia and neural lipid peroxidation induced by methionine intake. <i>Current Neurovascular Research</i> , 2005 , 2, 175-8	1.8	12
101	Human lymphocyte-synthesized melatonin is involved in the regulation of the interleukin-2/interleukin-2 receptor system. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 992-1000	5.6	120

(2000-2004)

100	Evidence of melatonin synthesis by human lymphocytes and its physiological significance: possible role as intracrine, autocrine, and/or paracrine substance. <i>FASEB Journal</i> , 2004 , 18, 537-9	0.9	330
99	mRNA expression of nuclear receptor RZR/RORalpha, melatonin membrane receptor MT, and hydroxindole-O-methyltransferase in different populations of human immune cells. <i>Journal of Pineal Research</i> , 2004 , 37, 48-54	10.4	94
98	Decrease in serum total cholesterol and increase in high-density lipoprotein cholesterol in rats following moderate intake of sherry. <i>Journal of the Science of Food and Agriculture</i> , 2004 , 84, 613-615	4.3	2
97	RNA expression of human telomerase subunits TR and TERT is differentially affected by melatonin receptor agonists in the MCF-7 tumor cell line. <i>Cancer Letters</i> , 2004 , 216, 73-80	9.9	30
96	Expression of membrane and nuclear melatonin receptors in mouse peripheral organs. <i>Life Sciences</i> , 2004 , 74, 2227-36	6.8	77
95	Melatonin counteracts the inhibitory effect of PGE2 on IL-2 production in human lymphocytes via its mt1 membrane receptor. <i>FASEB Journal</i> , 2003 , 17, 755-7	0.9	98
94	Melatonin inhibits telomerase activity in the MCF-7 tumor cell line both in vivo and in vitro. <i>Journal of Pineal Research</i> , 2003 , 35, 204-11	10.4	99
93	Oxidative stress induced by phenylketonuria in the rat: Prevention by melatonin, vitamin E, and vitamin C. <i>Journal of Neuroscience Research</i> , 2002 , 69, 550-8	4.4	55
92	Long-term melatonin administration increases polyunsaturated fatty acid percentage in plasma lipids of hypercholesterolemic rats. <i>Journal of Pineal Research</i> , 2002 , 32, 179-86	10.4	17
91	Melatonin triggers Crohn's disease symptoms. <i>Journal of Pineal Research</i> , 2002 , 32, 277-8	10.4	31
90	Melatonin-immune system relationships. Current Topics in Medicinal Chemistry, 2002, 2, 167-79	3	360
89	Possible involvement of the nuclear RZR/ROR-alpha receptor in the antitumor action of melatonin on murine Colon 38 cancer. <i>Tumor Biology</i> , 2002 , 23, 298-302	2.9	43
88	Vasoactive intestinal peptide and pituitary adenylate cyclase-activating polypeptide inhibit LPS-stimulated MIP-1alpha production and mRNA expression. <i>Cytokine</i> , 2002 , 18, 35-42	4	18
87	Melatonin prevents the formation of pyrrolized proteins in human plasma induced by hydrogen peroxide. <i>Neuroscience Letters</i> , 2002 , 326, 147-50	3.3	13
86	Melatonin prevents focal rat cerebellum injury as assessed by induction of heat shock protein (HO-1) following subarachnoid injections of lysed blood. <i>Neuroscience Letters</i> , 2002 , 331, 208-10	3.3	22
85	Mechanisms Involved in the Immunomodulatory Effects of Melatonin on the Human Immune System 2001 , 408-416		2
84	Involvement of nuclear receptors in the enhanced IL-2 production by melatonin in Jurkat cells. <i>Annals of the New York Academy of Sciences</i> , 2000 , 917, 397-403	6.5	28
83	Postnatal development of vasoactive intestinal peptide receptor-effector system in rat immunocompetent cells. <i>Annals of the New York Academy of Sciences</i> , 2000 , 921, 357-61	6.5	

82	Serum cholesterol and lipid peroxidation are decreased by melatonin in diet-induced hypercholesterolemic rats. <i>Journal of Pineal Research</i> , 2000 , 28, 150-5	10.4	84
81	Ototoxicity caused by aminoglycosides is ameliorated by melatonin without interfering with the antibiotic capacity of the drugs. <i>Journal of Pineal Research</i> , 2000 , 28, 26-33	10.4	28
80	Correlation between nuclear melatonin receptor expression and enhanced cytokine production in human lymphocytic and monocytic cell lines. <i>Journal of Pineal Research</i> , 2000 , 29, 129-37	10.4	106
79	Ototoxicity caused by cisplatin is ameliorated by melatonin and other antioxidants. <i>Journal of Pineal Research</i> , 2000 , 28, 73-80	10.4	63
78	Neuroprotection by melatonin from glutamate-induced excitotoxicity during development of the cerebellum in the chick embryo. <i>Journal of Pineal Research</i> , 2000 , 28, 81-8	10.4	29
77	Immunobiology of vasoactive intestinal peptide (VIP). <i>Trends in Immunology</i> , 2000 , 21, 7-11		97
76	Melatonin is responsible for the nocturnal increase observed in serum and thymus of thymosin alpha1 and thymulin concentrations: observations in rats and humans. <i>Journal of Neuroimmunology</i> , 2000 , 103, 180-8	3.5	49
75	Nuclear receptors are involved in the enhanced IL-6 production by melatonin in U937 cells. <i>NeuroSignals</i> , 2000 , 9, 197-202	1.9	24
74	Melatonin inhibits expression of the inducible NO synthase II in liver and lung and prevents endotoxemia in lipopolysaccharide-induced multiple organ dysfunction syndrome in rats. <i>FASEB Journal</i> , 1999 , 13, 1537-1546	0.9	230
73	The pineal secretory product melatonin reduces hydrogen peroxide-induced DNA damage in U-937 cells. <i>Journal of Pineal Research</i> , 1999 , 26, 227-35	10.4	30
72	Physiological levels of melatonin contribute to the antioxidant capacity of human serum. <i>Journal of Pineal Research</i> , 1999 , 27, 59-64	10.4	151
71	Melatonin and other antioxidants prolong the postmortem activity of the outer hair cells of the organ of Corti: its relation to the type of death. <i>Journal of Pineal Research</i> , 1999 , 27, 73-7	10.4	14
70	Characterization of membrane melatonin receptor in mouse peritoneal macrophages: inhibition of adenylyl cyclase by a pertussis toxin-sensitive G protein. <i>Journal of Neuroimmunology</i> , 1999 , 95, 85-94	3.5	46
69	Neurotoxicity of dextrorphan. Archives of Medical Research, 1999, 30, 125-7	6.6	3
68	Melatonin activates Th1 lymphocytes by increasing IL-12 production. <i>Life Sciences</i> , 1999 , 65, 2143-50	6.8	108
67	Reactive oxygen intermediates, molecular damage, and aging. Relation to melatonin. <i>Annals of the New York Academy of Sciences</i> , 1998 , 854, 410-24	6.5	167
66	Circadian variations in the rat serum total antioxidant status: correlation with melatonin levels. Journal of Pineal Research, 1998, 25, 1-4	10.4	52
65	Physiological concentrations of melatonin inhibit the norepinephrine-induced activation of prostaglandin E2 and cyclic AMP production in rat hypothalamus: a mechanism involving inhibiton of nitric oxide synthase. <i>Journal of Pineal Research</i> , 1998 , 25, 34-40	10.4	43

64	Involvement of nuclear binding sites for melatonin in the regulation of IL-2 and IL-6 production by human blood mononuclear cells. <i>Journal of Neuroimmunology</i> , 1998 , 92, 76-84	3.5	91
63	Specific binding of melatonin by purified cell nuclei from spleen and thymus of the rat. <i>Journal of Neuroimmunology</i> , 1998 , 86, 190-7	3.5	61
62	Rhythms of glutathione peroxidase and glutathione reductase in brain of chick and their inhibition by light. <i>Neurochemistry International</i> , 1998 , 32, 69-75	4.4	179
61	Melatonin restores and enhances the human type B tonsillar lymphocyte subset in recurrent acute tonsillitis. <i>Neuroscience Letters</i> , 1998 , 247, 131-4	3.3	10
60	Nocturnal increases in the triiodothyronine/thyroxine ratio in the rat thymus and pineal gland follow increases of type II 5Tdeiodinase activity. <i>International Journal of Biochemistry and Cell Biology</i> , 1998 , 30, 235-41	5.6	7
59	Membrane-bound calmodulin in Xenopus laevis oocytes as a novel binding site for melatonin. <i>FASEB Journal</i> , 1998 , 12, 1401-8	0.9	58
58	Characterization of VIP receptor-effector system antagonists in rat and mouse peritoneal macrophages. <i>European Journal of Pharmacology</i> , 1997 , 321, 379-86	5.3	5
57	Melatonin prevents changes in microsomal membrane fluidity during induced lipid peroxidation. <i>FEBS Letters</i> , 1997 , 408, 297-300	3.8	237
56	Different experimental conditions which regulate type II 5Fdeiodinase mRNA in rat Harderian gland. <i>Life Sciences</i> , 1997 , 61, 181-92	6.8	3
55	Functional characterization and mRNA expression of pituitary adenylate cyclase activating polypeptide (PACAP) type I receptors in rat peritoneal macrophages. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1997 , 1359, 250-62	4.9	48
54	Melatonin and vitamin E limit nitric oxide-induced lipid peroxidation in rat brain homogenates. <i>Neuroscience Letters</i> , 1997 , 230, 147-50	3.3	86
53	Melatonin induces hyporeactivity caused by type II collagen in peripheral blood lymphocytes from patients with autoimmune hearing losses. <i>Neuroscience Letters</i> , 1997 , 239, 1-4	3.3	8
52	Presence of the pineal hormone melatonin in rat cochlea: its variations with lighting conditions. <i>Neuroscience Letters</i> , 1997 , 238, 81-3	3.3	23
51	Acutely administered melatonin reduces oxidative damage in lung and brain induced by hyperbaric oxygen. <i>Journal of Applied Physiology</i> , 1997 , 83, 354-8	3.7	86
50	Expression of the Mel1a-melatonin receptor mRNA in T and B subsets of lymphocytes from rat thymus and spleen. <i>FASEB Journal</i> , 1997 , 11, 466-73	0.9	126
49	Prophylactic actions of melatonin in oxidative neurotoxicity. <i>Annals of the New York Academy of Sciences</i> , 1997 , 825, 70-8	6.5	72
48	Melatonin prevents increases in neural nitric oxide and cyclic GMP production after transient brain ischemia and reperfusion in the Mongolian gerbil (Meriones unguiculatus). <i>Journal of Pineal Research</i> , 1997 , 23, 24-31	10.4	91
47	Inhibition of cerebellar nitric oxide synthase and cyclic GMP production by melatonin via complex formation with calmodulin. <i>Journal of Cellular Biochemistry</i> , 1997 , 65, 430-42	4.7	236

46	Histological changes during development of the cerebellum in the chick embryo exposed to a static magnetic field. <i>Bioelectromagnetics</i> , 1997 , 18, 36-46	1.6	26
45	Beta- and alpha-adrenergic mechanisms are involved in regulating type II thyroxine 5Tdeiodinase in rat thymus. <i>Life Sciences</i> , 1996 , 58, 1-8	6.8	5
44	The disodium salt of EDTA inhibits the binding of vasoactive intestinal peptide to macrophage membranes: endodontic implications. <i>Journal of Endodontics</i> , 1996 , 22, 337-40	4.7	40
43	Functional and molecular characterization of VIP receptors and signal transduction in human and rodent immune systems. <i>Advances in Neuroimmunology</i> , 1996 , 6, 39-47		39
42	Characterization of binding sites for beta-adrenergic agonists and vasoactive intestinal peptide in the rat harderian gland. <i>Microscopy Research and Technique</i> , 1996 , 34, 139-43	2.8	2
41	Specific binding of 2-[125I]iodomelatonin by rat spleen crude membranes: day-night variations and effect of pinealectomy and continuous light exposure. <i>Journal of Pineal Research</i> , 1996 , 20, 33-8	10.4	25
40	Melatonin reduces nitric oxide synthase activity in rat hypothalamus. <i>Journal of Pineal Research</i> , 1996 , 20, 205-10	10.4	179
39	Melatonin in the context of the free radical theory of aging. <i>Annals of the New York Academy of Sciences</i> , 1996 , 786, 362-78	6.5	78
38	Immunomodulatory role of melatonin: specific binding sites in human and rodent lymphoid cells. <i>Journal of Pineal Research</i> , 1995 , 18, 119-26	10.4	128
37	High-affinity binding of melatonin by human circulating T lymphocytes (CD4+). <i>FASEB Journal</i> , 1995 , 9, 1331-5	0.9	88
36	Diurnal Variations in [125I]Melatonin Binding by Rat Thymus Membranes: Effects of Continuous Light Exposure and Pinealectomy. <i>Chronobiology International</i> , 1995 , 12, 382-388	3.6	6
35	Specific binding of 2-[125I]iodomelatonin by rat splenocytes: characterization and its role on regulation of cyclic AMP production. <i>Journal of Neuroimmunology</i> , 1995 , 57, 171-8	3.5	75
34	Elevation of cyclic GMP levels in the rat pineal gland induced by nitric oxide. <i>Journal of Pineal Research</i> , 1994 , 16, 210-4	10.4	8
33	Expression of VIP receptors in mouse peritoneal macrophages: functional and molecular characterization. <i>Journal of Neuroimmunology</i> , 1994 , 50, 85-93	3.5	36
32	Specific binding of melatonin by immunocompetent cells in humans and rodents. Modifications during postnatal development. <i>Annals of the New York Academy of Sciences</i> , 1994 , 719, 369-77	6.5	10
31	Different sensitivity of rat pineal N-acetyltransferase to alpha- and beta-adrenergic receptor agonists during development: in vitro studies. <i>Neuroscience Letters</i> , 1994 , 182, 303-5	3.3	5
30	Expression of type II thyroxine 5Tdeiodinase from rat harderian gland in Xenopus laevis oocytes. <i>FEBS Letters</i> , 1994 , 354, 110-2	3.8	2
29	Physiological concentrations of melatonin inhibit nitric oxide synthase in rat cerebellum. <i>Life Sciences</i> , 1994 , 55, PL455-60	6.8	190

28	High activity of retinal N-acetyltransferase in the early development of the chick embryo: independence of lighting conditions. <i>Neuroscience Letters</i> , 1994 , 179, 103-6	3.3	8
27	Adrenalectomy or superior cervical ganglionectomy modifies the nocturnal increase in rat pineal type II thyroxine 5Tdeiodinase. <i>Chronobiology International</i> , 1993 , 10, 87-93	3.6	3
26	Thyroxine type II 5Tdeiodinase activity in pineal and Harderian gland is enhanced by hypothyroidism but is independent of serum thyroxine concentrations during hyperthyroidism. <i>International Journal of Biochemistry & Cell Biology</i> , 1993 , 25, 1041-6		5
25	Melatonin binding sites in the Harderian gland of Syrian hamsters: sexual differences and effect of castration. <i>Journal of Pineal Research</i> , 1993 , 14, 34-8	10.4	38
24	A brief survey of pineal gland-immune system interrelationships. <i>Endocrine Research</i> , 1992 , 18, 91-113	1.9	149
23	Chapter 41: Orcadian rhythm and pharmacologic regulation of the monodeiodination of 3,3Ţ5,5Ŧtetraiodothyronine in the pineal gland. <i>Progress in Brain Research</i> , 1992 , 91, 315-321	2.9	4
22	Vasoactive intestinal peptide enhances phorbol myristate acetate-induced chemiluminescence in human lymphocytes. <i>Life Sciences</i> , 1992 , 51, 1803-10	6.8	6
21	Melatonin potentiates cyclic AMP production stimulated by vasoactive intestinal peptide in human lymphocytes. <i>Neuroscience Letters</i> , 1992 , 136, 150-2	3.3	23
2 0	Interaction of melatonin with human lymphocytes: evidence for binding sites coupled to potentiation of cyclic AMP stimulated by vasoactive intestinal peptide and activation of cyclic GMP. <i>Journal of Pineal Research</i> , 1992 , 12, 97-104	10.4	109
19	Synergistic action of melatonin and vasoactive intestinal peptide in stimulating cyclic AMP production in human lymphocytes. <i>Journal of Pineal Research</i> , 1992 , 12, 174-80	10.4	36
18	Iodothyronine 5Tdeiodinating activity in the pineal gland. <i>International Journal of Biochemistry & Cell Biology</i> , 1992 , 24, 1513-23		18
17	Beta- and alpha-adrenergic mechanisms are involved in regulation of rat pineal type II thyroxine 5Tdeiodinase activity during development. <i>Endocrinology</i> , 1991 , 128, 1661-7	4.8	25
16	Beta- and alpha-adrenergic receptors are involved in regulating type II thyroxine 5Tdeiodinase activity in the rat Harderian gland. <i>Life Sciences</i> , 1991 , 49, 1523-30	6.8	18
15	In vivo activation of pineal N-acetyltransferase but not type II thyroxine 5 T deiodinase by phenylephrine in young rats. <i>Neuroscience Letters</i> , 1991 , 127, 13-5	3.3	5
14	Nocturnal increase in pineal melatonin production in two lemming species, Dicrostonyx hudsonius and D. groenlandicus. <i>General and Comparative Endocrinology</i> , 1990 , 78, 322-5	3	9
13	Role of postsynaptic alpha-adrenergic receptors in the beta-adrenergic stimulation of melatonin production in the Syrian hamster pineal gland in organ culture. <i>Journal of Pineal Research</i> , 1989 , 7, 13-2	2 ^{10.4}	19
12	Decreased binding of vasoactive intestinal peptide to intestinal epithelial cells from hypothyroid rats. <i>Biochemical and Biophysical Research Communications</i> , 1989 , 162, 701-7	3.4	2
11	Effects of either forskolin, the 1,9-dideoxy derivative of forskolin, or 8-bromocyclic AMP on cyclic AMP and melatonin production in the Syrian hamster pineal gland in organ culture. <i>Neuroscience Letters</i> , 1989 , 103, 338-42	3.3	7

10	Differential responses of rat pineal thyroxine type II 5Tdeiodinase and N-acetyltransferase activities to either light exposure, isoproterenol, phenylephrine, or propranolol. <i>Cellular and Molecular Neurobiology</i> , 1988 , 8, 447-58	4.6	20
9	Inhibition of pineal type-II 57deiodinase does not affect the nocturnal increase of N-acetyltransferase activity and melatonin content in either euthyroid or thyroidectomized rats. <i>Journal of Pineal Research</i> , 1988 , 5, 513-20	10.4	22
8	Forskolin, an activator of adenylate cyclase activity, promotes large increases in N-acetyl transferase activity and melatonin production in the Syrian hamster pineal gland only during the late dark period. <i>Biochemical and Biophysical Research Communications</i> , 1988 , 155, 209-15	3.4	13
7	Thyroxine 5Tdeiodinase activity in pineal gland and frontal cortex: nighttime increase and the effect of either continuous light exposure or superior cervical ganglionectomy. <i>Endocrinology</i> , 1988 , 122, 236-41	4.8	51
6	Thyroxine 5Tdeiodination in brown adipose tissue and pineal gland: implications for thermogenic regulation and role of melatonin. <i>Endocrinology</i> , 1988 , 123, 677-80	4.8	30
5	Stimulatory effect of isoproterenol but not of dibutyryl cyclic AMP on N-acetyltransferase activity and melatonin content of Syrian hamster pineal gland in organ culture. <i>Neuroendocrinology</i> , 1988 , 48, 229-34	5.6	13
4	Interaction of vasoactive intestinal peptide (VIP) with rat lymphoid cells. <i>Peptides</i> , 1986 , 7, 177-81	3.8	60
3	The interaction of vasoactive intestinal peptide (VIP) with isolated bovine thyroid plasma membranes. <i>Biochemical and Biophysical Research Communications</i> , 1985 , 128, 1336-41	3.4	12
2	Activation of cyclic AMP-dependent protein kinase by VIP in blood mononuclear cells. <i>Peptides</i> , 1984 , 5, 371-3	3.8	30
1	Interaction of vasoactive intestinal peptide with a cell line (HeLa) derived from human carcinoma of the cervix: binding to specific sites and stimulation of adenylate cyclase. <i>Molecular and Cellular Biochemistry</i> , 1981 , 37, 167-76	4.2	13