## Masato Honda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1222842/publications.pdf

Version: 2024-02-01

1307594 1199594 12 426 7 12 citations g-index h-index papers 12 12 12 514 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Toxicities of Polycyclic Aromatic Hydrocarbons for Aquatic Animals. International Journal of Environmental Research and Public Health, 2020, 17, 1363.	2.6	293
2	Short-term and persistent impacts on behaviors related to locomotion, anxiety, and startle responses of Japanese medaka (Oryzias latipes) induced by acute, sublethal exposure to chlorpyrifos. Aquatic Toxicology, 2017, 192, 148-154.	4.0	40
3	Identification of perfluorooctane sulfonate binding protein in the plasma of tiger pufferfish Takifugu rubripes. Ecotoxicology and Environmental Safety, 2014, 104, 409-413.	6.0	18
4	The Wharf Roach, Ligia sp., A Novel Indicator of Polycyclic Aromatic Hydrocarbon Contamination in Coastal Areas. International Journal of Environmental Research, 2018, 12, 1-11.	2.3	15
5	Alteration of development and gene expression induced by in ovo -nanoinjection of 3-hydroxybenzo[ c ]phenanthrene into Japanese medaka ( Oryzias latipes ) embryos. Aquatic Toxicology, 2017, 182, 194-204.	4.0	12
6	Accumulation of organotins in wharf roach (Ligia exotica Roux) and its ability to serve as a biomonitoring species for coastal pollution. Ecotoxicology and Environmental Safety, 2013, 96, 75-79.	6.0	11
7	Pollution of radiocesium and radiosilver in wharf roach (Ligia sp.) by the Fukushima Dai-ichi Nuclear Power Plant accident. Journal of Radioanalytical and Nuclear Chemistry, 2017, 311, 121-126.	1.5	11
8	Hydroxylated benzo[c]phenanthrene metabolites cause osteoblast apoptosis and skeletal abnormalities in fish. Ecotoxicology and Environmental Safety, 2022, 234, 113401.	6.0	8
9	Contaminants in Liquid Organic Fertilizers Used for Agriculture in Japan. Bulletin of Environmental Contamination and Toxicology, 2017, 99, 131-137.	2.7	7
10	High concentrations of perfluorooctane sulfonate in mucus of tiger puffer fish Takifugu rubripes: a laboratory exposure study. Environmental Science and Pollution Research, 2018, 25, 1551-1558.	5.3	4
11	Correlation between Polycyclic Aromatic Hydrocarbons in Wharf Roach (Ligia spp.) and Environmental Components of the Intertidal and Supralittoral Zone along the Japanese Coast. International Journal of Environmental Research and Public Health, 2021, 18, 630.	2.6	4
12	Contamination of Heavy Metals, Polychlorinated Dibenzo-p-Dioxins/Furans and Dioxin-Like Polychlorinated Biphenyls in Wharf Roach Ligia spp. In Japanese Intertidal and Supratidal Zones. Applied Sciences (Switzerland), 2021, 11, 1856.	2.5	3