

Ferruccio Galletti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1223740/publications.pdf>

Version: 2024-02-01

88
papers

2,509
citations

172207

29
h-index

214527

47
g-index

90
all docs

90
docs citations

90
times ranked

3072
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of the Uric Acid Thresholds Predicting an Increased Total and Cardiovascular Mortality Over 20 Years. <i>Hypertension</i> , 2020, 75, 302-308.	1.3	177
2	Altered renal sodium handling in men with abdominal adiposity: a link to hypertension. <i>Journal of Hypertension</i> , 2001, 19, 2157-2164.	0.3	108
3	Abnormalities of renal sodium handling in the metabolic syndrome. Results of the Olivetti Heart Study. <i>Journal of Hypertension</i> , 2006, 24, 1633-1639.	0.3	104
4	Plasma Ouabain-Like Factor During Acute and Chronic Changes in Sodium Balance in Essential Hypertension. <i>Hypertension</i> , 2001, 38, 198-203.	1.3	102
5	High-Circulating Leptin Levels Are Associated with Greater Risk of Hypertension in Men Independently of Body Mass and Insulin Resistance: Results of an Eight-Year Follow-Up Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3922-3926.	1.8	88
6	Altered Renal Handling of Sodium in Human Hypertension. <i>Hypertension</i> , 2003, 41, 1000-1005.	1.3	86
7	Associations of selenium status with cardiometabolic risk factors: An 8-year follow-up analysis of the Olivetti Heart Study. <i>Atherosclerosis</i> , 2011, 217, 274-278.	0.4	81
8	Dietary Salt Intake and Risk of Gastric Cancer. <i>Cancer Treatment and Research</i> , 2014, 159, 83-95.	0.2	81
9	Effect of dietary sodium restriction on arterial stiffness. <i>Journal of Hypertension</i> , 2018, 36, 734-743.	0.3	76
10	NaCl sensitivity of essential hypertensive patients is related to insulin resistance. <i>Journal of Hypertension</i> , 1997, 15, 1485-1491.	0.3	75
11	Circulating leptin levels predict the development of metabolic syndrome in middle-aged men: an 8-year follow-up study. <i>Journal of Hypertension</i> , 2007, 25, 1671-1677.	0.3	71
12	Serum uric acid and fatal myocardial infarction: detection of prognostic cut-off values: The URRAH (Uric Acid Right for Heart Health) study. <i>Journal of Hypertension</i> , 2020, 38, 412-419.	0.3	70
13	Excess dietary sodium and inadequate potassium intake in Italy: Results of the MINISAL study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 850-856.	1.1	69
14	Salicylate-aspirin interaction in the rat. Evidence that salicylate accumulating during aspirin administration may protect vascular prostacyclin from aspirin-induced inhibition.. <i>Journal of Clinical Investigation</i> , 1981, 68, 1108-1112.	3.9	57
15	Impact of the renin-angiotensin system on lipid and carbohydrate metabolism. <i>Current Opinion in Nephrology and Hypertension</i> , 2004, 13, 325-332.	1.0	55
16	Incidence of hypertension in individuals with different blood pressure salt-sensitivity: results of a 15-year follow-up study. <i>Journal of Hypertension</i> , 2007, 25, 1465-1471.	0.3	50
17	Nutrients and Nutraceuticals for the Management of High Normal Blood Pressure: An Evidence-Based Consensus Document. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2019, 26, 9-25.	1.0	50
18	Meta-Analysis of the Effect of Dietary Sodium Restriction with or without Concomitant Renin-Angiotensin-Aldosterone Systemâ€“Inhibiting Treatment on Albuminuria. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1542-1552.	2.2	49

#	ARTICLE	IF	CITATIONS
19	Serum uric acid, predicts heart failure in a large Italian cohort: search for a cut-off value the URic acid Right for heArt Health study. <i>Journal of Hypertension</i> , 2021, 39, 62-69.	0.3	49
20	Analysis of the 11 ^β -Hydroxysteroid Dehydrogenase Type 2 Gene (HSD11B2) in Human Essential Hypertension. <i>American Journal of Hypertension</i> , 2005, 18, 1091-1098.	1.0	45
21	RELATIONSHIPS BETWEEN SALT SENSITIVITY OF BLOOD PRESSURE AND SYMPATHETIC NERVOUS SYSTEM ACTIVITY: A SHORT REVIEW OF EVIDENCE. <i>Clinical and Experimental Hypertension</i> , 2001, 23, 25-33.	0.5	44
22	Population based strategy for dietary salt intake reduction: Italian initiatives in the European framework. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 161-166.	1.1	41
23	Dietary sodium intake in a sample of adult male population in southern Italy: results of the Olivetti Heart Study. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 518-524.	1.3	36
24	Controlled study of the effect of angiotensin converting enzyme inhibition versus calcium-entry blockade on insulin sensitivity in overweight hypertensive patients. <i>Journal of Hypertension</i> , 1999, 17, 439-445.	0.3	35
25	Evaluation of a Rapid Protocol for the Assessment of Salt Sensitivity Against the Blood Pressure Response to Dietary Sodium Chloride Restriction. <i>American Journal of Hypertension</i> , 1997, 10, 462-466.	1.0	34
26	Not smoking is associated with lower risk of hypertension: results of the Olivetti Heart Study. <i>European Journal of Public Health</i> , 2014, 24, 226-230.	0.1	31
27	The importance of including uric acid in the definition of metabolic syndrome when assessing the mortality risk. <i>Clinical Research in Cardiology</i> , 2021, 110, 1073-1082.	1.5	31
28	Hyperleptinemia is associated with hypertension, systemic inflammation and insulin resistance in overweight but not in normal weight men. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 300-306.	1.1	30
29	Urinary adrenomedullin is related to ET-1 and salt intake in patients with mild essential hypertension. <i>American Journal of Hypertension</i> , 2001, 14, 224-230.	1.0	29
30	Lack of association between polymorphism in the β -adrenergic receptor gene, hypertension, and obesity in the Olivetti Heart Study. <i>American Journal of Hypertension</i> , 2004, 17, 718-720.	1.0	29
31	Genetics of salt-sensitive hypertension. <i>Current Hypertension Reports</i> , 2007, 9, 25-32.	1.5	28
32	Genome-wide association study identifies CAMKID variants involved in blood pressure response to losartan: the SOPHIA study. <i>Pharmacogenomics</i> , 2014, 15, 1643-1652.	0.6	27
33	Venous Thromboembolism in COVID-19 Compared to Non-COVID-19 Cohorts: A Systematic Review with Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4925.	1.0	27
34	Relationships of PAI-1 levels to central obesity and liver steatosis in a sample of adult male population in southern Italy. <i>Internal and Emergency Medicine</i> , 2009, 4, 315-323.	1.0	26
35	Excess dietary sodium and inadequate potassium intake by hypertensive patients in Italy. <i>Journal of Hypertension</i> , 2014, 32, 48-56.	0.3	26
36	Salt and Health: Survey on Knowledge and Salt Intake Related Behaviour in Italy. <i>Nutrients</i> , 2020, 12, 279.	1.7	26

#	ARTICLE	IF	CITATIONS
37	Alcohol Inhibits 11-Beta-Hydroxysteroid Dehydrogenase Activity in Rat Kidney and Liver. <i>Hormone Research</i> , 1995, 43, 176-180.	1.8	24
38	Leptin levels predict the development of insulin resistance in a sample of adult menâ€œThe Olivetti Heart Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 39-44.	1.1	23
39	Obesity and Betaâ€œBlockers: Influence of Body Fat on Their Kinetics and Cardiovascular Effects. <i>Journal of Clinical Pharmacology</i> , 1989, 29, 212-216.	1.0	22
40	Age related changes in Ca ²⁺ channels in spontaneously hypertensive rats. <i>General Pharmacology</i> , 1991, 22, 173-176.	0.7	21
41	The Olivetti Heart Study: Predictive value of a new adiposity index on risk of hypertension, blood pressure, and subclinical organ damage. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 630-636.	1.1	21
42	Effect of dietary salt restriction on central blood pressure: A systematic review and metaâ€œanalysis of the intervention studies. <i>Journal of Clinical Hypertension</i> , 2020, 22, 814-825.	1.0	21
43	Spontaneous Muscle Hematoma in Patients with COVID-19: A Systematic Literature Review with Description of an Additional Case Series. <i>Seminars in Thrombosis and Hemostasis</i> , 2022, 48, 100-108.	1.5	21
44	Identification of a plausible serum uric acid cut-off value as prognostic marker of stroke: the Uric Acid Right for Heart Health (URRAH) study. <i>Journal of Human Hypertension</i> , 2022, 36, 976-982.	1.0	20
45	I. Kinetics and metabolism of theobromine in male rats. <i>Toxicology</i> , 1984, 30, 327-341.	2.0	18
46	Amiodarone in Patients on Long-Term Dialysis. <i>New England Journal of Medicine</i> , 1983, 308, 906-906.	13.9	17
47	Cardiovascular risk and hypertension control in Italy. Data from the 2015 World Hypertension Day. <i>International Journal of Cardiology</i> , 2017, 243, 529-532.	0.8	17
48	Circulating leptin levels predict the decline in renal function with age in a sample of adult men (The Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.0	15
49	Serum uric acid levels threshold for mortality in diabetic individuals: The URic acid Right for heArt Health (URRAH) project. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1245-1252.	1.1	15
50	Validation of an easy questionnaire on the assessment of salt habit: the MINISAL-SIIA Study Program. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 793-800.	1.3	14
51	Circulating leptin is associated with serum uric acid level and its tubular reabsorption in a sample of adult middle-aged men. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 587-593.	1.8	14
52	Tumor-induced Osteomalacia: A Systematic Review and Individual Patientâ€™s Data Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3428-e3436.	1.8	14
53	Acute Overdosage of Amiodarone in a Suicide Attempt. <i>Journal of Toxicology: Clinical Toxicology</i> , 1983, 20, 181-186.	1.5	13
54	Prevalence of Simple Nodular Goiter and Hashimotoâ€™s Thyroiditis in Current, Previous, and Never Smokers in a Geographical Area with Mild Iodine Deficiency. <i>Hormone and Metabolic Research</i> , 2015, 47, 214-219.	0.7	13

#	ARTICLE	IF	CITATIONS
55	The blood pressureâ€“salt sensitivity paradigm: pathophysiologically sound yet of no practical value. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1386-1391.	0.4	13
56	A nutraceutical combination reduces left ventricular mass in subjects with metabolic syndrome and left ventricular hypertrophy: A multicenter, randomized, double-blind, placebo-controlled trial. <i>Clinical Nutrition</i> , 2020, 39, 1379-1384.	2.3	13
57	Relationship between circulating leptin levels and arterial stiffness: a systematic review and meta-analysis of observational studies. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2020, 27, 505-513.	1.0	11
58	Dietary sodium intake: Influence on calcium channels and urinary calcium excretion in spontaneously hypertensive rats. <i>Biochemical Pharmacology</i> , 1991, 41, 893-896.	2.0	10
59	Kinetics of caffeine metabolism in control and 3-methylcholanthrene induced rat liver microsomes. <i>Toxicology Letters</i> , 1984, 21, 53-58.	0.4	9
60	Efficacy of a nutraceutical combination on lipid metabolism in patients with metabolic syndrome: a multicenter, double blind, randomized, placebo controlled trial. <i>Lipids in Health and Disease</i> , 2019, 18, 66.	1.2	9
61	Increased Microalbuminuria Risk in Male Cigarette Smokers: Results from the â€œOlivetti Heart Studyâ€• after 8 Years Follow-Up. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 33-42.	0.9	9
62	Involvement of the renin-angiotensin system in obesity: Older and newer pathways. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 699-704.	1.1	8
63	Predictors of resistant hypertension in an unselected sample of an adult male population in Italy. <i>Internal and Emergency Medicine</i> , 2012, 7, 343-351.	1.0	8
64	Altered renal sodium handling and risk of incident hypertension: Results of the Olivetti Heart Study. <i>PLoS ONE</i> , 2017, 12, e0171973.	1.1	7
65	Calcium-channel blockers and sodium intake: A controlled study in patients with essential hypertension. <i>Cardiovascular Drugs and Therapy</i> , 1989, 3, 135-140.	1.3	5
66	Altered kinetics of an intravenous calcium load in idiopathic hypercalciuria. <i>Metabolism: Clinical and Experimental</i> , 1989, 38, 826-830.	1.5	5
67	Multicenter, double-blind clinical trial with different doses of pinacidil in patients with mild-to-moderate essential hypertension. <i>Current Therapeutic Research</i> , 1995, 56, 445-456.	0.5	4
68	Risk factors for silent myocardial ischemia in patients with well-controlled essential hypertension. <i>Internal and Emergency Medicine</i> , 2017, 12, 171-179.	1.0	4
69	Serum leptin is associated with increased pulse pressure and the development of arterial stiffening in adult men: results of an eight-year follow-up study. <i>Hypertension Research</i> , 2021, 44, 1444-1450.	1.5	4
70	Leptin levels predict the development of left ventricular hypertrophy in a sample of adult men: the Olivetti Heart Study. <i>Journal of Hypertension</i> , 2021, 39, 692-697.	0.3	4
71	Interactions of analogs of the 1,4-dihydropyridine tiamdipine in cardiac and smooth muscle. <i>European Journal of Pharmacology</i> , 1991, 195, 125-129.	1.7	3
72	Antihypertensive and Renal Effects of Acute and Chronic Therapy with a Dihydropyridine Ca-Antagonist in Patients with Different Salt Sensitivity. <i>Journal of Cardiovascular Pharmacology</i> , 1996, 27, 578-582.	0.8	3

#	ARTICLE	IF	CITATIONS
73	Metabolic effects of long-term therapy with muzolimine and chlorthalidone in hypertension. <i>European Journal of Clinical Pharmacology</i> , 1987, 33, 515-517.	0.8	2
74	1,4-Dihydropyridine activators in the tiamdipine series. <i>European Journal of Pharmacology</i> , 1990, 185, 157-161.	1.7	2
75	Effects of gemfibrozil in hyperlipidemic patients with or without diabetes. <i>Current Therapeutic Research</i> , 1993, 53, 381-393.	0.5	2
76	RELATIONSHIP BETWEEN DIURETIC RELATED HYPERURICEMIA AND CARDIOVASCULAR EVENTS: DATA FROM THE URRAH (URIC ACID RIGHT FOR HEART HEALTH) STUDY. <i>Journal of Hypertension</i> , 2021, 39, e45.	0.3	2
77	Effect of intravenous sodium chloride on renal sodium and calcium handling in hypertensive patients with different sensitivities to sodium chloride. <i>Journal of Hypertension Supplement: Official Journal of the International Society of Hypertension</i> , 1993, 11, S194-5.	0.1	2
78	Long term treatment with tienilic acid or thiazides: Comparison of antihypertensive and metabolic effects. <i>European Journal of Clinical Pharmacology</i> , 1983, 25, 835-837.	0.8	1
79	Controlled Study with a New Sustainedâ€Release Formulation of Nifedipine in Essential Hypertensive Patients. <i>Journal of Clinical Pharmacology</i> , 1994, 34, 919-923.	1.0	1
80	Salt-Sensitivity of Blood Pressure. , 2019, , 558-563.		1
81	Metabolic syndrome and its components predict the development of arterial stiffening in a sample of adult men. <i>Clinical and Experimental Hypertension</i> , 2022, 44, 26-33.	0.5	1
82	Comparison of the metabolic side effects of captopril alone or in combination with hydrochlorothiazide in hypertensive patients. <i>Current Therapeutic Research</i> , 1992, 52, 524-531.	0.5	0
83	Integrated Out-Patient Management of Hypertensive Patients with Heart Failure: Effects on NYHA Class and Ejection Fraction in Patient with Compromised and Preserved Systolic Function. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2007, 14, 145-196.	1.0	0
84	Human Visceral Adipose Tissue Expansion: Effects of Angiotensin II (ANG II) and Atrial Natriuretic Peptide (ANP) on Perirenal Adipocytes in Primary Cultures. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2007, 14, 145-196.	1.0	0
85	Abstract 2457: Predictors of Resistant Hypertension in an Eight Year Follow-Up Study of an Unselected Sample of Adult Male Population in Italy. <i>Circulation</i> , 2008, 118, .	1.6	0
86	Salt, Hypertension, and Cardiovascular Disease. , 2012, , 147-156.		0
87	Abstract P355: Sodium and Potassium 24 Hours Excretion in The Italian Adult Population: Preliminary Results of The MINISAL-GIRCSI Study. <i>Circulation</i> , 2012, 125, .	1.6	0
88	Influence of high sodium intake on urinary calcium excretion and cardiac calcium channels in spontaneously hypertensive rats. <i>Journal of Hypertension Supplement: Official Journal of the International Society of Hypertension</i> , 1991, 9, S366-7.	0.1	0