Ferruccio Galletti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1223740/publications.pdf

Version: 2024-02-01

88 2,509 29 47
papers citations h-index g-index

90 90 90 3072 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Metabolic syndrome and its components predict the development of arterial stiffening in a sample of adult men. Clinical and Experimental Hypertension, 2022, 44, 26-33.	0.5	1
2	Spontaneous Muscle Hematoma in Patients with COVID-19: A Systematic Literature Review with Description of an Additional Case Series. Seminars in Thrombosis and Hemostasis, 2022, 48, 100-108.	1.5	21
3	Identification of a plausible serum uric acid cut-off value as prognostic marker of stroke: the Uric Acid Right for Heart Health (URRAH) study. Journal of Human Hypertension, 2022, 36, 976-982.	1.0	20
4	Serum uric acid levels threshold for mortality in diabetic individuals: The URic acid Right for heArt Health (URRAH) project. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 1245-1252.	1.1	15
5	Tumor-induced Osteomalacia: A Systematic Review and Individual Patient's Data Analysis. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3428-e3436.	1.8	14
6	The importance of including uric acid in the definition of metabolic syndrome when assessing the mortality risk. Clinical Research in Cardiology, 2021, 110, 1073-1082.	1.5	31
7	RELATIONSHIP BETWEEN DIURETIC RELATED HYPERURICEMIA AND CARDIOVASCULAR EVENTS: DATA FROM THE URRAH (URIC ACID RIGHT FOR HEART HEALTH) STUDY. Journal of Hypertension, 2021, 39, e45.	0.3	2
8	Serum leptin is associated with increased pulse pressure and the development of arterial stiffening in adult men: results of an eight-year follow-up study. Hypertension Research, 2021, 44, 1444-1450.	1.5	4
9	Serum uric acid, predicts heart failure in a large Italian cohort: search for a cut-off value the URic acid Right for heArt Health study. Journal of Hypertension, 2021, 39, 62-69.	0.3	49
10	Venous Thromboembolism in COVID-19 Compared to Non-COVID-19 Cohorts: A Systematic Review with Meta-Analysis. Journal of Clinical Medicine, 2021, 10, 4925.	1.0	27
11	Leptin levels predict the development of left ventricular hypertrophy in a sample of adult men: the Olivetti Heart Study. Journal of Hypertension, 2021, 39, 692-697.	0.3	4
12	A nutraceutical combination reduces left ventricular mass in subjects with metabolic syndrome and left ventricular hypertrophy: A multicenter, randomized, double-blind, placebo-controlled trial. Clinical Nutrition, 2020, 39, 1379-1384.	2.3	13
13	Circulating leptin is associated with serum uric acid level and its tubular reabsorption in a sample of adult middle-aged men. Journal of Endocrinological Investigation, 2020, 43, 587-593.	1.8	14
14	Identification of the Uric Acid Thresholds Predicting an Increased Total and Cardiovascular Mortality Over 20 Years. Hypertension, 2020, 75, 302-308.	1.3	177
15	Serum uric acid and fatal myocardial infarction: detection of prognostic cut-off values: The URRAH (Uric Acid Right for Heart Health) study. Journal of Hypertension, 2020, 38, 412-419.	0.3	70
16	Relationship between circulating leptin levels and arterial stiffness: a systematic review and meta-analysis of observational studies. High Blood Pressure and Cardiovascular Prevention, 2020, 27, 505-513.	1.0	11
17	Salt and Health: Survey on Knowledge and Salt Intake Related Behaviour in Italy. Nutrients, 2020, 12, 279.	1.7	26
18	Effect of dietary salt restriction on central blood pressure: A systematic review and metaâ€analysis of the intervention studies. Journal of Clinical Hypertension, 2020, 22, 814-825.	1.0	21

#	Article	IF	CITATIONS
19	Validation of an easy questionnaire on the assessment of salt habit: the MINISAL-SIIA Study Program. European Journal of Clinical Nutrition, 2019, 73, 793-800.	1.3	14
20	Circulating leptin levels predict the decline in renal function with age in a sample of adult men (The) Tj ETQq0 0	0 rgBT /0\	verlock 10 Tf 5
21	Nutrients and Nutraceuticals for the Management of High Normal Blood Pressure: An Evidence-Based Consensus Document. High Blood Pressure and Cardiovascular Prevention, 2019, 26, 9-25.	1.0	50
22	Salt-Sensitivity of Blood Pressure. , 2019, , 558-563.		1
23	Efficacy of a nutraceutical combination on lipid metabolism in patients with metabolic syndrome: a multicenter, double blind, randomized, placebo controlled trial. Lipids in Health and Disease, 2019, 18, 66.	1.2	9
24	Increased Microalbuminuria Risk in Male Cigarette Smokers: Results from the "Olivetti Heart Study― after 8 Years Follow-Up. Kidney and Blood Pressure Research, 2019, 44, 33-42.	0.9	9
25	Leptin levels predict the development of insulin resistance in a sample of adult men–The Olivetti Heart Study. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 39-44.	1.1	23
26	Effect of dietary sodium restriction on arterial stiffness. Journal of Hypertension, 2018, 36, 734-743.	0.3	76
27	Cardiovascular risk and hypertension control in Italy. Data from the 2015 World Hypertension Day. International Journal of Cardiology, 2017, 243, 529-532.	0.8	17
28	Risk factors for silent myocardial ischemia in patients with well-controlled essential hypertension. Internal and Emergency Medicine, 2017, 12, 171-179.	1.0	4
29	Altered renal sodium handling and risk of incident hypertension: Results of the Olivetti Heart Study. PLoS ONE, 2017, 12, e0171973.	1.1	7
30	The Olivetti Heart Study: Predictive value of a new adiposity index on risk of hypertension, blood pressure, and subclinical organ damage. Nutrition, Metabolism and Cardiovascular Diseases, 2016, 26, 630-636.	1.1	21
31	The blood pressure–salt sensitivity paradigm: pathophysiologically sound yet of no practical value. Nephrology Dialysis Transplantation, 2016, 31, 1386-1391.	0.4	13
32	Prevalence of Simple Nodular Goiter and Hashimoto's Thyroiditis in Current, Previous, and Never Smokers in a Geographical Area with Mild Iodine Deficiency. Hormone and Metabolic Research, 2015, 47, 214-219.	0.7	13
33	Meta-Analysis of the Effect of Dietary Sodium Restriction with or without Concomitant Renin-Angiotensin-Aldosterone System–Inhibiting Treatment on Albuminuria. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 1542-1552.	2.2	49
34	Genome-wide association study identifies CAMKID variants involved in blood pressure response to losartan: the SOPHIA study. Pharmacogenomics, 2014, 15, 1643-1652.	0.6	27
35	Excess dietary sodium and inadequate potassium intake by hypertensive patients in Italy. Journal of Hypertension, 2014, 32, 48-56.	0.3	26
36	Not smoking is associated with lower risk of hypertension: results of the Olivetti Heart Study. European Journal of Public Health, 2014, 24, 226-230.	0.1	31

#	Article	IF	Citations
37	Dietary Salt Intake and Risk of Gastric Cancer. Cancer Treatment and Research, 2014, 159, 83-95.	0.2	81
38	Excess dietary sodium and inadequate potassium intake in Italy: Results of the MINISAL study. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 850-856.	1.1	69
39	Hyperleptinemia is associated with hypertension, systemic inflammation and insulin resistance in overweight but not in normal weight men. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 300-306.	1.1	30
40	Population based strategy for dietary salt intake reduction: Italian initiatives in the European framework. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 161-166.	1.1	41
41	Predictors of resistant hypertension in an unselected sample of an adult male population in Italy. Internal and Emergency Medicine, 2012, 7, 343-351.	1.0	8
42	Salt, Hypertension, and Cardiovascular Disease., 2012,, 147-156.		0
43	Abstract P355: Sodium and Potassium 24 Hours Excretion in The Italian Adult Population: Preliminary Results of The MINISAL-GIRCSI Study. Circulation, 2012, 125, .	1.6	0
44	Associations of selenium status with cardiometabolic risk factors: An 8-year follow-up analysis of the Olivetti Heart Study. Atherosclerosis, 2011, 217, 274-278.	0.4	81
45	Dietary sodium intake in a sample of adult male population in southern Italy: results of the Olivetti Heart Study. European Journal of Clinical Nutrition, 2010, 64, 518-524.	1.3	36
46	Relationships of PAI-1 levels to central obesity and liver steatosis in a sample of adult male population in southern Italy. Internal and Emergency Medicine, 2009, 4, 315-323.	1.0	26
47	High-Circulating Leptin Levels Are Associated with Greater Risk of Hypertension in Men Independently of Body Mass and Insulin Resistance: Results of an Eight-Year Follow-Up Study. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 3922-3926.	1.8	88
48	Abstract 2457: Predictors of Resistant Hypertension in an Eight Year Follow-Up Study of an Unselected Sample of Adult Male Population in Italy. Circulation, 2008, 118 , .	1.6	0
49	Incidence of hypertension in individuals with different blood pressure salt-sensitivity: results of a 15-year follow-up study. Journal of Hypertension, 2007, 25, 1465-1471.	0.3	50
50	Circulating leptin levels predict the development of metabolic syndrome in middle-aged men: an 8-year follow-up study. Journal of Hypertension, 2007, 25, 1671-1677.	0.3	71
51	Involvement of the renin-angiotensin system in obesity: Older and newer pathways. Nutrition, Metabolism and Cardiovascular Diseases, 2007, 17, 699-704.	1.1	8
52	Integrated Out-Patient Management of Hypertensive Patients with Heart Failure: Effects on NYHA Class and Ejection Fraction in Patient with Compromised and Preserved Systolic Function. High Blood Pressure and Cardiovascular Prevention, 2007, 14, 145-196.	1.0	0
53	Human Visceral Adipose Tissue Expansion: Effects of Angiotensin II (ANG II) and Atrial Natriuretic Peptide (ANP) on Perirenal Adipocytes in Primary Cultures. High Blood Pressure and Cardiovascular Prevention, 2007, 14, 145-196.	1.0	0
54	Genetics of salt-sensitive hypertension. Current Hypertension Reports, 2007, 9, 25-32.	1. 5	28

#	Article	IF	CITATIONS
55	Abnormalities of renal sodium handling in the metabolic syndrome. Results of the Olivetti Heart Study. Journal of Hypertension, 2006, 24, 1633-1639.	0.3	104
56	Analysis of the $11\hat{1}^2$ -Hydroxysteroid Dehydrogenase Type 2 Gene (HSD11B2) in Human Essential Hypertension. American Journal of Hypertension, 2005, 18, 1091-1098.	1.0	45
57	Lack of association between polymorphism in the ?-adrenergic receptor gene, hypertension, and obesity in the Olivetti Heart Study. American Journal of Hypertension, 2004, 17, 718-720.	1.0	29
58	Impact of the renin-angiotensin system on lipid and carbohydrate metabolism. Current Opinion in Nephrology and Hypertension, 2004, 13, 325-332.	1.0	55
59	Altered Renal Handling of Sodium in Human Hypertension. Hypertension, 2003, 41, 1000-1005.	1.3	86
60	RELATIONSHIPS BETWEEN SALT SENSITIVITY OF BLOOD PRESSURE AND SYMPATHETIC NERVOUS SYSTEM ACTIVITY: A SHORT REVIEW OF EVIDENCE. Clinical and Experimental Hypertension, 2001, 23, 25-33.	0.5	44
61	Urinary adrenomedullin is related to ET-1 and salt intake in patients with mild essential hypertension. American Journal of Hypertension, 2001, 14, 224-230.	1.0	29
62	Altered renal sodium handling in men with abdominal adiposity: a link to hypertension. Journal of Hypertension, 2001, 19, 2157-2164.	0.3	108
63	Plasma Ouabain-Like Factor During Acute and Chronic Changes in Sodium Balance in Essential Hypertension. Hypertension, 2001, 38, 198-203.	1.3	102
64	Controlled study of the effect of angiotensin converting enzyme inhibition versus calcium-entry blockade on insulin sensitivity in overweight hypertensive patients. Journal of Hypertension, 1999, 17, 439-445.	0.3	35
65	NaCl sensitivity of essential hypertensive patients is related to insulin resistance. Journal of Hypertension, 1997, 15, 1485-1491.	0.3	75
66	Evaluation of a Rapid Protocol for the Assessment of Salt Sensitivity Against the Blood Pressure Response to Dietary Sodium Chloride Restriction. American Journal of Hypertension, 1997, 10, 462-466.	1.0	34
67	Antihypertensive and Renal Effects of Acute and Chronic Therapy with a Dihydropyridine Ca-Antagonist in Patients with Different Salt Sensitivity. Journal of Cardiovascular Pharmacology, 1996, 27, 578-582.	0.8	3
68	Alcohol Inhibits 11-Beta-Hydroxysteroid Dehydrogenase Activity in Rat Kidney and Liver. Hormone Research, 1995, 43, 176-180.	1.8	24
69	Multicenter, double-blind clinical trial with different doses of pinacidil in patients with mild-to-moderate essential hypertension. Current Therapeutic Research, 1995, 56, 445-456.	0.5	4
70	Controlled Study with a New Sustainedâ€Release Formulation of Nifedipine in Essential Hypertensive Patients. Journal of Clinical Pharmacology, 1994, 34, 919-923.	1.0	1
71	Effects of gemfibrozil in hyperlipidemic patients with or without diabetes. Current Therapeutic Research, 1993, 53, 381-393.	0.5	2
72	Effect of intravenous sodium chloride on renal sodium and calcium handling in hypertensive patients with different sensitivities to sodium chloride. Journal of Hypertension Supplement: Official Journal of the International Society of Hypertension, 1993, 11, S194-5.	0.1	2

#	Article	IF	Citations
73	Comparison of the metabolic side effects of captopril alone or in combination with hydrochlorothiazide in hypertensive patients. Current Therapeutic Research, 1992, 52, 524-531.	0.5	O
74	Age related changes in Ca2+ channels in spontaneously hypertensive rats. General Pharmacology, 1991, 22, 173-176.	0.7	21
75	Interactions of analogs of the 1,4-dihydropyridine tiamdipine in cardiac and smooth muscle. European Journal of Pharmacology, 1991, 195, 125-129.	1.7	3
76	Dietary sodium intake: Influence on calcium channels and urinary calcium excretion in spontaneously hypertensive rats. Biochemical Pharmacology, 1991, 41, 893-896.	2.0	10
77	Influence of high sodium intake on urinary calcium excretion and cardiac calcium channels in spontaneously hypertensive rats. Journal of Hypertension Supplement: Official Journal of the International Society of Hypertension, 1991, 9, S366-7.	0.1	0
78	1,4-Dihydropyridine activators in the tiamdipine series. European Journal of Pharmacology, 1990, 185, 157-161.	1.7	2
79	Calcium-channel blockers and sodium intake: A controlled study in patients with essential hypertension. Cardiovascular Drugs and Therapy, 1989, 3, 135-140.	1.3	5
80	Altered kinetics of an intravenous calcium load in idiopathic hypercalciuria. Metabolism: Clinical and Experimental, 1989, 38, 826-830.	1.5	5
81	Obesity and Betaâ€Blockers: Influence of Body Fat on Their Kinetics and Cardiovascular Effects. Journal of Clinical Pharmacology, 1989, 29, 212-216.	1.0	22
82	Metabolic effects of long-term therapy with muzolimine and chlorthalidone in hypertension. European Journal of Clinical Pharmacology, 1987, 33, 515-517.	0.8	2
83	I. Kinetics and metabolism of theobromine in male rats. Toxicology, 1984, 30, 327-341.	2.0	18
84	Kinetics of caffeine metabolism in control and 3-methylcholanthrene induced rat liver microsomes. Toxicology Letters, 1984, 21, 53-58.	0.4	9
85	Long term treatment with tienilic acid or thiazides: Comparison of antihypertensive and metabolic effects. European Journal of Clinical Pharmacology, 1983, 25, 835-837.	0.8	1
86	Acute Overdosage of Amiodarone in a Suicide Attempt. Journal of Toxicology: Clinical Toxicology, 1983, 20, 181-186.	1.5	13
87	Amiodarone in Patients on Long-Term Dialysis. New England Journal of Medicine, 1983, 308, 906-906.	13.9	17
88	Salicylate-aspirin interaction in the rat. Evidence that salicylate accumulating during aspirin administration may protect vascular prostacyclin from aspirin-induced inhibition Journal of Clinical Investigation, 1981, 68, 1108-1112.	3.9	57