

Liang Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1223969/publications.pdf>

Version: 2024-02-01

195
papers

11,212
citations

66234

42
h-index

37111

96
g-index

197
all docs

197
docs citations

197
times ranked

21175
citing authors

#	ARTICLE	IF	CITATIONS
1	The Correlation Between Decreased Ornithine Level and Alleviation of Rheumatoid Arthritis Patients Assessed by a Randomized, Placebo-Controlled, Double-Blind Clinical Trial of Sinomenine. <i>Engineering</i> , 2022, 16, 93-99.	3.2	2
2	IKK β mediates homeostatic function in inflammation via competitively phosphorylating AMPK and I β B β . <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 651-664.	5.7	9
3	Emodin induces apoptosis and suppresses non-small-cell lung cancer growth via downregulation of sPLA2-IIa. <i>Phytomedicine</i> , 2022, 95, 153786.	2.3	21
4	Systematic investigation on the distribution of four hidden toxic Aconitum alkaloids in commonly used Aconitum herbs and their acute toxicity. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 208, 114471.	1.4	10
5	Elucidation of the anti-inflammatory mechanism of Er Miao San by integrative approach of network pharmacology and experimental verification. <i>Pharmacological Research</i> , 2022, 175, 106000.	3.1	45
6	Resistance looms for KRAS G12C inhibitors and rational tackling strategies. , 2022, 229, 108050.		34
7	Traditional Patchouli essential oil modulates the host's immune responses and gut microbiota and exhibits potent anti-cancer effects in Apc mice. <i>Pharmacological Research</i> , 2022, 176, 106082.	3.1	18
8	Increased Circulating Cytokines Have a Role in COVID-19 Severity and Death With a More Pronounced Effect in Males: A Systematic Review and Meta-Analysis. <i>Frontiers in Pharmacology</i> , 2022, 13, 802228.	1.6	24
9	Lactate metabolism in rheumatoid arthritis: Pathogenic mechanisms and therapeutic intervention with natural compounds. <i>Phytomedicine</i> , 2022, 100, 154048.	2.3	14
10	Sinomenine inhibits macrophage M1 polarization by downregulating $\alpha 7$ nAChR via a feedback pathway of $\alpha 7$ nAChR/ERK/Egr-1. <i>Phytomedicine</i> , 2022, 100, 154050.	2.3	13
11	Sinomenine increases the methylation level at specific GCG site in mPGES-1 promoter to facilitate its specific inhibitory effect on mPGES-1. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2022, 1865, 194813.	0.9	6
12	Multifunctional nanoparticles of sinomenine hydrochloride for treat-to-target therapy of rheumatoid arthritis via modulation of proinflammatory cytokines. <i>Journal of Controlled Release</i> , 2022, 348, 42-56.	4.8	19
13	<i>Bifidobacterium animalis</i> : the missing link for the cancer-preventive effect of <i>Gynostemma pentaphyllum</i> . <i>Gut Microbes</i> , 2021, 13, 1847629.	4.3	31
14	Contribution of traditional Chinese medicine to the treatment of COVID-19. <i>Phytomedicine</i> , 2021, 85, 153279.	2.3	51
15	Inhibitory effect of sinomenine on lung cancer cells via negative regulation of $\alpha 7$ nicotinic acetylcholine receptor. <i>Journal of Leukocyte Biology</i> , 2021, 109, 843-852.	1.5	15
16	Suppression of up-regulated LXR β by silybin ameliorates experimental rheumatoid arthritis and abnormal lipid metabolism. <i>Phytomedicine</i> , 2021, 80, 153339.	2.3	15
17	Current Policies and Measures on the Development of Traditional Chinese Medicine in China. <i>Pharmacological Research</i> , 2021, 163, 105187.	3.1	73
18	Early lung cancer diagnostic biomarker discovery by machine learning methods. <i>Translational Oncology</i> , 2021, 14, 100907.	1.7	99

#	ARTICLE	IF	CITATIONS
19	Roles of Ion Fluxes, Metabolism, and Redox Balance in Cancer Therapy. <i>Antioxidants and Redox Signaling</i> , 2021, 34, 1108-1127.	2.5	4
20	Linderaggregrenolides Aâ€“N, Oxygen-Conjugated Sesquiterpenoid Dimers from the Roots of <i>Lindera aggregata</i> . <i>ACS Omega</i> , 2021, 6, 5898-5909.	1.6	13
21	Sinomenine protects bone from destruction to ameliorate arthritis via activating p62Thr269/Ser272-Keap1-Nrf2 feedback loop. <i>Biomedicine and Pharmacotherapy</i> , 2021, 135, 111195.	2.5	19
22	Suppression of macrophage migration by down-regulating Src/FAK/P130Cas activation contributed to the anti-inflammatory activity of sinomenine. <i>Pharmacological Research</i> , 2021, 167, 105513.	3.1	24
23	Macrophage 3D migration: A potential therapeutic target for inflammation and deleterious progression in diseases. <i>Pharmacological Research</i> , 2021, 167, 105563.	3.1	20
24	Potential prognostic factors in progression-free survival for patients with cervical cancer. <i>BMC Cancer</i> , 2021, 21, 531.	1.1	10
25	Wutou decoction ameliorates experimental rheumatoid arthritis via regulating NF- κ B and Nrf2: Integrating efficacy-oriented compatibility of traditional Chinese medicine. <i>Phytomedicine</i> , 2021, 85, 153522.	2.3	31
26	Icariin enhances youth-like features by attenuating the declined gut microbiota in the aged mice. <i>Pharmacological Research</i> , 2021, 168, 105587.	3.1	25
27	Potential therapeutic compounds from traditional Chinese medicine targeting endoplasmic reticulum stress to alleviate rheumatoid arthritis. <i>Pharmacological Research</i> , 2021, 170, 105696.	3.1	26
28	Saponins isolated from <i>Radix polygalae</i> extend lifespan by modulating complement C3 and gut microbiota. <i>Pharmacological Research</i> , 2021, 170, 105697.	3.1	11
29	Sinomenine increases adenosine A2A receptor and inhibits NF- κ B to inhibit arthritis in adjuvant-induced-arthritis rats and fibroblast-like synoviocytes through β 7nAChR. <i>Journal of Leukocyte Biology</i> , 2021, 110, 1113-1120.	1.5	15
30	Rescued from desperation: adult-onset Stillâ€™s disease with life-threatening interstitial lung disease and macrophage activation. <i>Zeitschrift Fur Rheumatologie</i> , 2021, , 1.	0.5	1
31	Targeting immunometabolism by active ingredients derived from traditional Chinese medicines for treatment of rheumatoid arthritis. <i>Chinese Herbal Medicines</i> , 2021, 13, 451-460.	1.2	14
32	Luteolin and its derivative apigenin suppress the inducible PD-L1 expression to improve anti-tumor immunity in KRAS-mutant lung cancer. <i>Cancer Letters</i> , 2021, 515, 36-48.	3.2	91
33	Transcriptome Analysis of Immune Receptor Activation and Energy Metabolism Reduction as the Underlying Mechanisms in Interleukin-6-Induced Skeletal Muscle Atrophy. <i>Frontiers in Immunology</i> , 2021, 12, 730070.	2.2	11
34	Metabolomics and integrated network pharmacology analysis reveal Tricin as the active anti-cancer component of Weijing decoction by suppression of PRKCA and sphingolipid signaling. <i>Pharmacological Research</i> , 2021, 171, 105574.	3.1	38
35	Identification of natural compounds as SARS-CoV-2 entry inhibitors by molecular docking-based virtual screening with bio-layer interferometry. <i>Pharmacological Research</i> , 2021, 172, 105820.	3.1	50
36	Synthesis, computational docking and biological evaluation of celastrol derivatives as dual inhibitors of SERCA and P-glycoprotein in cancer therapy. <i>European Journal of Medicinal Chemistry</i> , 2021, 224, 113676.	2.6	11

#	ARTICLE	IF	CITATIONS
37	Compound C620-0696, a new potent inhibitor targeting BPTF, the chromatin-remodeling factor in non-small-cell lung cancer. <i>Frontiers of Medicine</i> , 2020, 14, 60-67.	1.5	19
38	The role of Chinese herbal medicine in the management of adverse drug reactions of leflunomide in treating rheumatoid arthritis. <i>Phytomedicine</i> , 2020, 68, 153136.	2.3	14
39	A mutation of cysteine 46 in IKK- β promotes mPGES-1 and caveolin-1 expression to exacerbate osteoclast differentiation and osteolysis. <i>Biochemical Pharmacology</i> , 2020, 172, 113762.	2.0	6
40	Chinmedomics facilitated quality-marker discovery of Sijunzi decoction to treat spleen qi deficiency syndrome. <i>Frontiers of Medicine</i> , 2020, 14, 335-356.	1.5	34
41	The Scientific Foundation of Chinese Herbal Medicine against COVID-19. <i>Engineering</i> , 2020, 6, 1099-1107.	3.2	33
42	Drug-resistance in rheumatoid arthritis: the role of p53 gene mutations, ABC family transporters and personal factors. <i>Current Opinion in Pharmacology</i> , 2020, 54, 59-71.	1.7	20
43	The present and future synthetic strategies of structural modifications of sinomenine. <i>Organic Chemistry Frontiers</i> , 2020, 7, 4089-4107.	2.3	10
44	Novel SNP markers on ginsenosides biosynthesis functional gene for authentication of ginseng herbs and commercial products. <i>Chinese Journal of Natural Medicines</i> , 2020, 18, 770-778.	0.7	5
45	Novel ginsenoside derivative 20(S)-Rh2E2 suppresses tumor growth and metastasis in vivo and in vitro via intervention of cancer cell energy metabolism. <i>Cell Death and Disease</i> , 2020, 11, 621.	2.7	15
46	Discovery of chemical markers for improving the quality and safety control of <i>Sinomenium acutum</i> stem by the simultaneous determination of multiple alkaloids using UHPLC-QQQ-MS/MS. <i>Scientific Reports</i> , 2020, 10, 14182.	1.6	10
47	Epidemiological and clinical characteristics analysis of COVID-19 in the surrounding areas of Wuhan, Hubei Province in 2020. <i>Pharmacological Research</i> , 2020, 157, 104821.	3.1	48
48	Chelidonine selectively inhibits the growth of gefitinib-resistant non-small cell lung cancer cells through the EGFR-AMPK pathway. <i>Pharmacological Research</i> , 2020, 159, 104934.	3.1	21
49	Network pharmacological approach for elucidating the mechanisms of traditional Chinese medicine in treating COVID-19 patients. <i>Pharmacological Research</i> , 2020, 159, 105043.	3.1	26
50	Pharmacokinetics and tissue distribution of eighteen major alkaloids of <i>Aconitum carmichaelii</i> in rats by UHPLC-QQQ-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 185, 113226.	1.4	19
51	Modulation of gut microbiota to overcome resistance to immune checkpoint blockade in cancer immunotherapy. <i>Current Opinion in Pharmacology</i> , 2020, 54, 1-10.	1.7	35
52	ISO/TC 249 platform promotes the development of international standardization and trade for the Chinese medicines industry. <i>Pharmacological Research</i> , 2020, 160, 105066.	3.1	10
53	Sirtuin 5 deficiency increases disease severity in rats with adjuvant-induced arthritis. <i>Cellular and Molecular Immunology</i> , 2020, 17, 1190-1192.	4.8	9
54	Natural products-based polypharmacological modulation of the peripheral immune system for the treatment of neuropsychiatric disorders. , 2020, 208, 107480.		18

#	ARTICLE	IF	CITATIONS
55	SERCA and P-glycoprotein inhibition and ATP depletion are necessary for celastrol-induced autophagic cell death and collateral sensitivity in multidrug-resistant tumor cells. <i>Pharmacological Research</i> , 2020, 153, 104660.	3.1	29
56	ROS-Responsive Berberine Polymeric Micelles Effectively Suppressed the Inflammation of Rheumatoid Arthritis by Targeting Mitochondria. <i>Nano-Micro Letters</i> , 2020, 12, 76.	14.4	60
57	Scavenger receptor-A is a biomarker and effector of rheumatoid arthritis: A large-scale multicenter study. <i>Nature Communications</i> , 2020, 11, 1911.	5.8	34
58	A single bacterium restores the microbiome dysbiosis to protect bones from destruction in a rat model of rheumatoid arthritis. <i>Microbiome</i> , 2019, 7, 107.	4.9	101
59	Identification of the perturbed metabolic pathways associating with prostate cancer cells and anticancer affects of obacunone. <i>Journal of Proteomics</i> , 2019, 206, 103447.	1.2	39
60	p53 sensitizes chemoresistant non-small cell lung cancer via elevation of reactive oxygen species and suppression of EGFR/PI3K/AKT signaling. <i>Cancer Cell International</i> , 2019, 19, 188.	1.8	45
61	Aggreganoids Aâ€F, Carbon-Bridged Sesquiterpenoid Dimers and Trimers from <i>Lindera aggregata</i> . <i>Organic Letters</i> , 2019, 21, 5753-5756.	2.4	29
62	MicroRNA-421 confers paclitaxel resistance by binding to the KEAP1 3â€UTR and predicts poor survival in non-small cell lung cancer. <i>Cell Death and Disease</i> , 2019, 10, 821.	2.7	56
63	Identification of an IKKÎ² inhibitor for inhibition of inflammation in vivo and in vitro. <i>Pharmacological Research</i> , 2019, 149, 104440.	3.1	14
64	A Novel Drug Resistance Mechanism: Genetic Loss of Xeroderma Pigmentosum Complementation Group C (XPC) Enhances Glycolysis-Mediated Drug Resistance in DLD-1 Colon Cancer Cells. <i>Frontiers in Pharmacology</i> , 2019, 10, 912.	1.6	7
65	Ca ²⁺ signalling plays a role in celastrolâ€mediated suppression of synovial fibroblasts of rheumatoid arthritis patients and experimental arthritis in rats. <i>British Journal of Pharmacology</i> , 2019, 176, 2922-2944.	2.7	57
66	Linderalides Aâ€D, Disesquiterpenoidâ€Geranylbenzofuranone Conjugates from <i>Lindera aggregata</i> . <i>Journal of Organic Chemistry</i> , 2019, 84, 8242-8247.	1.7	21
67	Regulation of lactate production through p53/Î²-enolase axis contributes to statin-associated muscle symptoms. <i>EBioMedicine</i> , 2019, 45, 251-260.	2.7	13
68	Alpha7 nAChR Expression Is Correlated with Arthritis Development and Inhibited by Sinomenine in Adjuvant-Induced Arthritic Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-11.	0.5	13
69	Deciphering the pharmacological mechanism of Guan-Jie-Kang in treating rat adjuvant-induced arthritis using omics analysis. <i>Frontiers of Medicine</i> , 2019, 13, 564-574.	1.5	6
70	Sinomenine regulates CD14/TLR4, JAK2/STAT3 pathway and calcium signal via Î±7nAChR to inhibit inflammation in LPS-stimulated macrophages. <i>Immunopharmacology and Immunotoxicology</i> , 2019, 41, 172-177.	1.1	37
71	Potentially Cardiotoxic Diterpenoid Alkaloids from the Roots of <i>Aconitum carmichaelii</i> . <i>Journal of Natural Products</i> , 2019, 82, 980-989.	1.5	37
72	Novel applications of mass spectrometryâ€based metabolomics in herbal medicines and its active ingredients: Current evidence. <i>Mass Spectrometry Reviews</i> , 2019, 38, 380-402.	2.8	95

#	ARTICLE	IF	CITATIONS
73	Sequencing of the MHC region defines <i>HLA-DQA1</i> as the major genetic risk for seropositive rheumatoid arthritis in Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 773-780.	0.5	27
74	Sinomenine inhibits osteolysis in breast cancer by reducing IL-8/CXCR1 and c-Fos/NFATc1 signaling. <i>Pharmacological Research</i> , 2019, 142, 140-150.	3.1	24
75	Identification of a new inhibitor of KRAS-PDE1 γ interaction targeting KRAS mutant nonsmall cell lung cancer. <i>International Journal of Cancer</i> , 2019, 145, 1334-1345.	2.3	29
76	Neferine induces autophagy-dependent cell death in apoptosis-resistant cancers via ryanodine receptor and Ca ²⁺ -dependent mechanism. <i>Scientific Reports</i> , 2019, 9, 20034.	1.6	44
77	Comparison of combination therapy with methotrexate and sinomenine or leflunomide for active rheumatoid arthritis: A randomized controlled clinical trial. <i>Phytomedicine</i> , 2019, 57, 403-410.	2.3	53
78	Potent Antagonists of ROR1 ^{3t} , Cardenolides from <i>Calotropis gigantea</i> , Exhibit Discrepant Effects on the Differentiation of T Lymphocyte Subsets. <i>Molecular Pharmaceutics</i> , 2019, 16, 798-807.	2.3	10
79	Serum IgG N-glycans act as novel serum biomarkers of ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 705-707.	0.5	5
80	Computational study on the selective inhibition mechanism of MS402 to the first and second bromodomains of BRD4. <i>Proteins: Structure, Function and Bioinformatics</i> , 2019, 87, 3-11.	1.5	16
81	Bioinformatics Based Therapeutic Effects of <i>Sinomenium Acutum</i> . <i>Chinese Journal of Integrative Medicine</i> , 2019, 25, 122-130.	0.7	3
82	Quality transitivity and traceability system of herbal medicine products based on quality markers. <i>Phytomedicine</i> , 2018, 44, 247-257.	2.3	80
83	A systematic review of pharmacokinetic studies on herbal drug Fuzi : Implications for Fuzi as personalized medicine. <i>Phytomedicine</i> , 2018, 44, 187-203.	2.3	78
84	Qualitative and quantitative analysis of lipoalkaloids and fatty acids in <i>Aconitum carmichaelii</i> using LC-MS and GC-MS. <i>Phytochemical Analysis</i> , 2018, 29, 398-405.	1.2	24
85	Sinomenine inhibits fibroblast-like synoviocyte proliferation by regulating $\alpha 7$ nAChR expression via ERK/Egr-1 pathway. <i>International Immunopharmacology</i> , 2018, 56, 65-70.	1.7	29
86	A chlorogenic acid-phospholipid complex ameliorates post-myocardial infarction inflammatory response mediated by mitochondrial reactive oxygen species in SAMP8 mice. <i>Pharmacological Research</i> , 2018, 130, 110-122.	3.1	33
87	Inhibition of KRAS-dependent lung cancer cell growth by deltarasin: blockage of autophagy increases its cytotoxicity. <i>Cell Death and Disease</i> , 2018, 9, 216.	2.7	41
88	(\pm)-Sativamides A and B, Two Pairs of Racemic Nor-Lignanamide Enantiomers from the Fruits of <i>Cannabis sativa</i> . <i>Journal of Organic Chemistry</i> , 2018, 83, 2376-2381.	1.7	18
89	Aconitum alkaloids, the major components of <i>Aconitum</i> species, affect expression of multidrug resistance-associated protein 2 and breast cancer resistance protein by activating the Nrf2-mediated signalling pathway. <i>Phytomedicine</i> , 2018, 44, 87-97.	2.3	24
90	Integrative omics analysis of p53-dependent regulation of metabolism. <i>FEBS Letters</i> , 2018, 592, 380-393.	1.3	6

#	ARTICLE	IF	CITATIONS
91	High-quality assembly of <i>Dermatophagoides pteronyssinus</i> genome and transcriptome reveals a wide range of novel allergens. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 2268-2271.e8.	1.5	34
92	Suppression of Lipogenesis via Reactive Oxygen Species-AMPK Signaling for Treating Malignant and Proliferative Diseases. <i>Antioxidants and Redox Signaling</i> , 2018, 28, 339-357.	2.5	39
93	Licochalcone A activates Keap1-Nrf2 signaling to suppress arthritis via phosphorylation of p62 at serine 349. <i>Free Radical Biology and Medicine</i> , 2018, 115, 471-483.	1.3	57
94	Cell metabolomics identify regulatory pathways and targets of magnoline against prostate cancer. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1102-1103, 143-151.	1.2	46
95	Side effects of methotrexate therapy for rheumatoid arthritis: A systematic review. <i>European Journal of Medicinal Chemistry</i> , 2018, 158, 502-516.	2.6	338
96	Polarity-Tuning Derivatization-LC-MS Approach for Probing Global Carboxyl-Containing Metabolites in Colorectal Cancer. <i>Analytical Chemistry</i> , 2018, 90, 11210-11215.	3.2	71
97	Improvement of glucocorticoid-impaired thymus function by dihydromyricetin via up-regulation of PPAR γ -associated fatty acid metabolism. <i>Pharmacological Research</i> , 2018, 137, 76-88.	3.1	9
98	A gene catalogue of the Sprague-Dawley rat gut metagenome. <i>GigaScience</i> , 2018, 7, .	3.3	57
99	Novel therapeutic strategy for cancer and autoimmune conditions: Modulating cell metabolism and redox capacity. , 2018, 191, 148-161.		24
100	High-throughput lipidomics characterize key lipid molecules as potential therapeutic targets of Kaixinsan protects against Alzheimer's disease in APP/PS1 transgenic mice. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1092, 286-295.	1.2	48
101	Identification of a new pyruvate kinase M2 isoform (PKM2) activator for the treatment of non-small-cell lung cancer (NSCLC). <i>Chemical Biology and Drug Design</i> , 2018, 92, 1851-1858.	1.5	17
102	Reply to "Trace N-glycans including sulphated species may originate from various plasma glycoproteins and not necessarily IgG". <i>Nature Communications</i> , 2018, 9, 2915.	5.8	4
103	Identification of a Novel Protein Arginine Methyltransferase 5 Inhibitor in Non-small Cell Lung Cancer by Structure-Based Virtual Screening. <i>Frontiers in Pharmacology</i> , 2018, 9, 173.	1.6	23
104	Panax ginseng Polysaccharide Protected H9c2 Cardiomyocyte From Hypoxia/Reoxygenation Injury Through Regulating Mitochondrial Metabolism and RISK Pathway. <i>Frontiers in Physiology</i> , 2018, 9, 699.	1.3	33
105	A Method for Rapid Screening of Anilide-Containing AMPK Modulators Based on Computational Docking and Biological Validation. <i>Frontiers in Pharmacology</i> , 2018, 9, 710.	1.6	9
106	Gossypol Inhibits Non-small Cell Lung Cancer Cells Proliferation by Targeting EGFR/ERK1/2 Pathway. <i>Frontiers in Pharmacology</i> , 2018, 9, 728.	1.6	20
107	Atomic force microscopy technique used for assessment of the anti-arthritis effect of licochalcone A via suppressing NF- κ B activation. <i>Biomedicine and Pharmacotherapy</i> , 2018, 103, 1592-1601.	2.5	10
108	Proscillaridin A induces apoptosis and suppresses non-small-cell lung cancer tumor growth via calcium-induced DR4 upregulation. <i>Cell Death and Disease</i> , 2018, 9, 696.	2.7	44

#	ARTICLE	IF	CITATIONS
109	Phenolic Constituents Isolated from the Twigs of <i>Cinnamomum cassia</i> and Their Potential Neuroprotective Effects. <i>Journal of Natural Products</i> , 2018, 81, 1333-1342.	1.5	40
110	Purity assessment of ginsenoside Rg1 using quantitative ¹ H nuclear magnetic resonance. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 139, 193-204.	1.4	18
111	Identification of mitoxantrone as a new inhibitor of ROS1 fusion protein in non-small cell lung cancer cells. <i>MedChemComm</i> , 2017, 8, 621-624.	3.5	6
112	Therapeutic effect of Cryptotanshinone on experimental rheumatoid arthritis through downregulating p300 mediated-STAT3 acetylation. <i>Biochemical Pharmacology</i> , 2017, 138, 119-129.	2.0	36
113	Triterpenoid saponins with anti-inflammatory activities from <i>Ilex pubescens</i> roots. <i>Phytochemistry</i> , 2017, 134, 122-132.	1.4	33
114	High-throughput ultra high performance liquid chromatography combined with mass spectrometry approach for the rapid analysis and characterization of multiple constituents of the fruit of <i>Acanthopanax senticosus</i> (Rupr. et Maxim.) Harms. <i>Journal of Separation Science</i> , 2017, 40, 2178-2187.	1.3	24
115	Metabolomics and proteomics technologies to explore the herbal preparation affecting metabolic disorders using high resolution mass spectrometry. <i>Molecular BioSystems</i> , 2017, 13, 320-329.	2.9	38
116	Discovery and verification of the potential targets from bioactive molecules by network pharmacology-based target prediction combined with high-throughput metabolomics. <i>RSC Advances</i> , 2017, 7, 51069-51078.	1.7	43
117	A new approach for authentication of four ginseng herbs and their related products based on the simultaneous quantification of 19 ginseng saponins by UHPLC-TOF/MS coupled with OPLS-DA. <i>RSC Advances</i> , 2017, 7, 46839-46851.	1.7	29
118	Simultaneous quantification of nine aconitum alkaloids in <i>Aconiti Lateralis Radix Praeparata</i> and related products using UHPLC-MS/MS. <i>Scientific Reports</i> , 2017, 7, 13023.	1.6	12
119	Identification of a potent kinase inhibitor targeting EML4-ALK fusion protein in non-small cell lung cancer. <i>MedChemComm</i> , 2017, 8, 1914-1918.	3.5	0
120	High-throughput LC-MS method for the rapid characterization of multiple chemical constituents and metabolites of <i>Daâ€Buâ€Yinâ€Wan</i> . <i>Journal of Separation Science</i> , 2017, 40, 4102-4112.	1.3	29
121	Sinomenine-induced histamine release-like anaphylactoid reactions are blocked by tranilast via inhibiting NF- κ B signaling. <i>Pharmacological Research</i> , 2017, 125, 150-160.	3.1	20
122	A method to identify trace sulfated IgG N-glycans as biomarkers for rheumatoid arthritis. <i>Nature Communications</i> , 2017, 8, 631.	5.8	85
123	Selective inhibition mechanism of RVX-208 to the second bromodomain of bromo and extraterminal proteins: insight from microsecond molecular dynamics simulations. <i>Scientific Reports</i> , 2017, 7, 8857.	1.6	26
124	Suppressing mPGES-1 expression by sinomenine ameliorates inflammation and arthritis. <i>Biochemical Pharmacology</i> , 2017, 142, 133-144.	2.0	60
125	High-Throughput Metabolomics for Discovering Potential Metabolite Biomarkers and Metabolic Mechanism from the APP ^{swE} /PS1 ^{dE9} Transgenic Model of Alzheimer's Disease. <i>Journal of Proteome Research</i> , 2017, 16, 3219-3228.	1.8	39
126	Technological advances in current metabolomics and its application in tradition Chinese medicine. <i>RSC Advances</i> , 2017, 7, 53516-53524.	1.7	35

#	ARTICLE	IF	CITATIONS
127	Hederagenin and Î±-hederin promote degradation of proteins in neurodegenerative diseases and improve motor deficits in MPTP-mice. <i>Pharmacological Research</i> , 2017, 115, 25-44.	3.1	63
128	Shikonin inhibits gefitinib-resistant non-small cell lung cancer by inhibiting TrxR and activating the EGFR proteasomal degradation pathway. <i>Pharmacological Research</i> , 2017, 115, 45-55.	3.1	74
129	Identification of potential genetic causal variants for rheumatoid arthritis by whole-exome sequencing. <i>Oncotarget</i> , 2017, 8, 111119-111129.	0.8	20
130	Identification of a New Potent Inhibitor Targeting KRAS in Non-small Cell Lung Cancer Cells. <i>Frontiers in Pharmacology</i> , 2017, 8, 823.	1.6	34
131	Resveratrol Ameliorates Mitochondrial Elongation via Drp1/Parkin/PINK1 Signaling in Senescent-Like Cardiomyocytes. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-20.	1.9	84
132	Controlled release of optimized electroporation enhances the transdermal efficiency of sinomenine hydrochloride for treating arthritis in vitro and in clinic. <i>Drug Design, Development and Therapy</i> , 2017, Volume 11, 1737-1752.	2.0	33
133	Metabolic characterization and pathway analysis of berberine protects against prostate cancer. <i>Oncotarget</i> , 2017, 8, 65022-65041.	0.8	61
134	Isoliquiritigenin suppresses human T Lymphocyte activation <i>via</i> covalently binding cysteine 46 of Î²B kinase. <i>Oncotarget</i> , 2017, 8, 34223-34235.	0.8	10
135	7-deacetylgedunin suppresses inflammatory responses through activation of Keap1/Nrf2/HO-1 signaling. <i>Oncotarget</i> , 2017, 8, 55051-55063.	0.8	41
136	The Calcium-Induced Regulation in the Molecular and Transcriptional Circuitry of Human Inflammatory Response and Autoimmunity. <i>Frontiers in Pharmacology</i> , 2017, 8, 962.	1.6	16
137	Thalidezine, a novel AMPK activator, eliminates apoptosis-resistant cancer cells through energy-mediated autophagic cell death. <i>Oncotarget</i> , 2017, 8, 30077-30091.	0.8	34
138	Novel direct AMPK activator suppresses non-small cell lung cancer through inhibition of lipid metabolism. <i>Oncotarget</i> , 2017, 8, 96089-96102.	0.8	21
139	Clinical statistics analysis on the characteristics of pneumoconiosis of Chinese miner population. <i>Journal of Thoracic Disease</i> , 2016, 8, 2203-2211.	0.6	11
140	Compound Library Screening Identified Cardiac Glycoside Digitoxin as an Effective Growth Inhibitor of Gefitinib-Resistant Non-Small Cell Lung Cancer via Downregulation of Î±-Tubulin and Inhibition of Microtubule Formation. <i>Molecules</i> , 2016, 21, 374.	1.7	24
141	Identification of Oxygenated Fatty Acid as a Side Chain of Lipo-Alkaloids in <i>Aconitum carmichaelii</i> by UHPLC-Q-TOF-MS and a Database. <i>Molecules</i> , 2016, 21, 437.	1.7	17
142	Peruvoside, a Cardiac Glycoside, Induces Primitive Myeloid Leukemia Cell Death. <i>Molecules</i> , 2016, 21, 534.	1.7	22
143	Hernandezine, a novel AMPK activator induces autophagic cell death in drug-resistant cancers. <i>Oncotarget</i> , 2016, 7, 8090-8104.	0.8	74
144	Tangeretin, a citrus pentamethoxyflavone, antagonizes ABCB1-mediated multidrug resistance by inhibiting its transport function. <i>Pharmacological Research</i> , 2016, 110, 193-204.	3.1	31

#	ARTICLE	IF	CITATIONS
145	Hemagglutinin of influenza A virus binds specifically to cell surface nucleolin and plays a role in virus internalization. <i>Virology</i> , 2016, 494, 78-88.	1.1	42
146	Characterization of oxygenated metabolites of ginsenoside Rg 1 in plasma and urine of rat. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1026, 75-86.	1.2	11
147	Calycosin suppresses expression of pro-inflammatory cytokines via the activation of p62/Nrf2-linked heme oxygenase 1 in rheumatoid arthritis synovial fibroblasts. <i>Pharmacological Research</i> , 2016, 113, 695-704.	3.1	74
148	Combined use of PI3K and MEK inhibitors synergistically inhibits lung cancer with EGFR and KRAS mutations. <i>Oncology Reports</i> , 2016, 36, 365-375.	1.2	15
149	Epigenetic regulation of active Chinese herbal components for cancer prevention and treatment: A follow-up review. <i>Pharmacological Research</i> , 2016, 114, 1-12.	3.1	43
150	Dihydromyricetin suppresses inflammatory responses <i>in vitro</i> and <i>in vivo</i> through inhibition of IKK β activity in macrophages. <i>Scanning</i> , 2016, 38, 901-912.	0.7	23
151	Spica prunellae and its marker compound rosmarinic acid induced the expression of efflux transporters through activation of Nrf2-mediated signaling pathway in HepG2 cells. <i>Journal of Ethnopharmacology</i> , 2016, 193, 1-11.	2.0	31
152	Autophagic degradation of epidermal growth factor receptor in gefitinib-resistant lung cancer by celastrol. <i>International Journal of Oncology</i> , 2016, 49, 1576-1588.	1.4	38
153	Advanced research technology for discovery of new effective compounds from Chinese herbal medicine and their molecular targets. <i>Pharmacological Research</i> , 2016, 111, 546-555.	3.1	25
154	S-propargyl-cysteine attenuates inflammatory response in rheumatoid arthritis by modulating the Nrf2-ARE signaling pathway. <i>Redox Biology</i> , 2016, 10, 157-167.	3.9	65
155	Porous Pt Nanoparticles with High Near-Infrared Photothermal Conversion Efficiencies for Photothermal Therapy. <i>Advanced Healthcare Materials</i> , 2016, 5, 3165-3172.	3.9	71
156	Induction of P-glycoprotein expression and activity by Aconitum alkaloids: Implication for clinical drug-drug interactions. <i>Scientific Reports</i> , 2016, 6, 25343.	1.6	35
157	A rapid and sensitive assay based on particle analysis for cell degranulation detection in basophils and mast cells. <i>Pharmacological Research</i> , 2016, 111, 374-383.	3.1	26
158	Stauntoside B inhibits macrophage activation by inhibiting NF- κ B and ERK MAPK signalling. <i>Pharmacological Research</i> , 2016, 111, 303-315.	3.1	49
159	Hirundigenin type C ₂₁ steroidal glycosides from <i>Cynanchum stauntonii</i> and their anti-inflammatory activity. <i>RSC Advances</i> , 2016, 6, 59257-59268.	1.7	4
160	Inhibition of IKK β by epidioxysterols from the flowers of <i>Calotropis gigantea</i> (Niu jiao gua). <i>Chinese Medicine</i> , 2016, 11, 9.	1.6	13
161	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
162	Targeting Tyrosine Kinase Inhibitor-Resistant Non-Small Cell Lung Cancer by Inducing Epidermal Growth Factor Receptor Degradation via Methionine 790 Oxidation. <i>Antioxidants and Redox Signaling</i> , 2016, 24, 263-279.	2.5	70

#	ARTICLE	IF	CITATIONS
163	Rg1 prevents myocardial hypoxia/reoxygenation injury by regulating mitochondrial dynamics imbalance via modulation of glutamate dehydrogenase and mitofusin 2. <i>Mitochondrion</i> , 2016, 26, 7-18.	1.6	66
164	Simultaneous determination of thirteen major active compounds in Guanjiakang preparation by UHPLC-QQ-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 118, 315-321.	1.4	8
165	Rh2E2, a novel metabolic suppressor, specifically inhibits energy-based metabolism of tumor cells. <i>Oncotarget</i> , 2016, 7, 9907-9924.	0.8	18
166	SCD1 is associated with tumor promotion, late stage and poor survival in lung adenocarcinoma. <i>Oncotarget</i> , 2016, 7, 39970-39979.	0.8	69
167	(Z)-3,4,5,4'-trans-tetramethoxystilbene, a new analogue of resveratrol, inhibits gefitinib-resistant non-small cell lung cancer via selectively elevating intracellular calcium level. <i>Scientific Reports</i> , 2015, 5, 16348.	1.6	38
168	Nobiletin enhances the efficacy of chemotherapeutic agents in ABCB1 overexpression cancer cells. <i>Scientific Reports</i> , 2015, 5, 18789.	1.6	70
169	Microfluidic Chip-LC/MS-based Glycomic Analysis Revealed Distinct N-glycan Profile of Rat Serum. <i>Scientific Reports</i> , 2015, 5, 12844.	1.6	24
170	Identification of novel autophagic Radix Polygalae fraction by cell membrane chromatography and UHPLC-(Q)TOF-MS for degradation of neurodegenerative disease proteins. <i>Scientific Reports</i> , 2015, 5, 17199.	1.6	27
171	Î±7 Nicotinic Acetylcholine Receptor is a Novel Mediator of Sinomenine Anti-Inflammation Effect in Macrophages Stimulated by Lipopolysaccharide. <i>Shock</i> , 2015, 44, 188-195.	1.0	44
172	Rapid identification of new minor chemical constituents from Smilacis Glabrae Rhizoma by combined use of UHPLC-QTOF-MS, preparative HPLC and UHPLC-SPE-NMR-MS techniques. <i>Phytochemical Analysis</i> , 2015, 26, 428-435.	1.2	17
173	Pinelliae Rhizoma, a Toxic Chinese Herb, Can Significantly Inhibit CYP3A Activity in Rats. <i>Molecules</i> , 2015, 20, 792-806.	1.7	13
174	Neferine Attenuates the Protein Level and Toxicity of Mutant Huntingtin in PC-12 Cells via Induction of Autophagy. <i>Molecules</i> , 2015, 20, 3496-3514.	1.7	80
175	Metabolites Software-Assisted Flavonoid Hunting in Plants Using Ultra-High Performance Liquid Chromatography-Quadrupole-Time of Flight Mass Spectrometry. <i>Molecules</i> , 2015, 20, 3955-3971.	1.7	16
176	An Ultra-High Performance Liquid Chromatographic-Tandem Mass Spectrometric Method for the Determination of Sinomenine in Human Plasma after Transdermal Delivery of the Zhengqing Fengtongning Injection. <i>Molecules</i> , 2015, 20, 6454-6465.	1.7	7
177	The Long-Term Consumption of Ginseng Extract Reduces the Susceptibility of Intermediate-Aged Hearts to Acute Ischemia Reperfusion Injury. <i>PLoS ONE</i> , 2015, 10, e0144733.	1.1	25
178	Mutation of cysteine 46 in IKK-beta increases inflammatory responses. <i>Oncotarget</i> , 2015, 6, 31805-31819.	0.8	26
179	Characterization of Oxygenated Metabolites of Ginsenoside Rb1 in Plasma and Urine of Rat. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 2689-2700.	2.4	13
180	Sinomenine potentiates degranulation of RBL-2H3 basophils via up-regulation of phospholipase A2 phosphorylation by Annexin A1 cleavage and ERK phosphorylation without influencing on calcium mobilization. <i>International Immunopharmacology</i> , 2015, 28, 945-951.	1.7	23

#	ARTICLE	IF	CITATIONS
181	Glycomic Signatures on Serum IgGs for Prediction of Postvaccination Response. <i>Scientific Reports</i> , 2015, 5, 7648.	1.6	16
182	Quantitative evaluation of berberine subcellular distribution and cellular accumulation in non-small cell lung cancer cells by UPLC-MS/MS. <i>Talanta</i> , 2015, 144, 20-28.	2.9	17
183	Flavonoids derived from liquorice suppress murine macrophage activation by up-regulating heme oxygenase-1 independent of Nrf2 activation. <i>International Immunopharmacology</i> , 2015, 28, 917-924.	1.7	48
184	UDP-Glucuronosyltransferases 1A6 and 1A9 are the Major Isozymes Responsible for the 7-O-Glucuronidation of Esculetin and 4-Methylesculetin in Human Liver Microsomes. <i>Drug Metabolism and Disposition</i> , 2015, 43, 977-983.	1.7	11
185	Knockdown of SALL4 Protein Enhances All-trans Retinoic Acid-induced Cellular Differentiation in Acute Myeloid Leukemia Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 10599-10609.	1.6	14
186	Drug-Metabolizing Activity, Protein and Gene Expression of UDP-Glucuronosyltransferases Are Significantly Altered in Hepatocellular Carcinoma Patients. <i>PLoS ONE</i> , 2015, 10, e0127524.	1.1	20
187	Celastrol Induces Apoptosis in Gefitinib-Resistant Non-Small Cell Lung Cancer Cells via Caspases-Dependent Pathways and Hsp90 Client Protein Degradation. <i>Molecules</i> , 2014, 19, 3508-3522.	1.7	40
188	Optimization of 2-dimensional gel electrophoresis for proteomic studies of solid tumor tissue samples. <i>Molecular Medicine Reports</i> , 2014, 9, 626-632.	1.1	6
189	Limonoids from the fruits of <i>Melia toosendan</i> and their NF- κ B modulating activities. <i>Phytochemistry</i> , 2014, 107, 175-181.	1.4	23
190	2-Epi-uscharin from the Latex of <i>Calotropis gigantea</i> with HIF-1 Inhibitory Activity. <i>Scientific Reports</i> , 2014, 4, 4748.	1.6	25
191	Natural small-molecule enhancers of autophagy induce autophagic cell death in apoptosis-defective cells. <i>Scientific Reports</i> , 2014, 4, 5510.	1.6	129
192	In Vitro Anti-Influenza Virus Activities of a New Lignan Glycoside from the Latex of <i>Calotropis gigantea</i> . <i>PLoS ONE</i> , 2014, 9, e104544.	1.1	38
193	Sinomenine ameliorates arthritis via MMPs, TIMPs, and cytokines in rats. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 352-357.	1.0	89
194	Sinomenine Versus NSAIDs for the Treatment of Rheumatoid Arthritis: A Systematic Review and Meta-Analysis. <i>Planta Medica</i> , 2008, 74, 1423-1429.	0.7	146
195	Suppressive effects of QFGJS, a preparation from an anti-arthritic herbal formula, on rat experimental adjuvant-induced arthritis. <i>Biochemical and Biophysical Research Communications</i> , 2005, 337, 586-594.	1.0	41