

Virginia E Papaioannou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1225112/publications.pdf>

Version: 2024-02-01

139
papers

18,000
citations

25423

59
h-index

16791

127
g-index

148
all docs

148
docs citations

148
times ranked

20366
citing authors

#	ARTICLE	IF	CITATIONS
1	Alternative Sources of Human Embryonic Stem Cells. , 2019, , 125-132.		1
2	The copy number variation landscape of congenital anomalies of the kidney and urinary tract. <i>Nature Genetics</i> , 2019, 51, 117-127.	9.4	144
3	<i>Tbx6</i> controls left-right asymmetry through regulation of <i>Gdf1</i> . <i>Biology Open</i> , 2018, 7, .	0.6	8
4	Postimplantation <i>Mga</i> expression and embryonic lethality of two gene-trap alleles. <i>Gene Expression Patterns</i> , 2018, 27, 31-35.	0.3	8
5	Genetic Drivers of Kidney Defects in the DiGeorge Syndrome. <i>New England Journal of Medicine</i> , 2017, 376, 742-754.	13.9	120
6	Dynamic maternal and fetal Notch activity and expression in placentation. <i>Placenta</i> , 2017, 55, 5-12.	0.7	15
7	Cell lineage of timed cohorts of <i>Tbx6</i> -expressing cells in wild type and <i>Tbx6</i> mutant embryos. <i>Biology Open</i> , 2017, 6, 1065-1073.	0.6	19
8	Concepts of Cell Lineage in Mammalian Embryos. <i>Current Topics in Developmental Biology</i> , 2016, 117, 185-197.	1.0	7
9	Unique functions of <i>Gata4</i> in mouse liver induction and heart development. <i>Developmental Biology</i> , 2016, 410, 213-222.	0.9	23
10	Transcription factor <i>TBX4</i> regulates myofibroblast accumulation and lung fibrosis. <i>Journal of Clinical Investigation</i> , 2016, 126, 3063-3079.	3.9	101
11	Vascular Notch proteins and Notch signaling in the peri-implantation mouse uterus. <i>Vascular Cell</i> , 2015, 7, 9.	0.2	21
12	<i>Mga</i> is essential for the survival of pluripotent cells during peri-implantation development. <i>Development (Cambridge)</i> , 2015, 142, 31-40.	1.2	35
13	T-Box Genes and Developmental Anomalies. , 2015, , 635-652.		0
14	<i>Tbx4</i> interacts with the short stature homeobox gene <i>Shox2</i> in limb development. <i>Developmental Dynamics</i> , 2014, 243, 629-639.	0.8	14
15	Nature and extent of left/right axis defects in <i>T^{Wis}/T^{Wis}</i> mutant mouse embryos. <i>Developmental Dynamics</i> , 2014, 243, 1046-1053.	0.8	13
16	The T-box gene family: emerging roles in development, stem cells and cancer. <i>Development (Cambridge)</i> , 2014, 141, 3819-3833.	1.2	246
17	On the fate of primordial germ cells injected into early mouse embryos. <i>Developmental Biology</i> , 2014, 385, 155-159.	0.9	24
18	The T-box Transcription Factors <i>TBX2</i> and <i>TBX3</i> in Mammary Gland Development and Breast Cancer. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2013, 18, 143-147.	1.0	58

#	ARTICLE	IF	CITATIONS
19	Stem Cells from Early Mammalian Embryos. , 2013, , 41-57.		0
20	Alternate Sources of Human Embryonic Stem Cells. , 2013, , 303-310.		0
21	A Retrotransposon Insertion in the 5â€™ Regulatory Domain of Ptf1a Results in Ectopic Gene Expression and Multiple Congenital Defects in Danforth's Short Tail Mouse. PLoS Genetics, 2013, 9, e1003206.	1.5	20
22	<i>Msx1</i> and <i>Tbx2</i> antagonistically regulate <i>Bmp4</i> expression during the bud-to-cap stage transition in tooth development. Development (Cambridge), 2013, 140, 2697-2702.	1.2	29
23	Investigating the Role of Tbx4 in the Female Germline in Mice1. Biology of Reproduction, 2013, 89, 148.	1.2	5
24	Lack of Genetic Interaction between Tbx20 and Tbx3 in Early Mouse Heart Development. PLoS ONE, 2013, 8, e70149.	1.1	3
25	Multiple Roles and Interactions of Tbx4 and Tbx5 in Development of the Respiratory System. PLoS Genetics, 2012, 8, e1002866.	1.5	175
26	The ulnar-mammary syndrome gene, <i>Tbx3</i> , is a direct target of the retinoic acid signaling pathway, which regulates its expression during mouse limb development. Molecular Biology of the Cell, 2012, 23, 2362-2372.	0.9	19
27	Early Embryonic Lethality in Genetically Engineered Mice: Diagnosis and Phenotypic Analysis. Veterinary Pathology, 2012, 49, 64-70.	0.8	45
28	The murine allantois: a model system for the study of blood vessel formation. Blood, 2012, 120, 2562-2572.	0.6	42
29	Identification of a Tbx1/Tbx2/Tbx3 genetic pathway governing pharyngeal and arterial pole morphogenesis. Human Molecular Genetics, 2012, 21, 1217-1229.	1.4	68
30	Candidate Gene Approach Identifies Multiple Genes and Signaling Pathways Downstream of Tbx4 in the Developing Allantois. PLoS ONE, 2012, 7, e43581.	1.1	11
31	Diverse functional networks of <i>Tbx3</i> in development and disease. Wiley Interdisciplinary Reviews: Systems Biology and Medicine, 2012, 4, 273-283.	6.6	56
32	Interaction of Wnt3a, Msgn1 and Tbx6 in neural versus paraxial mesoderm lineage commitment and paraxial mesoderm differentiation in the mouse embryo. Developmental Biology, 2012, 367, 1-14.	0.9	78
33	Dynamic expression of Tbx2 subfamily genes in development of the mouse reproductive system. Developmental Dynamics, 2012, 241, 365-375.	0.8	22
34	Dissociation of the Glucose and Lipid Regulatory Functions of FoxO1 by Targeted Knockin of Acetylation-Defective Alleles in Mice. Cell Metabolism, 2011, 14, 587-597.	7.2	60
35	Alternative Sources of Human Embryonic Stem Cells. , 2011, , 215-222.		0
36	Derivation of Two New Human Embryonic Stem Cell Lines from Nonviable Human Embryos. Stem Cells International, 2011, 2011, 1-9.	1.2	20

#	ARTICLE	IF	CITATIONS
37	Tbx6-dependent Sox2 regulation determines neural or mesodermal fate in axial stem cells. <i>Nature</i> , 2011, 470, 394-398.	13.7	233
38	Dynamic expression of Tbx2 and Tbx3 in developing mouse pancreas. <i>Gene Expression Patterns</i> , 2011, 11, 476-483.	0.3	10
39	Identity and fate of Tbx4-expressing cells reveal developmental cell fate decisions in the allantois, limb, and external genitalia. <i>Developmental Dynamics</i> , 2011, 240, 2290-2300.	0.8	42
40	Expression of Slit and Robo genes in the developing mouse heart. <i>Developmental Dynamics</i> , 2010, 239, 3303-3311.	0.8	38
41	Tbx4 and Tbx5 Acting in Connective Tissue Are Required for Limb Muscle and Tendon Patterning. <i>Developmental Cell</i> , 2010, 18, 148-156.	3.1	130
42	Remission of Type 1 Diabetes after Anti-CD3 Antibody Treatment and Transplantation of Embryonic Pancreatic Precursors. <i>Endocrinology</i> , 2009, 150, 4512-4520.	1.4	11
43	Promotion of β -Cell Differentiation in Pancreatic Precursor Cells by Adult Islet Cells. <i>Endocrinology</i> , 2009, 150, 570-579.	1.4	12
44	Loss of Tbx2 delays optic vesicle invagination leading to small optic cups. <i>Developmental Biology</i> , 2009, 333, 360-372.	0.9	36
45	Non-viable human embryos as a source of viable cells for embryonic stem cell derivation. <i>Reproductive BioMedicine Online</i> , 2009, 18, 301-308.	1.1	20
46	Alternative Strategies for the Derivation of Human Embryonic Stem Cell Lines and the Role of Dead Embryos. <i>Current Stem Cell Research and Therapy</i> , 2009, 4, 81-86.	0.6	9
47	Teasing out T-box targets in early mesoderm. <i>Current Opinion in Genetics and Development</i> , 2008, 18, 418-425.	1.5	65
48	Tbx3 Is Required for Outflow Tract Development. <i>Circulation Research</i> , 2008, 103, 743-750.	2.0	91
49	The oocyte population is not renewed in transplanted or irradiated adult ovaries. <i>Human Reproduction</i> , 2008, 23, 2326-2330.	0.4	60
50	Tbx6 Regulates Left/Right Patterning in Mouse Embryos through Effects on Nodal Cilia and Perinodal Signaling. <i>PLoS ONE</i> , 2008, 3, e2511.	1.1	69
51	Molecular Pathway for the Localized Formation of the Sinoatrial Node. <i>Circulation Research</i> , 2007, 100, 354-362.	2.0	331
52	Tbx4 is not required for hindlimb identity or post-bud hindlimb outgrowth. <i>Development (Cambridge)</i> , 2007, 134, 93-103.	1.2	73
53	Visualization of outflow tract development in the absence of Tbx1 using an Fgf10 enhancer trap transgene. <i>Developmental Dynamics</i> , 2007, 236, 821-828.	0.8	49
54	Cre activity causes widespread apoptosis and lethal anemia during embryonic development. <i>Genesis</i> , 2007, 45, 768-775.	0.8	130

#	ARTICLE	IF	CITATIONS
55	TM1 and TM2: two mutant alleles that constitute a genetic trait controlling thymocyte development. <i>Immunogenetics</i> , 2007, 59, 473-477.	1.2	2
56	Dose-Dependent Interaction of Tbx1 and Crkl and Locally Aberrant RA Signaling in a Model of del22q11 Syndrome. <i>Developmental Cell</i> , 2006, 10, 81-92.	3.1	186
57	Does pre patterning occur in the mouse egg? (Reply). <i>Nature</i> , 2006, 442, E4-E4.	13.7	3
58	Segmental expression of the T-box transcription factor, Tbx2, during early somitogenesis. <i>Developmental Dynamics</i> , 2006, 235, 3080-3084.	0.8	6
59	Live imaging of fluorescent proteins in chordate embryos: From ascidians to mice. <i>Microscopy Research and Technique</i> , 2006, 69, 160-167.	1.2	34
60	T-Box Genes in Vertebrate Development. <i>Annual Review of Genetics</i> , 2005, 39, 219-239.	3.2	370
61	The first cleavage of the mouse zygote predicts the blastocyst axis. <i>Nature</i> , 2005, 434, 391-395.	13.7	130
62	Tbx3, the ulnar-mammary syndrome gene, and Tbx2 interact in mammary gland development through a p19Arf/p53-independent pathway. <i>Developmental Dynamics</i> , 2005, 234, 922-933.	0.8	72
63	Downregulation of Par3 and aPKC function directs cells towards the ICM in the preimplantation mouse embryo. <i>Journal of Cell Science</i> , 2005, 118, 505-515.	1.2	242
64	Developmental potential and behavior of tetraploid cells in the mouse embryo. <i>Developmental Biology</i> , 2005, 288, 150-159.	0.9	94
65	Tbx1 is required for proper neural crest migration and to stabilize spatial patterns during middle and inner ear development. <i>Mechanisms of Development</i> , 2005, 122, 199-212.	1.7	65
66	The del22q11.2 candidate gene Tbx1 regulates branchiomeric myogenesis. <i>Human Molecular Genetics</i> , 2004, 13, 2829-2840.	1.4	230
67	Dynamic in vivo imaging and cell tracking using a histone fluorescent protein fusion in mice. , 2004, 4, 33.		233
68	Tbx2 is essential for patterning the atrioventricular canal and for morphogenesis of the outflow tract during heart development. <i>Development (Cambridge)</i> , 2004, 131, 5041-5052.	1.2	258
69	Unusual misregulation of RNA splicing caused by insertion of a transposable element into the T (Brachyury) locus. <i>BMC Genomics</i> , 2003, 4, 14.	1.2	3
70	Paracrine action of FGF4 during periimplantation development maintains trophectoderm and primitive endoderm. <i>Genesis</i> , 2003, 36, 40-47.	0.8	116
71	Technicolour transgenics: imaging tools for functional genomics in the mouse. <i>Nature Reviews Genetics</i> , 2003, 4, 613-625.	7.7	157
72	Critical role for Tbx6 in mesoderm specification in the mouse embryo. <i>Mechanisms of Development</i> , 2003, 120, 837-847.	1.7	57

#	ARTICLE	IF	CITATIONS
73	Mammary gland, limb and yolk sac defects in mice lacking Tbx3, the gene mutated in human ulnar mammary syndrome. <i>Development (Cambridge)</i> , 2003, 130, 2263-2273.	1.2	252
74	Loss of Tbx4 blocks hindlimb development and affects vascularization and fusion of the allantois. <i>Development (Cambridge)</i> , 2003, 130, 2681-2693.	1.2	208
75	Embryonic stem cells and mouse models of human syndromes: examples from the T-box gene family. <i>Reproductive BioMedicine Online</i> , 2002, 4, 68-71.	1.1	10
76	Can mammalian cloning combined with embryonic stem cell technologies be used to treat human diseases?. <i>Genome Biology</i> , 2002, 3, reviews1023.1.	13.9	5
77	Aortic arch and pharyngeal phenotype in the absence of BMP-dependent neural crest in the mouse. <i>Mechanisms of Development</i> , 2002, 119, 127-135.	1.7	46
78	The mouse rib-vertebrae mutation is a hypomorphic Tbx6 allele. <i>Mechanisms of Development</i> , 2002, 119, 251-256.	1.7	67
79	DiGeorge syndrome phenotype in mice mutant for the T-box gene, Tbx1. <i>Nature Genetics</i> , 2001, 27, 286-291.	9.4	977
80	The stem cells of early embryos. <i>Differentiation</i> , 2001, 68, 159-166.	1.0	43
81	T-box genes in development: From hydra to humans. <i>International Review of Cytology</i> , 2001, 207, 1-70.	6.2	172
82	The McLaren effect—a personal view. <i>International Journal of Developmental Biology</i> , 2001, 45, 483-6.	0.3	0
83	Mapping and expression analysis of the mouse ortholog of <i>Xenopus</i> Eomesodermin. <i>Mechanisms of Development</i> , 1999, 81, 205-208.	1.7	74
84	The Ascendency of Developmental Genetics, or How the T Complex Educated a Generation of Developmental Biologists. <i>Genetics</i> , 1999, 151, 421-425.	1.2	7
85	Three neural tubes in mouse embryos with mutations in the T-box gene Tbx6. <i>Nature</i> , 1998, 391, 695-697.	13.7	392
86	The T-box gene family. <i>BioEssays</i> , 1998, 20, 9-19.	1.2	280
87	Expression of T-box genes Tbx2–Tbx5 during chick organogenesis. <i>Mechanisms of Development</i> , 1998, 74, 165-169.	1.7	138
88	Cloning, Mapping, and Expression Analysis of TBX15, a New Member of the T-Box Gene Family. <i>Genomics</i> , 1998, 51, 68-75.	1.3	45
89	The T-box gene family. , 1998, 20, 9.		1
90	Involvement of T-box genes Tbx2-Tbx5 in vertebrate limb specification and development. <i>Development (Cambridge)</i> , 1998, 125, 2499-509.	1.2	42

#	ARTICLE	IF	CITATIONS
91	The coming of age of the transgenic era. <i>International Journal of Developmental Biology</i> , 1998, 42, 841-6.	0.3	4
92	Targeted mutations of breast cancer susceptibility gene homologs in mice: lethal phenotypes of <i>Brca1</i> , <i>Brca2</i> , <i>Brca1/Brca2</i> , <i>Brca1/p53</i> , and <i>Brca2/p53</i> nullizygous embryos.. <i>Genes and Development</i> , 1997, 11, 1226-1241.	2.7	484
93	T-box family reunion. <i>Trends in Genetics</i> , 1997, 13, 212-213.	2.9	38
94	Evidence of a role for T-box genes in the evolution of limb morphogenesis and the specification of forelimb/hindlimb identity. <i>Mechanisms of Development</i> , 1996, 56, 93-101.	1.7	250
95	<i>Tbx6</i> , a Mouse T-Box Gene Implicated in Paraxial Mesoderm Formation at Gastrulation. <i>Developmental Biology</i> , 1996, 180, 534-542.	0.9	245
96	Uncoupling of Obesity from Insulin Resistance Through a Targeted Mutation in aP2, the Adipocyte Fatty Acid Binding Protein. <i>Science</i> , 1996, 274, 1377-1379.	6.0	805
97	Null Mutation of <i>c-fos</i> Impairs Structural and Functional Plasticities in the Kindling Model of Epilepsy. <i>Journal of Neuroscience</i> , 1996, 16, 3827-3836.	1.7	134
98	Expression of the T-box family genes, <i>Tbx1-Tbx5</i> , during early mouse development. , 1996, 206, 379-390.		581
99	The circadian system of <i>c-fos</i> deficient mice. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1996, 178, 563-70.	0.7	67
100	Expression of the T-box family genes, <i>Tbx1-Tbx5</i> , during early mouse development. , 1996, 206, 379.		1
101	Mouse half embryos: Viability and allocation of cells in the blastocyst. <i>Developmental Dynamics</i> , 1995, 203, 393-398.	0.8	30
102	Increased apoptosis and early embryonic lethality in mice nullizygous for the Huntington's disease gene homologue. <i>Nature Genetics</i> , 1995, 11, 155-163.	9.4	712
103	Extracellular Matrix Remodeling at Implantation: Role of Hyaluronan. , 1995, , 125-152.		2
104	Requirement of FGF-4 for postimplantation mouse development. <i>Science</i> , 1995, 267, 246-249.	6.0	683
105	CSF-1 and mouse preimplantation development in vitro. <i>Development (Cambridge)</i> , 1995, 121, 1333-9.	1.2	10
106	Effect of a Null Mutation of the <i>c-fos</i> Proto-Oncogene on Sexual Behavior of Male Mice1. <i>Biology of Reproduction</i> , 1994, 50, 1040-1048.	1.2	47
107	Differential Growth of the Mouse Preimplantation Embryo in Chemically Defined Media1. <i>Biology of Reproduction</i> , 1994, 50, 1027-1033.	1.2	333
108	Targeted disruption of the <i>c-fos</i> gene demonstrates <i>c-fos</i> -dependent and -independent pathways for gene expression stimulated by growth factors or oncogenes. <i>EMBO Journal</i> , 1994, 13, 3094-103.	3.5	77

#	ARTICLE	IF	CITATIONS
109	Mice lacking major histocompatibility complex class I and class II molecules.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 3913-3917.	3.3	253
110	A null mutation at the c-jun locus causes embryonic lethality and retarded cell growth in culture.. Genes and Development, 1993, 7, 1309-1317.	2.7	363
111	Ontogeny of hyaluronan secretion during early mouse development. Development (Cambridge), 1993, 117, 483-92.	1.2	14
112	Ontogeny, pathology, oncology. International Journal of Developmental Biology, 1993, 37, 33-7.	0.3	14
113	Growth and differentiation of embryonic stem cells that lack an intact c-fos gene.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 9306-9310.	3.3	68
114	RAG-1-deficient mice have no mature B and T lymphocytes. Cell, 1992, 68, 869-877.	13.5	2,652
115	Distribution of hyaluronan in the mouse endometrium during the periimplantation period of pregnancy. Differentiation, 1992, 52, 61-68.	1.0	52
116	Effects of diapause on lethalYellow (Ay/Ay) mouse embryos. The Journal of Experimental Zoology, 1992, 263, 309-315.	1.4	5
117	Depletion of CD4+ T cells in major histocompatibility complex class II-deficient mice. Science, 1991, 253, 1417-1420.	6.0	669
118	Macrophage functions are regulated by the substratum of murine decidual stromal cells.. Journal of Clinical Investigation, 1990, 85, 1951-1958.	3.9	36
119	Targeting of nonexpressed genes in embryonic stem cells via homologous recombination. Science, 1989, 245, 1234-1236.	6.0	102
120	In vivo culture of embryos in the immature mouse oviduct. Theriogenology, 1989, 31, 299-308.	0.9	14
121	Investigation of the tissue specificity of the lethalyellow (Ay) gene in mouse embryos. Genesis, 1988, 9, 155-165.	3.1	13
122	Defective anti-listerial responses in deciduoma of pseudopregnant mice. American Journal of Pathology, 1988, 133, 485-97.	1.9	23
123	The preimplantation pig embryo: cell number and allocation to trophectoderm and inner cell mass of the blastocyst in vivo and in vitro. Development (Cambridge), 1988, 102, 793-803.	1.2	19
124	Comparative aspects of embryo manipulation in mammals. , 1987, , 67-96.		6
125	Description of an embryonic lethal gene,l(5)-1, linked toWsh. Genesis, 1987, 8, 27-34.	3.1	4
126	Development of fertilized embryos transferred to oviducts of immature mice. Reproduction, 1986, 76, 603-608.	1.1	61

#	ARTICLE	IF	CITATIONS
127	A simple method for counting nuclei in the preimplantation mouse embryo. <i>Experientia</i> , 1985, 41, 1207-1209.	1.2	61
128	Outgrowth of embryonal carcinoma cells from injected blastocysts in vitro correlates with abnormal chimera development in vivo. <i>Experimental Cell Research</i> , 1985, 156, 213-220.	1.2	14
129	The relationship between embryonic, embryonal carcinoma and embryo-derived stem cells. <i>Cell Differentiation</i> , 1984, 15, 155-161.	1.3	63
130	Lethal nonagouti (ax): Description of a second embryonic lethal at the agouti locus. <i>Genesis</i> , 1983, 4, 21-29.	3.1	17
131	Lineage analysis of inner cell mass and trophoctoderm using microsurgically reconstituted mouse blastocysts. <i>Journal of Embryology and Experimental Morphology</i> , 1982, 68, 199-209.	0.5	35
132	Relationship between the parental origin of the X chromosomes, embryonic cell lineage and X chromosome expression in mice. <i>Genetical Research</i> , 1981, 37, 183-197.	0.3	72
133	Non-random X-chromosome expression early in mouse development. <i>Genesis</i> , 1981, 2, 305-315.	3.1	24
134	Genetic drift in a stock of laboratory mice. <i>Laboratory Animals</i> , 1980, 14, 11-13.	0.5	27
135	Preferential Expression of the Maternally Derived X Chromosome in Extraembryonic Tissues of the Mouse. , 1978, 12, 361-377.		17
136	Participation of cultured teratocarcinoma cells in mouse embryogenesis. <i>Journal of Embryology and Experimental Morphology</i> , 1978, 44, 93-104.	0.5	27
137	Preferential expression of the maternally derived X chromosome in the mouse yolk sac. <i>Cell</i> , 1977, 12, 873-882.	13.5	321
138	Fate of teratocarcinoma cells injected into early mouse embryos. <i>Nature</i> , 1975, 258, 70-73.	13.7	433
139	Origin of the ectoplacental cone and secondary giant cells in mouse blastocysts reconstituted from isolated trophoblast and inner cell mass. <i>Journal of Embryology and Experimental Morphology</i> , 1973, 30, 561-72.	0.5	77