

Qing Luo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1225441/publications.pdf>

Version: 2024-02-01

60
papers

1,424
citations

346980

22
h-index

425179

34
g-index

67
all docs

67
docs citations

67
times ranked

2314
citing authors

#	ARTICLE	IF	CITATIONS
1	Mycobacterium tuberculosis-Induced Polarization of Human Macrophage Orchestrates the Formation and Development of Tuberculous Granulomas In Vitro. PLoS ONE, 2015, 10, e0129744.	1.1	136
2	T-Cell Subset Counts in Peripheral Blood Can Be Used as Discriminatory Biomarkers for Diagnosis and Severity Prediction of Coronavirus Disease 2019. Journal of Infectious Diseases, 2020, 222, 198-202.	1.9	131
3	Low-Density Granulocytes Are Elevated in Mycobacterial Infection and Associated with the Severity of Tuberculosis. PLoS ONE, 2016, 11, e0153567.	1.1	77
4	Identification of Differentially Expressed Long Non-coding RNAs in Polarized Macrophages. Scientific Reports, 2016, 6, 19705.	1.6	63
5	PD-L1-expressing neutrophils as a novel indicator to assess disease activity and severity of systemic lupus erythematosus. Arthritis Research and Therapy, 2016, 18, 47.	1.6	59
6	Microarray Expression Profile of Circular RNAs in Peripheral Blood Mononuclear Cells from Active Tuberculosis Patients. Cellular Physiology and Biochemistry, 2018, 45, 1230-1240.	1.1	57
7	Decreased <i>ALKBH5</i> , <i>FTO</i> , and <i>YTHDF2</i> in Peripheral Blood Are as Risk Factors for Rheumatoid Arthritis. BioMed Research International, 2020, 2020, 1-9.	0.9	46
8	Diagnostic Value of the lncRNA <i>NEAT1</i> in Peripheral Blood Mononuclear Cells of Patients with Sepsis. Disease Markers, 2017, 2017, 1-6.	0.6	41
9	The study of <i>METTL14</i> , <i>ALKBH5</i> , and <i>YTHDF2</i> in peripheral blood mononuclear cells from systemic lupus erythematosus. Molecular Genetics & Genomic Medicine, 2020, 8, e1298.	0.6	40
10	The Expression of lncRNA NEAT1 in Human Tuberculosis and Its Antituberculosis Effect. BioMed Research International, 2018, 2018, 1-8.	0.9	39
11	Decreased Peripheral Blood <i>ALKBH5</i> Correlates with Markers of Autoimmune Response in Systemic Lupus Erythematosus. Disease Markers, 2020, 2020, 1-11.	0.6	37
12	Integrative analysis of long non-coding RNAs and messenger RNA expression profiles in systemic lupus erythematosus. Molecular Medicine Reports, 2017, 17, 3489-3496.	1.1	34
13	Overexpression of long intergenic noncoding RNA LINC00312 inhibits the invasion and migration of thyroid cancer cells by down-regulating microRNA-197-3p. Bioscience Reports, 2017, 37, .	1.1	33
14	Identification of differentially expressed circular RNAs in human monocyte derived macrophages response to Mycobacterium tuberculosis infection. Scientific Reports, 2017, 7, 13673.	1.6	33
15	Comprehensive analysis of long non-coding RNA and mRNA expression profiles in rheumatoid arthritis. Experimental and Therapeutic Medicine, 2017, 14, 5965-5973.	0.8	33
16	Plasma Circular RNAs hsa_circ_0001953 and hsa_circ_0009024 as Diagnostic Biomarkers for Active Tuberculosis. Frontiers in Microbiology, 2018, 9, 2010.	1.5	33
17	Circular RNAs hsa_circ_0000479 in peripheral blood mononuclear cells as novel biomarkers for systemic lupus erythematosus. Autoimmunity, 2020, 53, 167-176.	1.2	32
18	Rapid diagnosis of pleural tuberculosis by Xpert MTB/RIF assay using pleural biopsy and pleural fluid specimens. Journal of Research in Medical Sciences, 2015, 20, 26-31.	0.4	32

#	ARTICLE	IF	CITATIONS
19	Circular RNAs Hsa_circ_0002715 and Hsa_circ_0035197 in Peripheral Blood Are Novel Potential Biomarkers for New-Onset Rheumatoid Arthritis. <i>Disease Markers</i> , 2019, 2019, 1-12.	0.6	31
20	Mycobacterium tuberculosis Infection Induces Low-Density Granulocyte Generation by Promoting Neutrophil Extracellular Trap Formation via ROS Pathway. <i>Frontiers in Microbiology</i> , 2019, 10, 1468.	1.5	29
21	Elevated Expression of Immunoreceptor Tyrosine-Based Inhibitory Motif (TIGIT) on T Lymphocytes is Correlated with Disease Activity in Rheumatoid Arthritis. <i>Medical Science Monitor</i> , 2017, 23, 1232-1241.	0.5	27
22	Expression profile and diagnostic value of circRNAs in peripheral blood from patients with systemic lupus erythematosus. <i>Molecular Medicine Reports</i> , 2020, 23, 1-1.	1.1	27
23	Up-regulation of circRNA-0003528 promotes mycobacterium tuberculosis associated macrophage polarization via down-regulating miR-224-5p, miR-324-5p and miR-488-5p and up-regulating CTLA4. <i>Aging</i> , 2020, 12, 25658-25672.	1.4	24
24	Identification of circular RNAs hsa_circ_0044235 and hsa_circ_0068367 as novel biomarkers for systemic lupus erythematosus. <i>International Journal of Molecular Medicine</i> , 2019, 44, 1462-1472.	1.8	23
25	Protease-Activated Receptor-2 Decreased Zonula Occludens-1 and Claudin-1 Expression and Induced Epithelial Barrier Dysfunction in Allergic Rhinitis. <i>American Journal of Rhinology and Allergy</i> , 2021, 35, 26-35.	1.0	23
26	Expression and Regulation of Transcription Factor FoxA2 in Chronic Rhinosinusitis With and Without Nasal Polyps. <i>Allergy, Asthma and Immunology Research</i> , 2015, 7, 458.	1.1	20
27	Elevated expression of TIGIT on CD3+CD4+ T cells correlates with disease activity in systemic lupus erythematosus. <i>Allergy, Asthma and Clinical Immunology</i> , 2017, 13, 15.	0.9	19
28	Human neutrophil elastase induces MUC5AC overexpression in chronic rhinosinusitis through tumour necrosis factor- α converting enzyme. <i>Acta Oto-Laryngologica</i> , 2016, 136, 641-648.	0.3	16
29	Serum PGLYRP ϵ 1 is a highly discriminatory biomarker for the diagnosis of rheumatoid arthritis. <i>Molecular Medicine Reports</i> , 2019, 19, 589-594.	1.1	16
30	Human Neutrophil Elastase Induces MUC5AC Overexpression in Chronic Rhinosinusitis Through miR-146a. <i>American Journal of Rhinology and Allergy</i> , 2020, 34, 59-69.	1.0	15
31	Evaluation of the microscopic observation drug susceptibility assay for the rapid detection of MDR-TB and XDR-TB in China: a prospective multicentre study. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 456-462.	1.3	13
32	Overexpression of CD64 on CD14 ⁺⁺ CD16 ⁺ and CD14 ⁺⁺ CD16 ⁺ monocytes of rheumatoid arthritis patients correlates with disease activity. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 2703-2711.	0.8	13
33	The role of autophagy in the overexpression of MUC5AC in patients with chronic rhinosinusitis. <i>International Immunopharmacology</i> , 2019, 71, 169-180.	1.7	13
34	Expression and clinical significance of circular RNAs hsa_circ_0000175 and hsa_circ_0008410 in peripheral blood mononuclear cells from patients with rheumatoid arthritis. <i>International Journal of Molecular Medicine</i> , 2020, 45, 1203-1212.	1.8	13
35	Elevated expression of PD ϵ 1 on T cells correlates with disease activity in rheumatoid arthritis. <i>Molecular Medicine Reports</i> , 2018, 17, 3297-3305.	1.1	11
36	Gene Expression Profiles of Circular RNAs and MicroRNAs in Chronic Rhinosinusitis With Nasal Polyps. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 643504.	1.6	11

#	ARTICLE	IF	CITATIONS
37	Increased TIM-3+PD-1+ NK cells are associated with the disease activity and severity of systemic lupus erythematosus. <i>Clinical and Experimental Medicine</i> , 2022, 22, 47-56.	1.9	11
38	EBP50 induces apoptosis in macrophages by upregulating nitric oxide production to eliminate intracellular <i>Mycobacterium tuberculosis</i> . <i>Scientific Reports</i> , 2016, 6, 18961.	1.6	9
39	Efficacy of buffered hypertonic seawater in different phenotypes of chronic rhinosinusitis with nasal polyps after endoscopic sinus surgery: a randomized double-blind study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2020, 41, 102554.	0.6	9
40	Circular RNAs hsa-circ0000175 and hsa-circ0044235 in plasma are novel biomarkers for new-onset rheumatoid arthritis. <i>Autoimmunity</i> , 2021, 54, 234-242.	1.2	8
41	Retrospective analysis of massive epistaxis and pseudoaneurysms in nasopharyngeal carcinoma after radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 2973-2980.	0.8	7
42	Combined identification of three lncRNAs in serum as effective diagnostic and prognostic biomarkers for hepatitis B virus-related hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2022, 151, 1824-1834.	2.3	7
43	Long non-coding RNA expression profiling of macrophage line RAW264.7 infected by <i>Mycobacterium tuberculosis</i> . <i>Biotechnic and Histochemistry</i> , 2020, 95, 403-410.	0.7	6
44	Low-Density Granulocytes Affect T-SPOT.TB Assay by Inhibiting the Production of Interferon- γ in T Cells via PD-L1/PD-1 Pathway. <i>Frontiers in Microbiology</i> , 2020, 11, 622389.	1.5	6
45	Expression and clinical significance of circular RNA hsa_circ_0079787 in the peripheral blood of patients with axial spondyloarthritis. <i>Molecular Medicine Reports</i> , 2020, 22, 4197-4206.	1.1	6
46	Circulating circular RNAs hsa_circ_0001204 and hsa_circ_0001747 act as diagnostic biomarkers for active tuberculosis detection. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 586-594.	0.5	6
47	Expression and clinical significance of the m6A reader YTHDF2 in peripheral blood mononuclear cells from rheumatoid arthritis patients. <i>Journal of Immunotoxicology</i> , 2022, 19, 53-60.	0.9	6
48	Evaluation of MODS assay for rapid detection of <i>Mycobacterium tuberculosis</i> resistance to second-line drugs in a tertiary care tuberculosis hospital in China. <i>Tuberculosis</i> , 2014, 94, 506-510.	0.8	5
49	Human Neutrophil Elastase Mediates MUC5AC Hypersecretion via the Tumour Necrosis Factor- α Converting Enzyme-Epidermal Growth Factor Receptor Signalling Pathway in vivo. <i>Orl</i> , 2021, 83, 310-318.	0.6	5
50	Decreased expression of TIGIT in NK cells correlates negatively with disease activity in systemic lupus erythematosus. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 2408-2418.	0.5	5
51	Early Efficacy Analysis of Cluster and Conventional Immunotherapy in Patients With Allergic Rhinitis. <i>Ear, Nose and Throat Journal</i> , 2021, 100, 378-385.	0.4	4
52	MRI Study of Cerebral Cortical Thickness in Patients with Herpes Zoster and Postherpetic Neuralgia. <i>Journal of Pain Research</i> , 2022, Volume 15, 623-632.	0.8	4
53	PPAR γ Ameliorates <i>Mycobacterium tuberculosis</i> H37Ra-Induced Foamy Macrophage Formation via the ABCG1-Dependent Cholesterol Efflux Pathway in THP-1 Macrophages. <i>Frontiers in Microbiology</i> , 2022, 13, 829870.	1.5	4
54	Expression and Clinical Significance of the m6A RNA-Binding Proteins YTHDF2 in Peripheral Blood Mononuclear Cells From New-Onset Ankylosing Spondylitis. <i>Frontiers in Medicine</i> , 0, 9, .	1.2	4

#	ARTICLE	IF	CITATIONS
55	Validation of Serotransferrin in the Serum as Candidate Biomarkers for the Diagnosis of Pulmonary Tuberculosis by Label-Free LC/MS. ACS Omega, 2022, 7, 24174-24183.	1.6	3
56	Peripheral blood circular RNA hsa_circ_0082688-hsa_circ_0008675 can be used as a candidate biomarker of systemic lupus erythematosus with renal involvement. Clinical and Experimental Rheumatology, 2020, 38, 822-833.	0.4	2
57	Novel Bougie for the Management of Esophageal Coins in Children: An Observational Study. Annals of Otolaryngology, Rhinology and Laryngology, 2019, 128, 503-507.	0.6	1
58	Multicentre laboratory validation of the nitrate reductase assay using liquid medium for the rapid detection of multidrug-resistant and extensively drug-resistant Mycobacterium tuberculosis. Tuberculosis, 2018, 113, 242-248.	0.8	0
59	Using the lamina nutrient foramen as the entry point for posterior cervical pedicle screw placement. Clinical Neurology and Neurosurgery, 2021, 207, 106711.	0.6	0
60	High Mobility Group Box-1 Protein and Interleukin 33 Expression in Allergic Rhinitis. Orl, 2022, , 1-9.	0.6	0