

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1225441/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mycobacterium tuberculosis-Induced Polarization of Human Macrophage Orchestrates the Formation and Development of Tuberculous Granulomas In Vitro. PLoS ONE, 2015, 10, e0129744.	2.5	136
2	T-Cell Subset Counts in Peripheral Blood Can Be Used as Discriminatory Biomarkers for Diagnosis and Severity Prediction of Coronavirus Disease 2019. Journal of Infectious Diseases, 2020, 222, 198-202.	4.0	131
3	Low-Density Granulocytes Are Elevated in Mycobacterial Infection and Associated with the Severity of Tuberculosis. PLoS ONE, 2016, 11, e0153567.	2.5	77
4	Identification of Differentially Expressed Long Non-coding RNAs in Polarized Macrophages. Scientific Reports, 2016, 6, 19705.	3.3	63
5	PD-L1-expressing neutrophils as a novel indicator to assess disease activity and severity of systemic lupus erythematosus. Arthritis Research and Therapy, 2016, 18, 47.	3.5	59
6	Microarray Expression Profile of Circular RNAs in Peripheral Blood Mononuclear Cells from Active Tuberculosis Patients. Cellular Physiology and Biochemistry, 2018, 45, 1230-1240.	1.6	57
7	Decreased <i>ALKBH5</i> , <i>FTO</i> , and <i>YTHDF2</i> in Peripheral Blood Are as Risk Factors for Rheumatoid Arthritis. BioMed Research International, 2020, 2020, 1-9.	1.9	46
8	Diagnostic Value of the lncRNA <i>NEAT1</i> in Peripheral Blood Mononuclear Cells of Patients with Sepsis. Disease Markers, 2017, 2017, 1-6.	1.3	41
9	The study of <i>METTL14</i> , <i>ALKBH5</i> , and <i>YTHDF2</i> in peripheral blood mononuclear cells from systemic lupus erythematosus. Molecular Genetics & Genomic Medicine, 2020, 8, e1298.	1.2	40
10	The Expression of IncRNA NEAT1 in Human Tuberculosis and Its Antituberculosis Effect. BioMed Research International, 2018, 2018, 1-8.	1.9	39
11	Decreased Peripheral Blood <i>ALKBH5</i> Correlates with Markers of Autoimmune Response in Systemic Lupus Erythematosus. Disease Markers, 2020, 2020, 1-11.	1.3	37
12	Integrative analysis of long non-coding RNAs and messengerÃ ⁻ Â;¼2RNA expression profiles in systemic lupus erythematosus. Molecular Medicine Reports, 2017, 17, 3489-3496.	2.4	34
13	Overexpression of long intergenic noncoding RNA LINC00312 inhibits the invasion and migration of thyroid cancer cells by down-regulating microRNA-197-3p. Bioscience Reports, 2017, 37, .	2.4	33
14	Identification of differentially expressed circular RNAs in human monocyte derived macrophages response to Mycobacterium tuberculosis infection. Scientific Reports, 2017, 7, 13673.	3.3	33
15	Comprehensive analysis of long non‑coding RNA and mRNA expression profiles in rheumatoid arthritis. Experimental and Therapeutic Medicine, 2017, 14, 5965-5973.	1.8	33
16	Plasma Circular RNAs hsa_circ_0001953 and hsa_circ_0009024 as Diagnostic Biomarkers for Active Tuberculosis. Frontiers in Microbiology, 2018, 9, 2010.	3.5	33
17	Circular RNAs hsa_circ_0000479 in peripheral blood mononuclear cells as novel biomarkers for systemic lupus erythematosus. Autoimmunity, 2020, 53, 167-176.	2.6	32
18	Rapid diagnosis of pleural tuberculosis by Xpert MTB/RIF assay using pleural biopsy and pleural fluid specimens. Journal of Research in Medical Sciences, 2015, 20, 26-31.	0.9	32

Qing Luo

#	Article	IF	CITATIONS
19	Circular RNAs Hsa_circ_0002715 and Hsa_circ_0035197 in Peripheral Blood Are Novel Potential Biomarkers for New-Onset Rheumatoid Arthritis. Disease Markers, 2019, 2019, 1-12.	1.3	31
20	Mycobacterium tuberculosis Infection Induces Low-Density Granulocyte Generation by Promoting Neutrophil Extracellular Trap Formation via ROS Pathway. Frontiers in Microbiology, 2019, 10, 1468.	3.5	29
21	Elevated Expression of Immunoreceptor Tyrosine-Based Inhibitory Motif (TIGIT) on T Lymphocytes is Correlated with Disease Activity in Rheumatoid Arthritis. Medical Science Monitor, 2017, 23, 1232-1241.	1.1	27
22	Expression profile and diagnostic value of circRNAs in peripheral blood from patients with systemic lupus erythematosus. Molecular Medicine Reports, 2020, 23, 1-1.	2.4	27
23	Up-regulation of circRNA-0003528 promotes mycobacterium tuberculosis associated macrophage polarization via down-regulating miR-224-5p, miR-324-5p and miR-488-5p and up-regulating CTLA4. Aging, 2020, 12, 25658-25672.	3.1	24
24	Identification of circular RNAs hsa_circ_0044235 and hsa_circ_0068367 as novel biomarkers for systemic lupus erythematosus. International Journal of Molecular Medicine, 2019, 44, 1462-1472.	4.0	23
25	Protease-Activated Receptor-2 Decreased Zonula Occlidens-1 and Claudin-1 Expression and Induced Epithelial Barrier Dysfunction in Allergic Rhinitis. American Journal of Rhinology and Allergy, 2021, 35, 26-35.	2.0	23
26	Expression and Regulation of Transcription Factor FoxA2 in Chronic Rhinosinusitis With and Without Nasal Polyps. Allergy, Asthma and Immunology Research, 2015, 7, 458.	2.9	20
27	Elevated expression of TIGIT on CD3+CD4+ T cells correlates with disease activity in systemic lupus erythematosus. Allergy, Asthma and Clinical Immunology, 2017, 13, 15.	2.0	19
28	Human neutrophil elastase induces MUC5AC overexpression in chronic rhinosinusitis through tumour necrosis factor-α converting enzyme. Acta Oto-Laryngologica, 2016, 136, 641-648.	0.9	16
29	Serum PGLYRP‑1 is a highly discriminatory biomarker for the diagnosis of rheumatoid arthritis. Molecular Medicine Reports, 2019, 19, 589-594.	2.4	16
30	Human Neutrophil Elastase Induces MUC5AC Overexpression in Chronic Rhinosinusitis Through miR-146a. American Journal of Rhinology and Allergy, 2020, 34, 59-69.	2.0	15
31	Evaluation of the microscopic observation drug susceptibility assay for the rapid detection of MDR-TB and XDR-TB in China: a prospective multicentre study. Journal of Antimicrobial Chemotherapy, 2015, 70, 456-462.	3.0	13
32	Overexpression of CD64 on CD14++CD16‑ and CD14++CD16+ monocytes of rheumatoid arthritis patients correlates with disease activity. Experimental and Therapeutic Medicine, 2018, 16, 2703-2711.	1.8	13
33	The role of autophagy in the overexpression of MUC5AC in patients with chronic rhinosinusitis. International Immunopharmacology, 2019, 71, 169-180.	3.8	13
34	Expression and clinical significance of circular RNAs hsa_circ_0000175 and hsa_circ_0008410 in peripheral blood mononuclear cells from patients with rheumatoid arthritis. International Journal of Molecular Medicine, 2020, 45, 1203-1212.	4.0	13
35	Elevated expression of PDâ€ʿ1 on T cells correlates with disease activity in rheumatoid arthritis. Molecular Medicine Reports, 2018, 17, 3297-3305.	2.4	11
36	Gene Expression Profiles of Circular RNAs and MicroRNAs in Chronic Rhinosinusitis With Nasal Polyps. Frontiers in Molecular Biosciences, 2021, 8, 643504.	3.5	11

Qing Luo

#	Article	IF	CITATIONS
37	Increased TIM-3+PD-1+ NK cells are associated with the disease activity and severity of systemic lupus erythematosus. Clinical and Experimental Medicine, 2022, 22, 47-56.	3.6	11
38	EBP50 induces apoptosis in macrophages by upregulating nitric oxide production to eliminate intracellular Mycobacterium tuberculosis. Scientific Reports, 2016, 6, 18961.	3.3	9
39	Efficacy of buffered hypertonic seawater in different phenotypes of chronic rhinosinusitis with nasal polyps after endoscopic sinus surgery: a randomized double-blind study. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102554.	1.3	9
40	Circular RNAs hsa-circ0000175 and hsa-circ0044235 in plasma are novel biomarkers for new-onset rheumatoid arthritis. Autoimmunity, 2021, 54, 234-242.	2.6	8
41	Retrospective analysis of massive epistaxis and pseudoaneurysms in nasopharyngeal carcinoma after radiotherapy. European Archives of Oto-Rhino-Laryngology, 2022, 279, 2973-2980.	1.6	7
42	Combined identification of three <scp>lncRNAs</scp> in serum as effective diagnostic and prognostic biomarkers for hepatitis B virusâ€related hepatocellular carcinoma. International Journal of Cancer, 2022, 151, 1824-1834.	5.1	7
43	Long non-coding RNA expression profiling of macrophage line RAW264.7 infected by Mycobacterium tuberculosis. Biotechnic and Histochemistry, 2020, 95, 403-410.	1.3	6
44	Low-Density Granulocytes Affect T-SPOT.TB Assay by Inhibiting the Production of Interferon-Î ³ in T Cells via PD-L1/PD-1 Pathway. Frontiers in Microbiology, 2020, 11, 622389.	3.5	6
45	Expression and clinical significance of circular RNA hsa_circ_0079787 in the peripheral blood of patients with axial spondyloarthritis. Molecular Medicine Reports, 2020, 22, 4197-4206.	2.4	6
46	Circulating circular RNAs hsa_circ_0001204 and hsa_circ_0001747 act as diagnostic biomarkers for active tuberculosis detection. International Journal of Clinical and Experimental Pathology, 2018, 11, 586-594.	0.5	6
47	Expression and clinical significance of the m6A reader <i>YTHDF2</i> in peripheral blood mononuclear cells from rheumatoid arthritis patients. Journal of Immunotoxicology, 2022, 19, 53-60.	1.7	6
48	Evaluation of MODS assay for rapid detection of Mycobacterium tuberculosis resistance to second-line drugs in a tertiary care tuberculosis hospital in China. Tuberculosis, 2014, 94, 506-510.	1.9	5
49	Human Neutrophil Elastase Mediates MUC5AC Hypersecretion via the Tumour Necrosis Factor-α Converting Enzyme-Epidermal Growth Factor Receptor Signalling Pathway in vivo. Orl, 2021, 83, 310-318.	1.1	5
50	Decreased expression of TIGIT in NK cells correlates negatively with disease activity in systemic lupus erythematosus. International Journal of Clinical and Experimental Pathology, 2018, 11, 2408-2418.	0.5	5
51	Early Efficacy Analysis of Cluster and Conventional Immunotherapy in Patients With Allergic Rhinitis. Ear, Nose and Throat Journal, 2021, 100, 378-385.	0.8	4
52	MRI Study of Cerebral Cortical Thickness in Patients with Herpes Zoster and Postherpetic Neuralgia. Journal of Pain Research, 2022, Volume 15, 623-632.	2.0	4
53	PPARÎ ³ Ameliorates Mycobacterium tuberculosis H37Ra-Induced Foamy Macrophage Formation via the ABCG1-Dependent Cholesterol Efflux Pathway in THP-1 Macrophages. Frontiers in Microbiology, 2022, 13, 829870.	3.5	4
54	Expression and Clinical Significance of the m6A RNA-Binding Proteins YTHDF2 in Peripheral Blood Mononuclear Cells From New-Onset Ankylosing Spondylitis. Frontiers in Medicine, 0, 9, .	2.6	4

Qing Luo

#	Article	IF	CITATIONS
55	Validation of Serotransferrin in the Serum as Candidate Biomarkers for the Diagnosis of Pulmonary Tuberculosis by Label-Free LC/MS. ACS Omega, 2022, 7, 24174-24183.	3.5	3
56	Peripheral blood circular RNA hsa_circ_0082688-hsa_circ_0008675 can be used as a candidate biomarker of systemic lupus erythematosus with renal involvement. Clinical and Experimental Rheumatology, 2020, 38, 822-833.	0.8	2
57	Novel Bougie for the Management of Esophageal Coins in Children: An Observational Study. Annals of Otology, Rhinology and Laryngology, 2019, 128, 503-507.	1.1	1
58	Multicentre laboratory validation of the nitrate reductase assay using liquid medium for the rapid detection of multidrug-resistant and extensively drug-resistant Mycobacterium tuberculosis. Tuberculosis, 2018, 113, 242-248.	1.9	0
59	Using the lamina nutrient foramen as the entry point for posterior cervical pedicle screw placement. Clinical Neurology and Neurosurgery, 2021, 207, 106711.	1.4	0
60	High Mobility Group Box-1 Protein and Interleukin 33 Expression in Allergic Rhinitis. Orl, 2022, , 1-9.	1.1	0