## Victoria J Vieira-Potter

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1227103/victoria-j-vieira-potter-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers
1,584
citations
20
h-index
g-index

69
ext. papers
20
h-index
1,954
avg, IF
L-index

#	Paper	IF	Citations
65	Gestational and lactational exposure to BPA, but not BPS, negatively impacts trabecular microarchitecture and cortical geometry in adult male offspring. <i>Bone Reports</i> , <b>2021</b> , 15, 101147	2.6	O
64	Modest sleep restriction does not influence steps, physical activity intensity or glucose tolerance in obese adults. <i>Journal of Sleep Research</i> , <b>2021</b> , 30, e13381	5.8	
63	Role of ERIIn adipocyte metabolic response to wheel running following ovariectomy. <i>Journal of Endocrinology</i> , <b>2021</b> , 249, 223-237	4.7	1
62	Voluntary Wheel Running Partially Compensates for the Effects of Global Estrogen Receptor-  Knockout on Cortical Bone in Young Male Mice. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	2
61	Gestational and lactational exposure to BPA or BPS has minimal effects on skeletal outcomes in adult female mice. <i>Bone Reports</i> , <b>2021</b> , 15, 101136	2.6	O
60	Changes in nucleus accumbens gene expression accompany sex-specific suppression of spontaneous physical activity in aromatase knockout mice. <i>Hormones and Behavior</i> , <b>2020</b> , 121, 104719	3.7	1
59	Global estrogen receptor-Iknockout has differential effects on cortical and cancellous bone in aged male mice. <i>Facets</i> , <b>2020</b> , 5, 328-348	2.3	3
58	Effects of ERIand ERIan OVX-induced changes in adiposity and insulin resistance. <i>Journal of Endocrinology</i> , <b>2020</b> , 245, 165-178	4.7	10
57	The role of estrogens in the adipose tissue milieu. <i>Annals of the New York Academy of Sciences</i> , <b>2020</b> , 1461, 127-143	6.5	20
56	Age, Sex, and Depot-Specific Differences in Adipose-Tissue Estrogen Receptors in Individuals with Obesity. <i>Obesity</i> , <b>2020</b> , 28, 1698-1707	8	6
55	Voluntary wheel running effects on intra-accumbens opioid driven diet preferences in male and female rats. <i>Neuropharmacology</i> , <b>2019</b> , 155, 22-30	5.5	O
54	A Thermogenic-Like Brown Adipose Tissue Phenotype Is Dispensable for Enhanced Glucose Tolerance in Female Mice. <i>Diabetes</i> , <b>2019</b> , 68, 1717-1729	0.9	8
53	Beta 3 Adrenergic Receptor Activation Rescues Metabolic Dysfunction in Female Estrogen Receptor Alpha-Null Mice. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 9	4.6	12
52	Overproduction of endothelin-1 impairs glucose tolerance but does not promote visceral adipose tissue inflammation or limit metabolic adaptations to exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 317, E548-E558	6	4
51	Age, Sex, and Depot Differences in Adipose Tissue from Obese Subjects. <i>FASEB Journal</i> , <b>2019</b> , 33, 752.5	5 0.9	
50	Sex dependent effects of physical activity on diet preference in rats selectively bred for high or low levels of voluntary wheel running. <i>Behavioural Brain Research</i> , <b>2019</b> , 359, 95-103	3.4	10
49	Estrogen receptor-Isignaling maintains immunometabolic function in males and is obligatory for exercise-induced amelioration of nonalcoholic fatty liver. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 316, E156-E167	6	17

## (2017-2018)

48	Voluntary wheel running improves adipose tissue immunometabolism in ovariectomized low-fit rats. <i>Adipocyte</i> , <b>2018</b> , 7, 20-34	3.2	6	
47	Maternal vitamin D deficiency during pregnancy affects expression of adipogenic-regulating genes peroxisome proliferator-activated receptor gamma (PPARDand vitamin D receptor (VDR) in lean male mice offspring. <i>European Journal of Nutrition</i> , <b>2018</b> , 57, 723-730	5.2	17	
46	Removal of interscapular brown adipose tissue increases aortic stiffness despite normal systemic glucose metabolism in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2018</b> , 314, R584-R597	3.2	16	
45	Increased susceptibility to OVX-associated metabolic dysfunction in UCP1-null mice. <i>Journal of Endocrinology</i> , <b>2018</b> ,	4.7	5	
44	Endothelial dysfunction occurs independently of adipose tissue inflammation and insulin resistance in ovariectomized Yucatan miniature-swine. <i>Adipocyte</i> , <b>2018</b> , 7, 35-44	3.2	1	
43	Soy-Induced Fecal Metabolome Changes in Ovariectomized and Intact Female Rats: Relationship with Cardiometabolic Health. <i>Scientific Reports</i> , <b>2018</b> , 8, 16896	4.9	12	
42	Sexually Dimorphic Effects of Aromatase on Neurobehavioral Responses. <i>Frontiers in Molecular Neuroscience</i> , <b>2018</b> , 11, 374	6.1	28	
41	Cognitive Effects of Aromatase and Possible Role in Memory Disorders. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 610	5.7	16	
40	Soy protein improves tibial whole-bone and tissue-level biomechanical properties in ovariectomized and ovary-intact, low-fit female rats. <i>Bone Reports</i> , <b>2018</b> , 8, 244-254	2.6	4	
39	Loss of UCP1 exacerbates Western diet-induced glycemic dysregulation independent of changes in body weight in female mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2017</b> , 312, R74-R84	3.2	32	
38	Absence of Endothelial ERIResults in Arterial Remodeling and Decreased Stiffness in Western Diet-Fed Male Mice. <i>Endocrinology</i> , <b>2017</b> , 158, 1875-1885	4.8	6	
37	Sex Hormones and Cardiometabolic Health: Role of Estrogen and Estrogen Receptors. <i>Endocrinology</i> , <b>2017</b> , 158, 1095-1105	4.8	56	
36	Voluntary Running Attenuates Metabolic Dysfunction in Ovariectomized Low-Fit Rats. <i>Medicine and Science in Sports and Exercise</i> , <b>2017</b> , 49, 254-264	1.2	10	
35	Soy Improves Cardiometabolic Health and Cecal Microbiota in Female Low-Fit Rats. <i>Scientific Reports</i> , <b>2017</b> , 7, 9261	4.9	32	
34	Sex determines effect of physical activity on diet preference: Association of striatal opioids and gut microbiota composition. <i>Behavioural Brain Research</i> , <b>2017</b> , 334, 16-25	3.4	15	
33	Anti-inflammatory effects of exercise training in adipose tissue do not require FGF21. <i>Journal of Endocrinology</i> , <b>2017</b> , 235, 97-109	4.7	15	
32	Maternal Western diet age-specifically alters female offspring voluntary physical activity and dopamine- and leptin-related gene expression. <i>FASEB Journal</i> , <b>2017</b> , 31, 5371-5383	0.9	12	
31	Deletion of UCP1 enhances ex vivo aortic vasomotor function in female but not male mice despite similar susceptibility to metabolic dysfunction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2017</b> , 313, E402-E412	6	12	

30 Effects of Sex Hormones and Exercise on Adipose Tissue **2017**, 257-284

Exercise Training As A Mitigator OF Liver Fibrosis In Western Diet Fed OLETF Rats. Medicine and Science in Sports and Exercise, 2016, 48, 485  28 Effects of intrinsic aerobic capacity and ovariectomy on voluntary wheel running and nucleus accumbens dopamine receptor gene expression. Physiology and Behavior, 2016, 164, 383-9  27 Effects of ovariectomy and Intrinsic aerobic capacity on bissue-specific insulin sensitivity. American Journal of Physiology - Endocrinology and Metabolism, 2016, 310, E190-9  28 Loss of Nirp3 Does Not Protect Mice from Western Diet-Induced Adipose Tissue Inflammation and Glucose Intolerance. PLoS ONE, 2016, 11, e0161939  29 Ovariectomized Engolish of Diabetes and Therapeutic Approaches. BioMed Research International, 2016, 2016, 2016, 2016, 2016, 2016, 48, 1259-69  20 Ovariectomized Highly Fit Rats Are Protected against Diet-Induced Insulin Resistance. Medicine and Lease Science in Sports and Exercise, 2016, 48, 1259-69  20 Aerobic exercise training in the treatment of non-alcoholic fatty liver disease related fibrosis. Journal of Physiology, 2016, 594, 5271-84  21 Comparison of Diet versus Exercise on Metabolic Function and Gut Microbiota in Obese Rats. Logistical Medicine and Science in Sports and Exercise, 2016, 48, 1688-98  20 Ablation of eNOS does not promote adipose tissue inflammation. American Journal of Physiology Regulatory Integrative and Comparative Physiology, 2016, 310, R744-51  21 Female rats selectively bired for high intrinsic aerobic Fluness are protected from varietomy-associated metabolic dynamiction. American Journal of Physiology Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  22 Retention of Sedentary obese due tabolic dynamiction. American Journal of Physiology Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  23 Retention of Sedentary obese december of the profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 309, R594-602  24 Divergent role of nitric oxide in insulin-stimulated aortic vasore				
accumbens dopamine receptor gene expression. <i>Physiology and Behavior</i> , <b>2016</b> , 164, 383-9  Effects of ovariectomy and intrinsic aerobic capacity on tissue-specific insulin sensitivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2016</b> , 310, E190-9  Loss of NIrp3 Does Not Protect Mice from Western Diet-Induced Adipose Tissue Inflammation and Glucose Intolerance. <i>PLaS ONE</i> , <b>2016</b> , 11, e0161939  Coular Complications of Diabetes and Therapeutic Approaches. <i>BioMed Research International</i> , <b>2016</b> , 2016, 3801570  Ovariectomized Highly Fit Rats Are Protected against Diet-Induced Insulin Resistance. <i>Medicine and Science in Sports and Exercise</i> , <b>2016</b> , 48, 1259-69  Response to "Perivascular adipose tissue and inflammation. <i>Obesity</i> , <b>2016</b> , 24, 548  Each Aerobic exercise training in the treatment of non-alcoholic fatty liver disease related fibrosis. <i>Journal of Physiology</i> , <b>2016</b> , 594, 5271-84  Comparison of Diet versus Exercise on Metabolic Function and Gut Microbiota in Obese Rats. <i>Medicine and Science in Sports and Exercise</i> , <b>2016</b> , 48, 1688-98  Ablation of eNOS does not promote adipose tissue inflammation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2016</b> , 310, R744-51  Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2015</b> , 308, R394-402  Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2015</b> , 309, R394-602  High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Scudies. <i>Lipids</i> , <b>2015</b> , 30, 997-1008  Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. <i>Physiological Reports</i> , <b>2015</b> , 3, e1245	29		1.2	2
Loss of NIrp3 Does Not Protect Mice from Western Diet-Induced Adipose Tissue Inflammation and Glucose Intolerance. PLoS ONE, 2016, 11, e0161939  20 Coular Complications of Diabetes and Therapeutic Approaches. BioMed Research International, 2016, 2016, 2016, 2015, 3801570  20 Ovariectomized Highly Fit Rats Are Protected against Diet-Induced Insulin Resistance. Medicine and Science in Sports and Exercise, 2016, 48, 1259-69  23 Response to "Perivascular adipose tissue and inflammation. Obesity, 2016, 24, 548  24 Aerobic exercise training in the treatment of non-alcoholic fatty liver disease related fibrosis. Journal of Physiology, 2016, 594, 5271-84  25 Comparison of Diet versus Exercise on Metabolic Function and Gut Microbiota in Obese Rats. Medicine and Science in Sports and Exercise, 2016, 48, 1688-98  26 Ablation of eNOS does not promote adipose tissue inflammation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2016, 310, R744-51  27 Female rats selectively bred for high intrinsic aerobic filtness are protected from ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  28 Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R594-602  29 High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 50, 997-1008  20 Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  20 Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  21 Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and phigh-in	28		3.5	20
Colucose Intolerance. PLoS ONE, 2016, 11, e0161939  Coular Complications of Diabetes and Therapeutic Approaches. BioMed Research International, 2016, 2016, 3801570  Covariectomized Highly Fit Rats Are Protected against Diet-Induced Insulin Resistance. Medicine and Science in Sports and Exercise, 2016, 48, 1259-69  Response to "Perivascular adipose tissue and inflammation. Obesity, 2016, 24, 548  Response to "Perivascular adipose tissue and inflammation. Obesity, 2016, 24, 548  Comparison of Physiology, 2016, 594, 5271-84  Comparison of Diet versus Exercise on Metabolic Function and Gut Microbiota in Obese Rats. Medicine and Science in Sports and Exercise, 2016, 48, 1688-98  Ablation of eNOS does not promote adipose tissue inflammation. American Journal of Physiology Regulatory Integrative and Comparative Physiology, 2016, 310, R744-51  Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  Retention of sednatry obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 30, 997-1008  Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. Obesity, 2015, 23, 2421-9  Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	27		6	18
24 Ovariectomized Highly Fit Rats Are Protected against Diet-Induced Insulin Resistance. Medicine and Science in Sports and Exercise, 2016, 48, 1259-69  23 Response to "Perivascular adipose tissue and inflammation. Obesity, 2016, 24, 548  24 Aerobic exercise training in the treatment of non-alcoholic fatty liver disease related fibrosis. Journal of Physiology, 2016, 594, 5271-84  25 Aerobic exercise training in the treatment of non-alcoholic fatty liver disease related fibrosis. Journal of Physiology, 2016, 594, 5271-84  26 Comparison of Diet versus Exercise on Metabolic Function and Gut Microbiota in Obese Rats. Medicine and Science in Sports and Exercise, 2016, 48, 1688-98  27 Ablation of eNOS does not promote adipose tissue inflammation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2016, 310, R744-51  28 Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  29 Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R594-607  20 High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 50, 997-1008  21 Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  21 Exercise and Estrogen Make Fat Cells "Fit". Exercise and Sport Sciences Reviews, 2015, 43, 172-8  22 Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	26	·	3.7	15
23 Response to "Perivascular adipose tissue and inflammation. Obesity, 2016, 24, 548  24 Aerobic exercise training in the treatment of non-alcoholic fatty liver disease related fibrosis.  25 Journal of Physiology, 2016, 594, 5271-84  26 Comparison of Diet versus Exercise on Metabolic Function and Gut Microbiota in Obese Rats.  27 Medicine and Science in Sports and Exercise, 2016, 48, 1688-98  28 Ablation of eNOS does not promote adipose tissue inflammation. American Journal of Physiology-  29 Regulatory Integrative and Comparative Physiology, 2016, 310, R744-51  20 Regulatory Integrative and Comparative Physiology, 2015, 310, R744-51  21 Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  20 Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R594-602  21 High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 50, 997-1008  22 Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  22 Exercise and Estrogen Make Fat Cells "Fit". Exercise and Sport Sciences Reviews, 2015, 43, 172-8  23 Exercise and Estrogen Make Fat Cells "Fit". Exercise and Sport Sciences Reviews, 2015, 43, 172-8  24 Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. Obesity, 2015, 23, 2421-9  25 Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	25		3	69
Aerobic exercise training in the treatment of non-alcoholic fatty liver disease related fibrosis.  Journal of Physiology, 2016, 594, 5271-84  21 Comparison of Diet versus Exercise on Metabolic Function and Gut Microbiota in Obese Rats.  Medicine and Science in Sports and Exercise, 2016, 48, 1688-98  22 Ablation of eNOS does not promote adipose tissue inflammation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2016, 310, R744-51  23 Female rats selectively bred for high intrinsic aerobic fitness are protected from 24 ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory 25 Integrative and Comparative Physiology, 2015, 308, R530-42  Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical 26 activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and 26 Comparative Physiology, 2015, 309, R594-602  27 High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro 26 Studies. Lipids, 2015, 50, 997-1008  27 Lipids, 2015, 50, 997-1008  28 Sexercise and Estrogen Make Fat Cells "Fit". Exercise and Sport Sciences Reviews, 2015, 43, 172-8  26 Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw 26 physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	24		1.2	8
21 Comparison of Diet versus Exercise on Metabolic Function and Gut Microbiota in Obese Rats.  22 Medicine and Science in Sports and Exercise, 2016, 48, 1688-98  23 Ablation of eNOS does not promote adipose tissue inflammation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2016, 310, R744-51  24 Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  25 Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R594-602  26 High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 50, 997-1008  27 Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  26 5  27 Exercise and Estrogen Make Fat Cells "Fit". Exercise and Sport Sciences Reviews, 2015, 43, 172-8  28 Exercise and Estrogen Make Fat Cells "Fit". Exercise and Sport Sciences Reviews, 2015, 43, 172-8  29 Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. Obesity, 2015, 23, 2421-9  20 Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	23	Response to "Perivascular adipose tissue and inflammation. <i>Obesity</i> , <b>2016</b> , 24, 548	8	
Ablation of eNOS does not promote adipose tissue inflammation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2016, 310, R744-51  Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R594-602  High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 50, 997-1008  1.6 43  Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  Exercise and Estrogen Make Fat Cells "Fit". Exercise and Sport Sciences Reviews, 2015, 43, 172-8  Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. Obesity, 2015, 23, 2421-9  Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	22		3.9	31
Regulatory Integrative and Comparative Physiology, 2016, 310, R744-51  Female rats selectively bred for high intrinsic aerobic fitness are protected from ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R594-602  High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 50, 997-1008  1.6 43  Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  Exercise and Estrogen Make Fat Cells "Fit". Exercise and Sport Sciences Reviews, 2015, 43, 172-8  Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. Obesity, 2015, 23, 2421-9  Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	21		1.2	65
ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R530-42  Retention of sedentary obese visceral white adipose tissue phenotype with intermittent physical activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R594-602  High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 50, 997-1008  Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. Obesity, 2015, 23, 2421-9  Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	20		3.2	7
activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R594-602  High-Fat Diet Alters Serum Fatty Acid Profiles in Obesity Prone Rats: Implications for In Vitro Studies. Lipids, 2015, 50, 997-1008  Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. Physiological Reports, 2015, 3, e12459  Exercise and Estrogen Make Fat Cells "Fit". Exercise and Sport Sciences Reviews, 2015, 43, 172-8  Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. Obesity, 2015, 23, 2421-9  Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	19	ovariectomy-associated metabolic dysfunction. American Journal of Physiology - Regulatory	3.2	38
Divergent role of nitric oxide in insulin-stimulated aortic vasorelaxation between low- and high-intrinsic aerobic capacity rats. <i>Physiological Reports</i> , <b>2015</b> , 3, e12459  Exercise and Estrogen Make Fat Cells "Fit". <i>Exercise and Sport Sciences Reviews</i> , <b>2015</b> , 43, 172-8  Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. <i>Obesity</i> , <b>2015</b> , 23, 2421-9  Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	18	activity despite reduced adiposity. American Journal of Physiology - Regulatory Integrative and	3.2	24
high-intrinsic aerobic capacity rats. <i>Physiological Reports</i> , <b>2015</b> , 3, e12459  Exercise and Estrogen Make Fat Cells "Fit". <i>Exercise and Sport Sciences Reviews</i> , <b>2015</b> , 43, 172-8  Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. <i>Obesity</i> , <b>2015</b> , 23, 2421-9  Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	17		1.6	43
Disconnect between adipose tissue inflammation and cardiometabolic dysfunction in Ossabaw pigs. <i>Obesity</i> , <b>2015</b> , 23, 2421-9  Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	16		2.6	5
pigs. <i>Obesity</i> , <b>2015</b> , 23, 2421-9  Physical Activity Differentially Affects the Cecal Microbiota of Ovariectomized Female Rats	15	Exercise and Estrogen Make Fat Cells "Fit". <i>Exercise and Sport Sciences Reviews</i> , <b>2015</b> , 43, 172-8	6.7	11
	14		8	26
	13		3.7	44

## LIST OF PUBLICATIONS

12	Role of perivascular adipose tissue on vascular reactive oxygen species in type 2 diabetes: a give-and-take relationship. <i>Diabetes</i> , <b>2015</b> , 64, 1904-6	0.9	11
11	Intermittent Physical Activity Produces a Leaner but Bedentary Obesel White Adipose Tissue Phenotype. <i>FASEB Journal</i> , <b>2015</b> , 29, 1055.16	0.9	
10	Inflammation and macrophage modulation in adipose tissues. <i>Cellular Microbiology</i> , <b>2014</b> , 16, 1484-92	3.9	108
9	Adipose tissue and vascular phenotypic modulation by voluntary physical activity and dietary restriction in obese insulin-resistant OLETF rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2014</b> , 306, R596-606	3.2	28
8	BDNF mediates improvements in executive function following a 1-year exercise intervention. <i>Frontiers in Human Neuroscience</i> , <b>2014</b> , 8, 985	3.3	151
7	Effects of pregnancy vitamin D status on adipose tissue development and inflammation in lean, male adult mice offspring (1037.4). <i>FASEB Journal</i> , <b>2014</b> , 28, 1037.4	0.9	
6	Low intrinsic aerobic fitness increases susceptibility to OVX-induced obesity and insulin resistance in the absence of adipose tissue inflammation (1028.3). <i>FASEB Journal</i> , <b>2014</b> , 28, 1028.3	0.9	
5	Neurobiological markers of exercise-related brain plasticity in older adults. <i>Brain, Behavior, and Immunity</i> , <b>2013</b> , 28, 90-9	16.6	266
4	Divergent phenotype of rat thoracic and abdominal perivascular adipose tissues. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2013</b> , 304, R543-52	3.2	100
3	Divergent Phenotype of Rat Thoracic and Abdominal Perivascular Adipose Tissues. <i>FASEB Journal</i> , <b>2013</b> , 27, 916.9	0.9	O
2	Exercise training effects on inflammatory gene expression in white adipose tissue of young mice. <i>Mediators of Inflammation</i> , <b>2012</b> , 2012, 767953	4.3	34
1	Adipose tissue inflammation and reduced insulin sensitivity in ovariectomized mice occurs in the absence of increased adiposity. <i>Endocrinology</i> , <b>2012</b> , 153, 4266-77	4.8	71