
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1227559/publications.pdf Version: 2024-02-01



ΔΝΟΕΙΛ ΡΛΤΤΙ

#	Article	IF	CITATIONS
1	Spectroscopic investigation on 1,2-substituted ferrocenes with only planar chirality: how chiroptical data are related to absolute configuration and to substituents. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 272, 121010.	3.9	2
2	Stereoselective Promiscuous Reactions Catalyzed by Lipases. International Journal of Molecular Sciences, 2022, 23, 2675.	4.1	21
3	Chiral Molecules: Properties, Synthesis and Analysis. Symmetry, 2022, 14, 579.	2.2	0
4	Preparation, characterization, and antimicrobial activity of ferrocene ontaining polymeric materials. Journal of Applied Polymer Science, 2021, 138, 49852.	2.6	4
5	Biocatalytic regio- and stereoselective access to ω-3 endocannabinoid epoxides with peroxygenase from oat flour. Bioorganic Chemistry, 2021, 113, 105014.	4.1	2
6	Stereospecific Epoxidation of Limonene Catalyzed by Peroxygenase from Oat Seeds. Antioxidants, 2021, 10, 1462.	5.1	6
7	Breaking Molecular Symmetry through Biocatalytic Reactions to Gain Access to Valuable Chiral Synthons. Symmetry, 2020, 12, 1454.	2.2	16
8	Degradation profile of nepafenac in aqueous solution and structural characterization of a novel degradation product. Journal of Pharmaceutical and Biomedical Analysis, 2020, 189, 113432.	2.8	4
9	Effect of cyclodextrin additives on azithromycin in aqueous solution and insight into the stabilization mechanism by sulfobutyl ether-Î <sup>2</sup> -cyclodextrin. International Journal of Pharmaceutics, 2019, 566, 674-679.	5.2	6
10	Ferrocenes with simple chiral substituents: an in-depth theoretical and experimental VCD and ECD study. Physical Chemistry Chemical Physics, 2019, 21, 9419-9432.	2.8	19
11	Lyophilized extracts from vegetable flours as valuable alternatives to purified oxygenases for the synthesis of oxylipins. Bioorganic Chemistry, 2019, 93, 103325.	4.1	7
12	Resolution of racemic amines via lipase-catalyzed benzoylation: Chemoenzymatic synthesis of the pharmacologically active isomers of labetalol. Molecular Catalysis, 2018, 449, 79-84.	2.0	12
13	pH-Dependent stability of azithromycin in aqueous solution and structure identification of two new degradation products. Journal of Pharmaceutical and Biomedical Analysis, 2018, 158, 47-53.	2.8	9
14	Synthesis of the ferrocenyl analogue of clotrimazole drug. Journal of Organometallic Chemistry, 2017, 830, 56-61.	1.8	13
15	Characterization of a conglomerate-forming derivative of (±)-milnacipran and its enantiomeric resolution by preferential crystallization. RSC Advances, 2016, 6, 49876-49882.	3.6	3
16	Synthesis of new ferrocenyl dehydrozingerone derivatives and their effects on viability of PC12 cells. Polyhedron, 2016, 117, 80-89.	2.2	16
17	Milnacipran as a challenging example of aminomethyl substrate for lipase-catalyzed kinetic resolution. Journal of Molecular Catalysis B: Enzymatic, 2014, 104, 82-86.	1.8	7
18	Synthesis of Hybrid Ferroceneâ€Proline Amides as Active Catalysts for Asymmetric Aldol Reactions in Water. European Journal of Organic Chemistry, 2014, 2014, 624-630.	2.4	25

#	Article	IF	CITATIONS
19	Enantioseparation of aldols by highâ€performance liquid chromatography on polysaccharideâ€based chiral stationary phases that bear chlorinated substituents. Journal of Separation Science, 2014, 37, 3451-3460.	2.5	1
20	Lipase behavior in the stereoselective transesterification of zingerol-like derivatives and related biphenyls. Journal of Molecular Catalysis B: Enzymatic, 2013, 90, 107-113.	1.8	2
21	Chemo-enzymatic Synthesis of New Chiral Bipyridyl Alcohols and their Atropisomeric N,N-dioxides. Current Organic Chemistry, 2012, 16, 1636-1644.	1.6	1
22	Synthesis of 2-ferrocenylquinoline derivatives and evaluation of their antimalarial activity. Journal of Organometallic Chemistry, 2012, 716, 216-221.	1.8	20
23	Mild hydrolytic cleavage of α-ferrocenylalkyl-O-methyl ethers. Tetrahedron, 2012, 68, 3300-3305.	1.9	6
24	Parallel or classical kinetic resolution of a planar chiral ferrocenylketone through asymmetric reductions. Tetrahedron: Asymmetry, 2010, 21, 2631-2637.	1.8	18
25	Hydrogenation of ortho-nitrochalcones over Pd/C as a simple access to 2-substituted 1,2,3,4-tetrahydroquinolines. Tetrahedron, 2010, 66, 5607-5611.	1.9	21
26	Synthesis and Characterization of Some Chiral Metal-Salen Complexes Bearing a Ferrocenophane Substituent. Molecules, 2009, 14, 4312-4325.	3.8	27
27	Chiral HPLC analysis of milnacipran and its FMOCâ€derivative on celluloseâ€based stationary phases. Chirality, 2008, 20, 63-68.	2.6	19
28	Microwave-assisted synthesis of 1,5-dioxo-3-substituted [5]ferrocenophanes. Journal of Organometallic Chemistry, 2008, 693, 1375-1381.	1.8	9
29	Synthesis of chiral alcohols containing the 1,3-diferrocenylpropane structural motif. Tetrahedron: Asymmetry, 2008, 19, 1891-1897.	1.8	10
30	Synthesis of novel chiral â€~salen-type' ferrocenyl ligands. Tetrahedron: Asymmetry, 2007, 18, 2377-2380.	1.8	11
31	Synthesis of chiral 1-ferrocenylaldols and 1-ferrocenyl-1,3-diols via asymmetric reductions. Tetrahedron: Asymmetry, 2006, 17, 1824-1830.	1.8	21
32	Chemoenzymatic access to all four enantiopure stereoisomers of 1-ferrocenyl-1,3-butanediol. Tetrahedron: Asymmetry, 2006, 17, 778-785.	1.8	11
33	Synthesis and atropisomeric stability of 2,2′-bis(ferrocenylhydroxymethyl)-1,1′-biphenyl. Tetrahedron: Asymmetry, 2005, 16, 965-970.	1.8	8
34	Stereoselective synthesis of chiral atropisomerically stable ferrocenyldiols containing a biphenyl unit. Tetrahedron: Asymmetry, 2005, 16, 3049-3058.	1.8	8
35	Stereoselective oxazaborolidine–borane reduction of biphenyl methyl diketones: influence of biphenyl substitution pattern. Tetrahedron, 2004, 60, 10305-10310.	1.9	3
36	Application of lipase catalysis in organic solvents for selective protection–deprotection of bioactive compounds. Journal of Molecular Catalysis B: Enzymatic, 2003, 22, 271-277.	1.8	37

ANGELA PATTI

#	Article	IF	CITATIONS
37	Screening of chiral ferrocenyl amino alcohols as ligands for ruthenium-catalysed transfer hydrogenation of ketones. Tetrahedron: Asymmetry, 2003, 14, 597-602.	1.8	34
38	Stereoselective oxazaborolidine–borane reduction of biphenyl alkyl diketones–lignin models: enantiopure dehydrodiapocynol derivatives. Tetrahedron: Asymmetry, 2003, 14, 2467-2474.	1.8	20
39	Synthesis of α,β-disubstituted ferrocenes via a ferrocenylepoxide intermediate. Preparation and catalytic activity of a new chiral ferrocenyloxazoline. Tetrahedron: Asymmetry, 2002, 12, 3375-3380.	1.8	30
40	Stereoselective oxazaborolidine–borane reduction of biphenyl alkyl ketones. Tetrahedron: Asymmetry, 2002, 13, 891-898.	1.8	17
41	A new resolution of (1α,2β,3α,4β)-2,3-dibromocyclohex-5-en-1,4-diol by lipase from Mucor miehei. Tetrahedron: Asymmetry, 2000, 11, 1043-1045.	1.8	9
42	Preparation of chiral C2-symmetrical 1,1′-disubstituted ferrocenes. Tetrahedron: Asymmetry, 2000, 11, 3687-3692.	1.8	19
43	Asymmetric oxidation of 1,3-cyclohexadiene catalysed by chloroperoxidase from Caldariomyces fumago. Tetrahedron: Asymmetry, 2000, 11, 3269-3272.	1.8	13
44	Chemoenzymatic approach to novel chiral difunctionalised ferrocenes. Tetrahedron: Asymmetry, 2000, 11, 815-822.	1.8	15
45	Use of Mucor miehei lipase in the preparation of long chain 3-O-acylcatechins. Journal of Molecular Catalysis B: Enzymatic, 2000, 10, 577-582.	1.8	40
46	Kinetic resolution of 1,2-dihydroxy-3-ferrocenylpropane by sequential lipase-catalysed esterification. Tetrahedron: Asymmetry, 1999, 10, 2651-2654.	1.8	13
47	Enzymatic resolution of (±)-conduritol-B, a key intermediate for the synthesis of glycosidase inhibitors. Tetrahedron: Asymmetry, 1999, 10, 3273-3276.	1.8	18
48	Convenient access to both enantiomers of new azido- and aminoinositols via a chemoenzymatic route. Tetrahedron: Asymmetry, 1998, 9, 2809-2817.	1.8	18
49	Lipase-mediated resolution of 2-hydroxymethyl-1-iodoferrocene: synthesis of ferrocenes and biferrocenes with planar chirality. Tetrahedron: Asymmetry, 1998, 9, 3073-3080.	1.8	40
50	Synthesis of new ferrocenyl aminoalcohols and aminonitriles and catalytic properties of the aminoalcohols in the ethylation of benzaldehyde. Tetrahedron: Asymmetry, 1998, 9, 4381-4394.	1.8	29
51	Lipase catalysed resolution of ferrocene cyanohydrin: access to novel ferrocenyl aminoalcohols and diamines. Tetrahedron: Asymmetry, 1997, 8, 1027-1030.	1.8	9
52	An efficient enzymatic preparation of (+)- and (â^')-conduritol E, a cyclitol with C2 symmetry. Tetrahedron: Asymmetry, 1997, 8, 1569-1573.	1.8	33
53	Chemoenzymatic preparation of enantiopure partial esters of conduritol E. Tetrahedron: Asymmetry, 1997, 8, 2083-2084.	1.8	10
54	Lipase-assisted preparation of enantiopure ferrocenyl sulfides possessing planar chirality and their use in the synthesis of chiral sulfoxides. Tetrahedron, 1997, 53, 1361-1368.	1.9	29

#	Article	IF	CITATIONS
55	Enantioselective Synthesis of (â^')- and (+)-Conduritol F via Enzymatic Asymmetrization of cis-Cyclohexa-3,5-diene-1,2-diol. Journal of Organic Chemistry, 1996, 61, 6458-6461.	3.2	16
56	Convenient lipase-assisted preparation of both enantiomers of suprofen, a non-steroidal anti-inflammatory drug. Chirality, 1996, 8, 377-380.	2.6	19
57	Lipase-mediated resolution of racemic 2-hydroxymethyl-1-methylthioferrocene. Tetrahedron Letters, 1996, 37, 127-130.	1.4	28
58	Enzymatic desymmetrisation of conduritol D. preparation of homochiral intermediates for the synthesis of cyclitols and aminocyclitols. Tetrahedron: Asymmetry, 1996, 7, 2665-2670.	1.8	20
59	Desymmetrization of cis-1,2-dihydroxycycloalkanes by stereoselective lipase mediated esterification. Tetrahedron: Asymmetry, 1995, 6, 519-524.	1.8	28
60	Resolution of racemic flurbiprofen by lipase-mediated esterification in organic solvent. Tetrahedron: Asymmetry, 1995, 6, 1773-1778.	1.8	66
61	1,3-Dipolar addition of diazomethane to 1-acetoxy-2-hydroxycyclo-hexa-3,5-diene. Synthesis of a couple of chiral Δ1-pyrazolines. Tetrahedron: Asymmetry, 1995, 6, 2195-2198.	1.8	2
62	Enzymatic access to homochiral 1-acetoxy-2-hydroxycyclohexane-3,5-diene through lipase-assisted acetylation in organic solvent. Tetrahedron Letters, 1995, 36, 6545-6546.	1.4	15
63	Enantiopure 1-hydroxymethyl-2-dimethylaminomethylferrocene as efficient catalyst in the enantioselective addition of diethylzinc to aldehydes. Tetrahedron: Asymmetry, 1994, 5, 1639-1642.	1.8	38
64	Enzyme-promoted kinetic resolution of 1-hydroxymethyl-2-dimethylaminomethylferrocene. Tetrahedron: Asymmetry, 1994, 5, 1275-1280.	1.8	24
65	Desymmetrization of meso-hydrobenzoin via stereoselective enzymatic esterification. Tetrahedron: Asymmetry, 1994, 5, 283-288.	1.8	17
66	Lipase-mediated separation of the stereoisomers of 1-(1-hydroxyethyl)-2-(hydroxymethyl)ferrocene. Journal of Organic Chemistry, 1994, 59, 251-254.	3.2	20
67	Separation of stereoisomeric 1,1′-bis(α-hydroxyethyl)ferrocedes by lipase-mediated acetylation in organic solvent. Tetrahedron: Asymmetry, 1993, 4, 919-924.	1.8	17
68	Thetines and Betaines of the Red Alga Digenea simplex. Journal of Natural Products, 1993, 56, 432-435.	3.0	13
69	Enzyme-Mediated Regioprotection-Deprotection of Hydroxyl Groups in (+)-Catechin. Synthesis, 1993, 1993, 1155-1158.	2.3	29
70	Biosynthetic Relationships Between Sulfonium and N-Methylated Compounds in the Red Alga Vidalia volubilis. Journal of Natural Products, 1992, 55, 53-57.	3.0	6
71	Lipase mediated desymmetrization of 1,2-bis(hydroxymethyl)ferrocene in organic medium: Production of both enantiomers of 2-acetoxymethyl-1-hydroxymethylferrocene. Tetrahedron: Asymmetry, 1992, 3, 753-758.	1.8	31
72	Nicaeensin, a New Amidinoureido Compound from the Red Alga Schottera nicaeensis. Journal of Natural Products, 1990, 53, 1220-1224.	3.0	6

#	Article	IF	CITATIONS
73	The Role of Methylsulfonium Compounds in the Biosynthesis of N-Methylated Metabolites in Chondria coerulescens. Journal of Natural Products, 1990, 53, 87-93.	3.0	24
74	Dragendorff-positive compounds in some Mediterranean red algae. Biochemical Systematics and Ecology, 1989, 17, 5-10.	1.3	15
75	Two New Dragendorff-Positive Compounds from Marine Algae. Journal of Natural Products, 1988, 51, 1017-1020.	3.0	15