## Rhonda Bassel-Duby

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1229631/rhonda-bassel-duby-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84 7,835 40 88 g-index

88 9,683 14 6.13 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
84	The cardiac-enriched microprotein mitolamban regulates mitochondrial respiratory complex assembly and function in mice <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2022</b> , 119,	11.5	2
83	Long-term maintenance of dystrophin expression and resistance to injury of skeletal muscle in gene edited DMD mice <i>Molecular Therapy - Nucleic Acids</i> , <b>2022</b> , 28, 154-167	10.7	2
82	RBPMS is an RNA-binding protein that mediates cardiomyocyte binucleation and cardiovascular development <i>Developmental Cell</i> , <b>2022</b> , 57, 959-973.e7	10.2	4
81	Toward CRISPR Therapies for Cardiomyopathies. Circulation, 2021, 144, 1525-1527	16.7	2
80	Precise correction of Duchenne muscular dystrophy exon deletion mutations by base and prime editing. <i>Science Advances</i> , <b>2021</b> , 7,	14.3	29
79	A myocardin-adjacent lncRNA balances SRF-dependent gene transcription in the heart. <i>Genes and Development</i> , <b>2021</b> , 35, 835-840	12.6	4
78	The histone reader PHF7 cooperates with the SWI/SNF complex at cardiac super enhancers to promote direct reprogramming. <i>Nature Cell Biology</i> , <b>2021</b> , 23, 467-475	23.4	16
77	Regulation of cold-induced thermogenesis by the RNA binding protein FAM195A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	1
76	Prednisolone rescues Duchenne muscular dystrophy phenotypes in human pluripotent stem cell-derived skeletal muscle in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	8
75	Direct reprogramming as a route to cardiac repair. Seminars in Cell and Developmental Biology, <b>2021</b>	7.5	7
74	Cardiac Myoediting Attenuates Cardiac Abnormalities in Human and Mouse Models of Duchenne Muscular Dystrophy. <i>Circulation Research</i> , <b>2021</b> , 129, 602-616	15.7	2
73	Nrf1 promotes heart regeneration and repair by regulating proteostasis and redox balance. <i>Nature Communications</i> , <b>2021</b> , 12, 5270	17.4	11
7 <sup>2</sup>	A consolidated AAV system for single-cut CRISPR correction of a common Duchenne muscular dystrophy mutation. <i>Molecular Therapy - Methods and Clinical Development</i> , <b>2021</b> , 22, 122-132	6.4	4
71	CRISPR/Cas correction of muscular dystrophies. Experimental Cell Research, 2021, 408, 112844	4.2	1
70	The nuclear envelope protein Net39 is essential for muscle nuclear integrity and chromatin organization. <i>Nature Communications</i> , <b>2021</b> , 12, 690	17.4	4
69	Cell-Type-Specific Gene Regulatory Networks Underlying Murine Neonatal Heart Regeneration at Single-Cell Resolution. <i>Cell Reports</i> , <b>2020</b> , 33, 108472	10.6	25
68	Degenerative and regenerative pathways underlying Duchenne muscular dystrophy revealed by single-nucleus RNA sequencing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 29691-29701	11.5	22

## (2018-2020)

67	Correction of Three Prominent Mutations in Mouse and Human Models of Duchenne Muscular Dystrophy by Single-Cut Genome Editing. <i>Molecular Therapy</i> , <b>2020</b> , 28, 2044-2055	11.7	25
66	Dynamic Transcriptional Responses to Injury of Regenerative and Non-regenerative Cardiomyocytes Revealed by Single-Nucleus RNA Sequencing. <i>Developmental Cell</i> , <b>2020</b> , 53, 102-116.e8	3 <sup>10.2</sup>	37
65	Enhanced CRISPR-Cas9 correction of Duchenne muscular dystrophy in mice by a self-complementary AAV delivery system. <i>Science Advances</i> , <b>2020</b> , 6, eaay6812	14.3	64
64	Correction of muscular dystrophies by CRISPR gene editing. <i>Journal of Clinical Investigation</i> , <b>2020</b> , 130, 2766-2776	15.9	25
63	CRISPR-Mediated Activation of Endogenous Gene Expression in the Postnatal Heart. <i>Circulation Research</i> , <b>2020</b> , 126, 6-24	15.7	18
62	Mechanistic basis of neonatal heart regeneration revealed by transcriptome and histone modification profiling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 18455-18465	11.5	46
61	Sema3a-Nrp1 Signaling Mediates Fast-Twitch Myofiber Specificity of Tw2 Cells. <i>Developmental Cell</i> , <b>2019</b> , 51, 89-98.e4	10.2	3
60	In vivo non-invasive monitoring of dystrophin correction in a new Duchenne muscular dystrophy reporter mouse. <i>Nature Communications</i> , <b>2019</b> , 10, 4537	17.4	20
59	Cardiac Reprogramming Factors Synergistically Activate Genome-wide Cardiogenic Stage-Specific Enhancers. <i>Cell Stem Cell</i> , <b>2019</b> , 25, 69-86.e5	18	45
58	NURR1 activation in skeletal muscle controls systemic energy homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 11299-11308	11.5	20
57	CRISPR-Cas9 corrects Duchenne muscular dystrophy exon 44 deletion mutations in mice and human cells. <i>Science Advances</i> , <b>2019</b> , 5, eaav4324	14.3	120
56	Twist2 amplification in rhabdomyosarcoma represses myogenesis and promotes oncogenesis by redirecting MyoD DNA binding. <i>Genes and Development</i> , <b>2019</b> , 33, 626-640	12.6	13
55	High-Phosphate Diet Induces Exercise Intolerance and Impairs Fatty Acid Metabolism in Mice. <i>Circulation</i> , <b>2019</b> , 139, 1422-1434	16.7	16
54	CRISPR Correction of Duchenne Muscular Dystrophy. <i>Annual Review of Medicine</i> , <b>2019</b> , 70, 239-255	17.4	78
53	Cullin-3-RING ubiquitin ligase activity is required for striated muscle function in mice. <i>Journal of Biological Chemistry</i> , <b>2018</b> , 293, 8802-8811	5.4	14
52	Correction of diverse muscular dystrophy mutations in human engineered heart muscle by single-site genome editing. <i>Science Advances</i> , <b>2018</b> , 4, eaap9004	14.3	138
51	Fusogenic micropeptide Myomixer is essential for satellite cell fusion and muscle regeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 3864-3869	11.5	33
50	Control of Muscle Metabolism by the Mediator Complex. <i>Cold Spring Harbor Perspectives in Medicine</i> , <b>2018</b> , 8,	5.4	4

49	Myoediting: Toward Prevention of Muscular Dystrophy by Therapeutic Genome Editing. <i>Physiological Reviews</i> , <b>2018</b> , 98, 1205-1240	47.9	18
48	Identification of a multipotent Twist2-expressing cell population in the adult heart. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, E8430-E8439	11.5	7
47	Therapeutic approaches for cardiac regeneration and repair. <i>Nature Reviews Cardiology</i> , <b>2018</b> , 15, 585-6	<b>Q</b> Q.8	161
46	The DWORF micropeptide enhances contractility and prevents heart failure in a mouse model of dilated cardiomyopathy. <i>ELife</i> , <b>2018</b> , 7,	8.9	44
45	Genetic and epigenetic regulation of cardiomyocytes in development, regeneration and disease. <i>Development (Cambridge)</i> , <b>2018</b> , 145,	6.6	37
44	Gene editing restores dystrophin expression in a canine model of Duchenne muscular dystrophy. <i>Science</i> , <b>2018</b> , 362, 86-91	33.3	283
43	MOXI Is a Mitochondrial Micropeptide That Enhances Fatty Acid Exidation. Cell Reports, 2018, 23, 3701	-337,669	70
42	Blockade to pathological remodeling of infarcted heart tissue using a porcupine antagonist.  Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 1649-1654	11.5	41
41	A Twist2-dependent progenitor cell contributes to adult skeletal muscle. <i>Nature Cell Biology</i> , <b>2017</b> , 19, 202-213	23.4	84
40	Notch Inhibition Enhances Cardiac Reprogramming by Increasing MEF2C Transcriptional Activity. <i>Stem Cell Reports</i> , <b>2017</b> , 8, 548-560	8	78
39	CRISPR-Cpf1 correction of muscular dystrophy mutations in human cardiomyocytes and mice. <i>Science Advances</i> , <b>2017</b> , 3, e1602814	14.3	142
38	Control of muscle formation by the fusogenic micropeptide myomixer. <i>Science</i> , <b>2017</b> , 356, 323-327	33.3	178
37	ZNF281 enhances cardiac reprogramming by modulating cardiac and inflammatory gene expression. <i>Genes and Development</i> , <b>2017</b> , 31, 1770-1783	12.6	58
36	Requirement of the fusogenic micropeptide myomixer for muscle formation in zebrafish.  Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 11950-11955	; <sup>11.5</sup>	35
35	Single-cut genome editing restores dystrophin expression in a new mouse model of muscular dystrophy. <i>Science Translational Medicine</i> , <b>2017</b> , 9,	17.5	129
34	Functional correction of dystrophin actin binding domain mutations by genome editing. <i>JCI Insight</i> , <b>2017</b> , 2,	9.9	51
33	KLHL41 stabilizes skeletal muscle sarcomeres by nonproteolytic ubiquitination. <i>ELife</i> , <b>2017</b> , 6,	8.9	28
32	Severe muscle wasting and denervation in mice lacking the RNA-binding protein ZFP106.  Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E4494-503	11.5	21

## (2012-2016)

31	Myocardin-related transcription factors are required for skeletal muscle development. Development (Cambridge), <b>2016</b> , 143, 2853-61	6.6	19
30	Transcription of the non-coding RNA upperhand controls Hand2 expression and heart development. <i>Nature</i> , <b>2016</b> , 539, 433-436	50.4	209
29	A peptide encoded by a transcript annotated as long noncoding RNA enhances SERCA activity in muscle. <i>Science</i> , <b>2016</b> , 351, 271-5	33.3	439
28	A MED13-dependent skeletal muscle gene program controls systemic glucose homeostasis and hepatic metabolism. <i>Genes and Development</i> , <b>2016</b> , 30, 434-46	12.6	23
27	Structure-function analysis of myomaker domains required for myoblast fusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 2116-21	11.5	52
26	Postnatal genome editing partially restores dystrophin expression in a mouse model of muscular dystrophy. <i>Science</i> , <b>2016</b> , 351, 400-3	33.3	657
25	A mouse model for adult cardiac-specific gene deletion with CRISPR/Cas9. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 338-43	11.5	115
24	Widespread control of calcium signaling by a family of SERCA-inhibiting micropeptides. <i>Science Signaling</i> , <b>2016</b> , 9, ra119	8.8	110
23	Angiotensin II Induces Skeletal Muscle Atrophy by Activating TFEB-Mediated MuRF1 Expression. <i>Circulation Research</i> , <b>2015</b> , 117, 424-36	15.7	57
22	Myocardin-related transcription factors are required for cardiac development and function. <i>Developmental Biology</i> , <b>2015</b> , 406, 109-16	3.1	27
21	Akt1/protein kinase B enhances transcriptional reprogramming of fibroblasts to functional cardiomyocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 11864-9	11.5	119
20	hnRNP U protein is required for normal pre-mRNA splicing and postnatal heart development and function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, E30	o <del>2</del> 6:5	63
19	Myomaker is essential for muscle regeneration. <i>Genes and Development</i> , <b>2014</b> , 28, 1641-6	12.6	106
18	Induction of diverse cardiac cell types by reprogramming fibroblasts with cardiac transcription factors. <i>Development (Cambridge)</i> , <b>2014</b> , 141, 4267-78	6.6	103
17	Prevention of muscular dystrophy in mice by CRISPR/Cas9-mediated editing of germline DNA. <i>Science</i> , <b>2014</b> , 345, 1184-1188	33.3	493
16	MED13-dependent signaling from the heart confers leanness by enhancing metabolism in adipose tissue and liver. <i>EMBO Molecular Medicine</i> , <b>2014</b> , 6, 1610-21	12	59
15	Hippo pathway effector Yap promotes cardiac regeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 13839-44	11.5	575
14	Heart repair by reprogramming non-myocytes with cardiac transcription factors. <i>Nature</i> , <b>2012</b> , 485, 599	-6044	858

13	Concerted regulation of myofiber-specific gene expression and muscle performance by the transcriptional repressor Sox6. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 10196-201	11.5	106
12	Signaling pathways in skeletal muscle remodeling. <i>Annual Review of Biochemistry</i> , <b>2006</b> , 75, 19-37	29.1	580
11	Role of calcineurin in striated muscle: development, adaptation, and disease. <i>Biochemical and Biophysical Research Communications</i> , <b>2003</b> , 311, 1133-41	3.4	61
10	Cardiac-specific LIM protein FHL2 modifies the hypertrophic response to beta-adrenergic stimulation. <i>Circulation</i> , <b>2001</b> , 103, 2731-8	16.7	116
9	Independent signals control expression of the calcineurin inhibitory proteins MCIP1 and MCIP2 in striated muscles. <i>Circulation Research</i> , <b>2000</b> , 87, E61-8	15.7	261
8	Collaborative interactions between MEF-2 and Sp1 in muscle-specific gene regulation. <i>Journal of Cellular Biochemistry</i> , <b>1998</b> , 70, 366-375	4.7	36
7	Myocyte nuclear factor, a novel winged-helix transcription factor under both developmental and neural regulation in striated myocytes. <i>Molecular and Cellular Biology</i> , <b>1994</b> , 14, 4596-605	4.8	83
6	Myocyte nuclear factor, a novel winged-helix transcription factor under both developmental and neural regulation in striated myocytes. <i>Molecular and Cellular Biology</i> , <b>1994</b> , 14, 4596-4605	4.8	31
5	Inhibitor-Resistant Tissue-Type Plasminogen Activator: An Improved Thrombolytic Agent In Vitro. <i>Thrombosis and Haemostasis</i> , <b>1994</b> , 71, 124-128	7	9
4	Sequence elements required for transcriptional activity of the human myoglobin promoter in intact myocardium. <i>Circulation Research</i> , <b>1993</b> , 73, 360-6	15.7	32
3	A 40-kilodalton protein binds specifically to an upstream sequence element essential for muscle-specific transcription of the human myoglobin promoter. <i>Molecular and Cellular Biology</i> , <b>1992</b> , 12, 5024-32	4.8	71
2	A 40-kilodalton protein binds specifically to an upstream sequence element essential for muscle-specific transcription of the human myoglobin promoter. <i>Molecular and Cellular Biology</i> , <b>1992</b> , 12, 5024-5032	4.8	31
1	Prednisolone rescues Duchenne Muscular Dystrophy phenotypes in human pluripotent stem cells-derived skeletal muscle in vitro		2