

Guang-Wen Lu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1229729/guang-wen-lu-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51
papers

4,910
citations

24
h-index

57
g-index

57
ext. papers

6,591
ext. citations

14.1
avg, IF

5.82
L-index

#	Paper	IF	Citations
51	Characterization of SARS-CoV-2 Omicron spike RBD reveals significantly decreased stability, severe evasion of neutralizing-antibody recognition but unaffected engagement by decoy ACE2 modified for enhanced RBD binding.. <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 56	21	1
50	Spike protein of SARS-CoV-2 Omicron (B.1.1.529) variant have a reduced ability to induce the immune response.. <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 119	21	5
49	Intranasal administration of a recombinant RBD vaccine induces long-term immunity against Omicron-included SARS-CoV-2 variants.. <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 159	21	0
48	SARS-CoV-2 Omicron variant: Characteristics and prevention.. <i>MedComm</i> , 2021 ,	2.2	85
47	Genomic monitoring of SARS-CoV-2 uncovers an Nsp1 deletion variant that modulates type I interferon response. <i>Cell Host and Microbe</i> , 2021 , 29, 489-502.e8	23.4	47
46	SARS-CoV-2 M inhibitors with antiviral activity in a transgenic mouse model. <i>Science</i> , 2021 , 371, 1374-1378	39.3	124
45	Flagella hook protein FlgE is a novel vaccine candidate of <i>Pseudomonas aeruginosa</i> identified by a genomic approach. <i>Vaccine</i> , 2021 , 39, 2386-2395	4.1	3
44	A bivalent recombinant vaccine targeting the S1 protein induces neutralizing antibodies against both SARS-CoV-2 variants and wild-type of the virus. <i>MedComm</i> , 2021 , 2, 430	2.2	13
43	Crystal structure of SARS-CoV-2 nsp10 bound to nsp14-ExoN domain reveals an exoribonuclease with both structural and functional integrity. <i>Nucleic Acids Research</i> , 2021 , 49, 5382-5392	20.1	27
42	S19W, T27W, and N330Y mutations in ACE2 enhance SARS-CoV-2 S-RBD binding toward both wild-type and antibody-resistant viruses and its molecular basis. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 343	21	3
41	Crystal structure of bovine herpesvirus 1 glycoprotein D bound to nectin-1 reveals the basis for its low-affinity binding to the receptor. <i>Science Advances</i> , 2020 , 6, eaba5147	14.3	4
40	Structural Analysis of Rabies Virus Glycoprotein Reveals pH-Dependent Conformational Changes and Interactions with a Neutralizing Antibody. <i>Cell Host and Microbe</i> , 2020 , 27, 441-453.e7	23.4	18
39	Structural and Functional Basis of SARS-CoV-2 Entry by Using Human ACE2. <i>Cell</i> , 2020 , 181, 894-904.e9	56.2	1513
38	Molecular Basis of Binding between Middle East Respiratory Syndrome Coronavirus and CD26 from Seven Bat Species. <i>Journal of Virology</i> , 2020 , 94,	6.6	12
37	A vaccine targeting the RBD of the S protein of SARS-CoV-2 induces protective immunity. <i>Nature</i> , 2020 , 586, 572-577	50.4	348
36	Crystal structure of SARS-CoV-2 nsp10/nsp16 2FO-methylase and its implication on antiviral drug design. <i>Signal Transduction and Targeted Therapy</i> , 2020 , 5, 131	21	46
35	Cationic nanocarriers as potent adjuvants for recombinant S-RBD vaccine of SARS-CoV-2. <i>Signal Transduction and Targeted Therapy</i> , 2020 , 5, 291	21	7

34	Crystal structure of PA0833 periplasmic domain from <i>Pseudomonas aeruginosa</i> reveals an unexpected enlarged peptidoglycan binding pocket. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 511, 875-881	3.4	3
33	Crystal structure of the S1 subunit N-terminal domain from DcCoV UAE-HKU23 spike protein. <i>Virology</i> , 2019 , 535, 74-82	3.6	2
32	Active DNA unwinding and transport by a membrane-adapted helicase nanopore. <i>Nature Communications</i> , 2019 , 10, 5083	17.4	16
31	The novel regulators CheP and CheQ control the core chemotaxis operon cheVAW in <i>Campylobacter jejuni</i> . <i>Molecular Microbiology</i> , 2019 , 111, 145-158	4.1	2
30	Molecular basis of binding between the global post-transcriptional regulator CsrA and the T3SS chaperone CesT. <i>Nature Communications</i> , 2018 , 9, 1196	17.4	17
29	Middle East respiratory syndrome coronavirus and bat coronavirus HKU9 both can utilize GRP78 for attachment onto host cells. <i>Journal of Biological Chemistry</i> , 2018 , 293, 11709-11726	5.4	114
28	Crystal structure of Usutu virus envelope protein in the pre-fusion state. <i>Virology Journal</i> , 2018 , 15, 183	6.1	7
27	Cryo-EM structures of MERS-CoV and SARS-CoV spike glycoproteins reveal the dynamic receptor binding domains. <i>Nature Communications</i> , 2017 , 8, 15092	17.4	484
26	Structure of the S1 subunit C-terminal domain from bat-derived coronavirus HKU5 spike protein. <i>Virology</i> , 2017 , 507, 101-109	3.6	9
25	Two classes of protective antibodies against Pseudorabies virus variant glycoprotein B: Implications for vaccine design. <i>PLoS Pathogens</i> , 2017 , 13, e1006777	7.6	22
24	Structural basis of nectin-1 recognition by pseudorabies virus glycoprotein D. <i>PLoS Pathogens</i> , 2017 , 13, e1006314	7.6	26
23	Discovery of Potent and Selective Inhibitors of Cdc2-Like Kinase 1 (CLK1) as a New Class of Autophagy Inducers. <i>Journal of Medicinal Chemistry</i> , 2017 , 60, 6337-6352	8.3	24
22	From Lead to Drug Candidate: Optimization of 3-(Phenylethynyl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine Derivatives as Agents for the Treatment of Triple Negative Breast Cancer. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 9788-9805	8.3	14
21	Structural and functional analysis of an anchorless fibronectin-binding protein FBPS from Gram-positive bacterium <i>Streptococcus suis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 13869-13874	11.5	21
20	Ebola Viral Glycoprotein Bound to Its Endosomal Receptor Niemann-Pick C1. <i>Cell</i> , 2016 , 164, 258-268	56.2	165
19	Structural basis of collagen recognition by human osteoclast-associated receptor and design of osteoclastogenesis inhibitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 1038-43	11.5	17
18	The NS1 gene from bat-derived influenza-like virus H17N10 can be rescued in influenza A PR8 backbone. <i>Journal of General Virology</i> , 2016 , 97, 1797-1806	4.9	11
17	Putative Receptor Binding Domain of Bat-Derived Coronavirus HKU9 Spike Protein: Evolution of Betacoronavirus Receptor Binding Motifs. <i>Biochemistry</i> , 2016 , 55, 5977-5988	3.2	14

16	Carcinoembryonic Antigen-Related Cell Adhesion Molecule 5 Is an Important Surface Attachment Factor That Facilitates Entry of Middle East Respiratory Syndrome Coronavirus. <i>Journal of Virology</i> , 2016 , 90, 9114-27	6.6	56
15	MERS-CoV spike protein: Targets for vaccines and therapeutics. <i>Antiviral Research</i> , 2016 , 133, 165-77	10.8	72
14	Bat-to-human: spike features determining host jump of coronaviruses SARS-CoV, MERS-CoV, and beyond. <i>Trends in Microbiology</i> , 2015 , 23, 468-78	12.4	363
13	A humanized neutralizing antibody against MERS-CoV targeting the receptor-binding domain of the spike protein. <i>Cell Research</i> , 2015 , 25, 1237-49	24.7	116
12	Recombinant Receptor Binding Domain Protein Induces Partial Protective Immunity in Rhesus Macaques Against Middle East Respiratory Syndrome Coronavirus Challenge. <i>EBioMedicine</i> , 2015 , 2, 1438-46	8.8	87
11	Molecular characterization of the monoclonal antibodies composing ZMAb: a protective cocktail against Ebola virus. <i>Scientific Reports</i> , 2014 , 4, 6881	4.9	74
10	Bat origins of MERS-CoV supported by bat coronavirus HKU4 usage of human receptor CD26. <i>Cell Host and Microbe</i> , 2014 , 16, 328-37	23.4	198
9	Crystal structure of herpes simplex virus 2 gD bound to nectin-1 reveals a conserved mode of receptor recognition. <i>Journal of Virology</i> , 2014 , 88, 13678-88	6.6	29
8	Tailoring subunit vaccine immunity with adjuvant combinations and delivery routes using the Middle East respiratory coronavirus (MERS-CoV) receptor-binding domain as an antigen. <i>PLoS ONE</i> , 2014 , 9, e112602	3.7	64
7	In vitro transcriptome analysis of two Chinese isolates of <i>Streptococcus suis</i> serotype 2. <i>Genomics, Proteomics and Bioinformatics</i> , 2014 , 12, 266-75	6.5	3
6	PILR and PILRH have a siglec fold and provide the basis of binding to sialic acid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 8221-6	11.5	19
5	Molecular basis of binding between novel human coronavirus MERS-CoV and its receptor CD26. <i>Nature</i> , 2013 , 500, 227-31	50.4	466
4	The two-component system Ihk/Irr contributes to the virulence of <i>Streptococcus suis</i> serotype 2 strain 05ZYH33 through alteration of the bacterial cell metabolism. <i>Microbiology (United Kingdom)</i> , 2012 , 158, 1852-1866	2.9	28
3	Binding of herpes simplex virus glycoprotein D to nectin-1 exploits host cell adhesion. <i>Nature Communications</i> , 2011 , 2, 577	17.4	66
2	hNUDT16: a universal decapping enzyme for small nucleolar RNA and cytoplasmic mRNA. <i>Protein and Cell</i> , 2011 , 2, 64-73	7.2	27
1	A novel "open-form" structure of sortaseC from <i>Streptococcus suis</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 2011 , 79, 2764-9	4.2	12