

Christopher B Durr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1230239/publications.pdf>

Version: 2024-02-01

43
papers

777
citations

567281

15
h-index

552781

26
g-index

46
all docs

46
docs citations

46
times ranked

882
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterodinuclear Mg(II)M(II) (M=Cr, Mn, Fe, Co, Ni, Cu and Zn) Complexes for the Ring Opening Copolymerization of Carbon Dioxide/Epoxy and Anhydride/Epoxy. Chemistry - A European Journal, 2022, 28, .	3.3	26
2	Investigating the Ring-Opening Polymerization Activity of Niobium and Tantalum Ethoxides Supported by Phenoxyimine Ligands. ACS Omega, 2022, 7, 23995-24003.	3.5	2
3	<i>ortho</i> -vanillin derived Al(III) and Co(III) catalyst systems for switchable catalysis using μ -decalactone, phthalic anhydride and cyclohexene oxide. Catalysis Science and Technology, 2021, 11, 1737-1745.	4.1	31
4	Heterodinuclear catalysts Zn(II)/M and Mg(II)/M, where M = Na(I), Ca(II) or Cd(II), for phthalic anhydride/cyclohexene oxide ring opening copolymerisation. Catalysis Science and Technology, 2021, 11, 3109-3118.	4.1	16
5	Heterodinuclear Zn(II), Mg(II) or Co(III) with Na(I) Catalysts for Carbon Dioxide and Cyclohexene Oxide Ring Opening Copolymerizations. Chemistry - A European Journal, 2021, 27, 12224-12231.	3.3	28
6	Titanium ONN-(phenolate) Alkoxide Complexes: Unique Reaction Kinetics for Ring-Opening Polymerization of Cyclic Esters. Inorganic Chemistry, 2021, 60, 19336-19344.	4.0	6
7	Heterodinuclear complexes featuring Zn(II) and M = Al(III), Ga(III) or In(III) for cyclohexene oxide and CO ₂ copolymerisation. Dalton Transactions, 2020, 49, 223-231.	3.3	41
8	Indium phosphasalen catalysts showing high isoselectivity and activity in racemic lactide and lactone ring opening polymerizations. Catalysis Science and Technology, 2020, 10, 7226-7239.	4.1	24
9	Groups 1, 2 and Zn(II) Heterodinuclear Catalysts for Epoxy/CO ₂ Ring-Opening Copolymerization. Inorganic Chemistry, 2018, 57, 15575-15583.	4.0	56
10	New Coordination Modes for Modified Schiff Base Ti(IV) Complexes and Their Control over Lactone Ring-Opening Polymerization Activity. Inorganic Chemistry, 2018, 57, 14240-14248.	4.0	27
11	Indium Catalysts for Low-Pressure CO ₂ /Epoxy Ring-Opening Copolymerization: Evidence for a Mononuclear Mechanism?. Journal of the American Chemical Society, 2018, 140, 6893-6903.	13.7	68
12	TMPMg Bu(L), where L = THF, 2-MeTHF, pyridine and dimethylaminopyridine and TMP = 1,5,9-trimesityldipyromethene: Reaction with lactide and μ -caprolactone. Journal of Organometallic Chemistry, 2017, 842, 74-81.	1.8	6
13	[MoO(S ₂) ₂] ²⁺ (L = picolinate or pyrimidine-2-carboxylate) Complexes as MoS ₂ -Inspired Electrocatalysts for Hydrogen Production in Aqueous Solution. Journal of the American Chemical Society, 2016, 138, 13726-13731.	13.7	41
14	TMPZn(SiMe ₃) ₂ , [TMPZn(μ -O Pr)] ₂ and TMPZn[OCMe ₂ C(O)OEt]. Their role in the ring-opening of rac-lactide and μ -caprolactone where TMP = 1,5,9-trimesityldipyromethene. Journal of Organometallic Chemistry, 2016, 812, 56-65.	1.8	10
15	Synthesis, Structure, and Photophysical Properties of Mo ₂ (NN) ₄ and Mo ₂ (NN) ₂ (T ⁺ PB) ₂ , Where NN = N,N'-Diphenylphenylpropiolamidate and T ⁺ PB = 2,4,6-Triisopropylbenzoate. Inorganic Chemistry, 2016, 55, 5836-5844.	4.0	5
16	Dimeric FeFe-hydrogenase mimics bearing carboxylic acids: Synthesis and electrochemical investigation. Polyhedron, 2016, 103, 21-27.	2.2	6
17	BDI ⁺ -MgX(L) where X = Bu and O Bu and L = THF, py and DMAP. The rates of kinetic exchange of L where BDI ⁺ = CH ₃ C(Bu)N-2,6-Pr ₂ C ₆ H ₃ . Polyhedron, 2016, 103, 235-240.	2.2	20
18	Berichtigung: On the Molecular Structure and Bonding in a Lithium Bismuth Porphyrin Complex: LiBi(THF) ₂ . Angewandte Chemie, 2015, 127, 1718-1718.	2.0	0

#	ARTICLE	IF	CITATIONS
19	MM quadruply bonded complexes supported by vinylbenzoate ligands: synthesis, characterization, photophysical properties and application as synthons. <i>Chemical Science</i> , 2015, 6, 1780-1791.	7.4	5
20	Steric and Electronic Factors Associated with the Photoinduced Ligand Exchange of Bidentate Ligands Coordinated to Ru(II). <i>Photochemistry and Photobiology</i> , 2015, 91, 616-623.	2.5	6
21	Electronic and Spectroscopic Properties of Avobenzene Derivatives Attached to Mo_2 Quadruple Bonds: Suppression of the Photochemical Enol-to-Keto Transformation. <i>Journal of the American Chemical Society</i> , 2015, 137, 5155-5162.	13.7	14
22	Bismuth-lithium bonding in the ion pairs: LiBiL_2 , where L = a porphyrin or a salen ligand. <i>Dalton Transactions</i> , 2015, 44, 8205-8213.	3.3	5
23	Molecular ordering by halide-halide interactions in dimolybdenum p-halobenzoates. <i>Inorganica Chimica Acta</i> , 2015, 424, 300-307.	2.4	1
24	On the Molecular Structure and Bonding in a Lithium Bismuth Porphyrin Complex: $\text{LiBi}(\text{TPP})_2$. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 1594-1597.	13.8	9
25	Isomerization initiated by photoinduced ligand dissociation in $\text{Ru}(\text{II})$ complexes with the ligand 2-p-tolylpyridinecarboxaldimine. <i>Dalton Transactions</i> , 2014, 43, 17828-17837.	3.3	6
26	Mo_2 Paddlewheel Complexes Functionalized with a Single MLCT, S_1 Infrared-Active Carboxylate Reporter Ligand: Preparation and Studies of Ground and Photoexcited States. <i>Inorganic Chemistry</i> , 2014, 53, 637-644.	4.0	15
27	Unusually Efficient Pyridine Photodissociation from $\text{Ru}(\text{II})$ Complexes with Sterically Bulky Bidentate Ancillary Ligands. <i>Journal of Physical Chemistry A</i> , 2014, 118, 10603-10610.	2.5	92
28	Molybdenum-molybdenum quadruple bonds supported by 9,10-anthraquinone carboxylate ligands. Molecular, electronic, ground state and unusual photoexcited state properties. <i>Chemical Science</i> , 2014, 5, 2657.	7.4	11
29	4-Nitrophenyl- and 4-nitro-1,1'-biphenyl-4-carboxylates attached to Mo_2 quadruple bonds: ground versus excited state $\text{M}_2\text{-to-ligand}$ conjugation. <i>Dalton Transactions</i> , 2014, 43, 11397.	3.3	5
30	Photophysical Properties of <i>cis</i> - Mo_2 Quadruply Bonded Complexes and Observation of Photoinduced Electron Transfer to Titanium Dioxide. <i>Journal of the American Chemical Society</i> , 2014, 136, 11428-11435.	13.7	12
31	Ethyl 2-hydroxy-2-methylpropanoate derivatives of magnesium and zinc. The effect of chelation on the homo- and copolymerization of lactide and μ -caprolactone. <i>Dalton Transactions</i> , 2014, 43, 2781-2788.	3.3	31
32	Single-site bismuth alkoxide catalysts for the ring-opening polymerization of lactide. <i>Dalton Transactions</i> , 2013, 42, 11234.	3.3	28
33	Modulating the $\text{M}_2\text{-to-ligand}$ charge transfer transition by the use of diarylboron substituents. <i>Dalton Transactions</i> , 2013, 42, 14491.	3.3	6
34	Concerning the Ground State and S_1 and T_1 Photoexcited States of the Homoleptic Quadruply Bonded Complexes $\text{Mo}_2(\text{O}_2\text{CC}_6\text{H}_4\text{X})_4$, where X = H or N . <i>Journal of Physical Chemistry A</i> , 2013, 117, 13893-13898.	2.5	7
35	MM quadruple bonds supported by cyanoacrylate ligands. Extending photon harvesting into the near infrared and studies of the MLCT states. <i>Chemical Science</i> , 2013, 4, 2105.	7.4	13
36	Molecular and electronic structure of MM quadruply bonded complexes containing $\text{O}_2\text{CC}_6\text{H}_4\text{N}(\text{Ph})_2$ supporting ligands. <i>Polyhedron</i> , 2013, 64, 339-345.	2.2	4

#	ARTICLE	IF	CITATIONS
37	Metal–Metal Quadruple Bonds Supported by 5-Ethynylthiophene-2-carboxylato Ligands: Preparation, Molecular and Electronic Structures, Photoexcited State Dynamics, and Application as Molecular Synthons. <i>Journal of the American Chemical Society</i> , 2013, 135, 8254-8259.	13.7	14
38	Coordination of N,N-Chelated Re(CO) ₃ Cl Units Across a Mo ₂ Quadruple Bond: Synthesis, Characterization, and Photophysical Properties of a Re–Mo ₂ –Re Triad and Its Component Pieces. <i>Journal of Physical Chemistry A</i> , 2013, 117, 5997-6006.	2.5	5
39	Selective Photoinduced Ligand Exchange in a New Tris–Heteroleptic Ru(II) Complex. <i>Journal of Physical Chemistry A</i> , 2013, 117, 13885-13892.	2.5	39
40	Electronic Structure and Excited-State Dynamics of the Molecular Triads: <i>trans</i> -M ₂ (T ¹ PB) ₂ [O ₂ CC ₆ H ₅] ₆ Where M = Mo or W, and T ¹ PB = 2,4,6-triisopropylbenzoate. <i>Journal of the American Chemical Society</i> , 2012, 134, 20820-20826.	13.7	10
41	Oxalate Bridged MM Quadruply Bonded Oligomers: Considerations of Electronic Structure and Synthetic Strategies. <i>Journal of Cluster Science</i> , 2012, 23, 767-780.	3.3	2
42	A Family of 1,1,3,3-Tetraalkylguanidine (H-TAG) Solvated Zinc Aryloxide Precatalysts for the Ring-Opening Polymerization of <i>rac</i> -Lactide. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 1424-1430.	2.0	7
43	1,1,3,3-Tetramethylguanidine solvated lanthanide aryloxides: pre-catalysts for intramolecular hydroalkoxylation. <i>Dalton Transactions</i> , 2009, , 10601.	3.3	13