

Ja Kyung Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/12304/ja-kyung-kim-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

2,689
citations

28
h-index

50
g-index

83
ext. papers

3,015
ext. citations

5.3
avg. IF

4.32
L-index

#	Paper	IF	Citations
78	IL-15 enhances CCR5-mediated migration of memory CD8 T cells by upregulating CCR5 expression in the absence of TCR stimulation. <i>Cell Reports</i> , 2021 , 36, 109438	10.6	3
77	Risk assessment of hepatocellular carcinoma and liver-related events using ultrasonography and transient elastography in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1362-1372	3.4	0
76	Phase I Radiation Dose-Escalation Study to Investigate the Dose-Limiting Toxicity of Concurrent Intra-Arterial Chemotherapy for Unresectable Hepatocellular Carcinoma. <i>Cancers</i> , 2020 , 12,	6.6	2
75	Antiviral Therapy in Patients With Chronic Hepatitis C-related Hepatocellular Carcinoma Responding to Palliative Treatment. <i>Journal of Clinical Gastroenterology</i> , 2018 , 52, 557-562	3	4
74	Selective deletion of hepatocyte platelet-derived growth factor receptor β and development of liver fibrosis in mice. <i>Cell Communication and Signaling</i> , 2018 , 16, 93	7.5	12
73	Factors affecting survival after concurrent chemoradiation therapy for advanced hepatocellular carcinoma: a retrospective study. <i>Radiation Oncology</i> , 2017 , 12, 133	4.2	1
72	Real-life prevalence of resistance-associated variants against non-structural protein 5A inhibitors and efficiency of Daclatasvir/Dasunaprevir therapy in Korean patients with genotype 1b hepatitis C. <i>Virology Journal</i> , 2017 , 14, 164	6.1	3
71	Long-Term Follow-Up of Patients After Autologous Bone Marrow Cell Infusion for Decompensated Liver Cirrhosis. <i>Cell Transplantation</i> , 2017 , 26, 1059-1066	4	9
70	Platelet-derived growth factor receptor β in hepatocellular carcinoma is a prognostic marker independent of underlying liver cirrhosis. <i>Oncotarget</i> , 2017 , 8, 39534-39546	3.3	13
69	Clinicopathological features of choledocholithiasis patients with high aminotransferase levels without cholangitis: Prospective comparative study. <i>Medicine (United States)</i> , 2016 , 95, e5176	1.8	8
68	Clinical Utility of a New Automated Hepatitis C Virus Core Antigen Assay for Prediction of Treatment Response in Patients with Chronic Hepatitis C. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1431-7	4.7	5
67	Discrimination of Nonalcoholic Steatohepatitis Using Transient Elastography in Patients with Nonalcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2016 , 11, e0157358	3.7	44
66	Transplantation with autologous bone marrow-derived mesenchymal stem cells for alcoholic cirrhosis: Phase 2 trial. <i>Hepatology</i> , 2016 , 64, 2185-2197	11.2	140
65	A single adenovirus-mediated relaxin delivery attenuates established liver fibrosis in rats. <i>Journal of Gene Medicine</i> , 2016 , 18, 16-26	3.5	8
64	Efficacy and safety of pegylated interferon base treatment in patients with chronic hepatitis C on dialysis. <i>European Journal of Internal Medicine</i> , 2015 , 26, 292-6	3.9	4
63	Effect of eicosapentaenoic acid on cholesterol gallstone formation in C57BL/6J mice. <i>Molecular Medicine Reports</i> , 2015 , 11, 362-6	2.9	3
62	Liver injury in acute hepatitis A is associated with decreased frequency of regulatory T cells caused by Fas-mediated apoptosis. <i>Gut</i> , 2015 , 64, 1303-13	19.2	32

61	Usefulness of the controlled attenuation parameter for detecting liver steatosis in health checkup examinees. <i>Gut and Liver</i> , 2015 , 9, 405-10	4.8	6
60	Prognosis of hepatocellular carcinoma patients with extrahepatic metastasis and the controllability of intrahepatic lesions. <i>Clinical and Experimental Metastasis</i> , 2014 , 31, 475-82	4.7	20
59	Hepatitis C virus attenuates interferon-induced major histocompatibility complex class I expression and decreases CD8+ T cell effector functions. <i>Gastroenterology</i> , 2014 , 146, 1351-60.e1-4	13.3	26
58	Long-term outcomes of chronic hepatitis B virus infection in the era of antiviral therapy in Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1005-11	4	15
57	Progression of diet induced nonalcoholic steatohepatitis is accompanied by increased expression of Kruppel-like-factor 10 in mice. <i>Journal of Translational Medicine</i> , 2014 , 12, 186	8.5	17
56	Assessment of hepatic fibrosis regression by transient elastography in patients with chronic hepatitis B treated with oral antiviral agents. <i>Journal of Korean Medical Science</i> , 2014 , 29, 570-5	4.7	10
55	Concurrent chemoradiotherapy shows long-term survival after conversion from locally advanced to resectable hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 1489-97	3	15
54	Omega-3 polyunsaturated fatty acid and ursodeoxycholic acid have an additive effect in attenuating diet-induced nonalcoholic steatohepatitis in mice. <i>Experimental and Molecular Medicine</i> , 2014 , 46, e127	12.8	20
53	Individual prediction model for lamivudine treatment response in hepatitis B virus e antigen-positive chronic hepatitis B patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1049-55	4	4
52	Clinical outcomes and prognostic factors of patients with advanced hepatocellular carcinoma treated with sorafenib as first-line therapy: a Korean multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1463-9	4	23
51	Impact of postoperative hepatitis B virus reactivation in hepatocellular carcinoma patients who formerly had naturally suppressed virus. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1019-27	4	7
50	A pilot study of autologous CD34-depleted bone marrow mononuclear cell transplantation via the hepatic artery in five patients with liver failure. <i>Cytotherapy</i> , 2013 , 15, 1571-9	4.8	19
49	Survival of hepatocellular carcinoma patients may be improved in surveillance interval not more than 6 months compared with more than 6 months: a 15-year prospective study. <i>Journal of Clinical Gastroenterology</i> , 2013 , 47, 538-44	3	38
48	Antiviral efficacies of currently available rescue therapies for multidrug-resistant chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2013 , 19, 29-35	6.9	12
47	Efficacy and safety of entecavir plus carnitine complex (GODEX [®]) compared to entecavir monotherapy in patient with ALT elevated chronic hepatitis B: randomized, multicenter open-label trials. The GOAL study. <i>Clinical and Molecular Hepatology</i> , 2013 , 19, 165-72	6.9	17
46	Quasispecies and pre-existing drug-resistant mutations of hepatitis B virus in patients with chronic hepatitis B. <i>Gut and Liver</i> , 2013 , 7, 329-34	4.8	11
45	N-3 polyunsaturated fatty acid attenuates cholesterol gallstones by suppressing mucin production with a high cholesterol diet in mice. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1745-51	4	17
44	CD11b(+) Gr1(+) bone marrow cells ameliorate liver fibrosis by producing interleukin-10 in mice. <i>Hepatology</i> , 2012 , 56, 1902-12	11.2	51

43	The significance of ICG-R15 in predicting hepatic toxicity in patients receiving radiotherapy for hepatocellular carcinoma. <i>Liver International</i> , 2012 , 32, 1165-71	7.9	13
42	Clinical characteristics of acute hepatitis A complicated by acute kidney injury. <i>Scandinavian Journal of Infectious Diseases</i> , 2012 , 44, 144-8		3
41	Discordance between liver biopsy and Fibroscan [®] in assessing liver fibrosis in chronic hepatitis b: risk factors and influence of necroinflammation. <i>PLoS ONE</i> , 2012 , 7, e32233	3.7	43
40	A case of acute disseminated encephalomyelitis associated with hepatitis C virus infection. <i>Yonsei Medical Journal</i> , 2012 , 53, 856-8	3	11
39	Transitional features of histologic type of non-alcoholic fatty liver disease in Korean young men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 142-8	4	1
38	Combination of preS deletions and A1762T/G1764A mutations in HBV subgenotype C2 increases the risk of developing HCC. <i>Intervirology</i> , 2012 , 55, 296-302	2.5	10
37	Prediction of esophageal variceal bleeding in B-viral liver cirrhosis using the P2/MS noninvasive index based on complete blood counts. <i>Digestion</i> , 2012 , 86, 264-72	3.6	2
36	Clinical characteristics and prognosis of hepatocellular carcinoma with different sets of serum AFP and PIVKA-II levels. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 849-56	2.2	30
35	Antifibrotic effects of magnesium lithospermate B on hepatic stellate cells and thioacetamide-induced cirrhotic rats. <i>Experimental and Molecular Medicine</i> , 2011 , 43, 341-9	12.8	30
34	Partial virological response to entecavir in treatment-naive patients with chronic hepatitis B. <i>Antiviral Therapy</i> , 2011 , 16, 469-77	1.6	19
33	The usefulness of liver stiffness measurement using FibroScan in chronic hepatitis C in South Korea: a multicenter, prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 171-84		33
32	Early α -fetoprotein response as a predictor for clinical outcome after localized concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Liver International</i> , 2011 , 31, 369-76	7.9	50
31	Long-term clinical outcomes of hepatic arterial infusion chemotherapy with cisplatin with or without 5-fluorouracil in locally advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011 , 137, 659-67	4.9	43
30	¹⁸ F-fluorodeoxyglucose uptake on positron emission tomography as a prognostic predictor in locally advanced hepatocellular carcinoma. <i>Cancer</i> , 2011 , 117, 4779-87	6.4	45
29	Risk assessment of esophageal variceal bleeding in B-viral liver cirrhosis by a liver stiffness measurement-based model. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1654-62, 1730	0.7	48
28	Validation of FIB-4 and comparison with other simple noninvasive indices for predicting liver fibrosis and cirrhosis in hepatitis B virus-infected patients. <i>Liver International</i> , 2010 , 30, 546-53	7.9	167
27	Prospective validation of P2/MS noninvasive index using complete blood counts for detecting oesophageal varices in B-viral cirrhosis. <i>Liver International</i> , 2010 , 30, 860-6	7.9	13
26	A novel liver stiffness measurement-based prediction model for cirrhosis in hepatitis B patients. <i>Liver International</i> , 2010 , 30, 1073-81	7.9	29

25	Clinical efficacy of a 24-months course of lamivudine therapy in patients with HBeAg negative chronic hepatitis B: a long-term prospective study. <i>Journal of Korean Medical Science</i> , 2010 , 25, 882-7	4.7	13
24	A liver stiffness measurement-based, noninvasive prediction model for high-risk esophageal varices in B-viral liver cirrhosis. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1382-90	0.7	159
23	Autologous bone marrow infusion activates the progenitor cell compartment in patients with advanced liver cirrhosis. <i>Cell Transplantation</i> , 2010 , 19, 1237-46	4	71
22	How can we enhance the performance of liver stiffness measurement using FibroScan in diagnosing liver cirrhosis in patients with chronic hepatitis B?. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 66-71	3	88
21	Association between polymorphism of tumor necrosis factor-alpha promoter and response to lamivudine treatment in patients with chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2043-8	4.8	5
20	External validation of P2/MS and comparison with other simple non-invasive indices for predicting liver fibrosis in HBV-infected patients. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2636-43	4	5
19	Reactivation of hepatitis B viral infection in inactive HBsAg carriers following anti-tumor necrosis factor-alpha therapy. <i>Journal of Rheumatology</i> , 2009 , 36, 2416-20	4.1	99
18	Hepatitis B e antigen-negative mutations in the precore and core promoter regions in Korean patients. <i>Journal of Medical Virology</i> , 2009 , 81, 594-601	19.7	15
17	Specific mutations in the enhancer II/core promoter/precore regions of hepatitis B virus subgenotype C2 in Korean patients with hepatocellular carcinoma. <i>Journal of Medical Virology</i> , 2009 , 81, 1002-8	19.7	45
16	Variability in liver stiffness values from different intercostal spaces. <i>Liver International</i> , 2009 , 29, 760-6	7.9	15
15	Recombinant interferon-Beta-1alpha plus ribavirin for the treatment of chronic HCV infection: a prospective, randomized, comparative pilot study. <i>Gut and Liver</i> , 2009 , 3, 20-5	4.8	5
14	Rescue Monotherapy in Lamivudine-Resistant Hepatitis B e Antigen-Positive Chronic Hepatitis B: Adefovir versus Entecavir. <i>Antiviral Therapy</i> , 2009 , 14, 705-712	1.6	19
13	MDM2 and p53 polymorphisms are associated with the development of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Carcinogenesis</i> , 2008 , 29, 1192-6	4.6	108
12	Persistent hepatitis B viral replication affects recurrence of hepatocellular carcinoma after curative resection. <i>Liver International</i> , 2008 , 28, 393-401	7.9	91
11	Pilot clinical trial of localized concurrent chemoradiation therapy for locally advanced hepatocellular carcinoma with portal vein thrombosis. <i>Cancer</i> , 2008 , 113, 995-1003	6.4	128
10	PIVKA-II is a useful tumor marker for recurrent hepatocellular carcinoma after surgical resection. <i>Oncology</i> , 2007 , 72 Suppl 1, 52-7	3.6	74
9	Repetitive short-course hepatic arterial infusion chemotherapy with high-dose 5-fluorouracil and cisplatin in patients with advanced hepatocellular carcinoma. <i>Cancer</i> , 2007 , 110, 129-37	6.4	85
8	Liver cancer in Korea. <i>Hepatology Research</i> , 2007 , 37 Suppl 2, S106-9	5.1	16

7	Role of 18F-fluorodeoxyglucose positron emission tomography in detecting extrahepatic metastasis in pretreatment staging of hepatocellular carcinoma. <i>Oncology</i> , 2007 , 72 Suppl 1, 104-10	3.6	89
6	Changes in serum and ascitic monocyte chemotactic protein-1 (MCP-1) and IL-10 levels in cirrhotic patients with spontaneous bacterial peritonitis. <i>Journal of Interferon and Cytokine Research</i> , 2007 , 27, 227-30	3.5	26
5	Anti-hepatitis A virus seroprevalence among patients with chronic viral liver disease in Korea. <i>European Journal of Gastroenterology and Hepatology</i> , 2007 , 19, 923-6	2.2	14
4	Long-term clinical outcome of phase IIb clinical trial of percutaneous injection with holmium-166/chitosan complex (Milican) for the treatment of small hepatocellular carcinoma. <i>Clinical Cancer Research</i> , 2006 , 12, 543-8	12.9	72
3	Usefulness of urine strip test in the rapid diagnosis of spontaneous bacterial peritonitis. <i>Liver International</i> , 2005 , 25, 1197-201	7.9	27
2	Three cases of diffuse large B-cell lymphoma presenting as primary splenic lymphoma. <i>Yonsei Medical Journal</i> , 2005 , 46, 703-9	3	8
1	Primary liver carcinoma of intermediate (hepatocyte-cholangiocyte) phenotype. <i>Journal of Hepatology</i> , 2004 , 40, 298-304	13.4	183