

Mark G Aarts

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/123064/publications.pdf>

Version: 2024-02-01

108
papers

10,310
citations

46918

47
h-index

34900

98
g-index

114
all docs

114
docs citations

114
times ranked

10347
citing authors

#	ARTICLE	IF	CITATIONS
1	Plant science: the key to preventing slow cadmium poisoning. <i>Trends in Plant Science</i> , 2013, 18, 92-99.	4.3	844
2	The molecular mechanism of zinc and cadmium stress response in plants. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 3187-3206.	2.4	521
3	Large Expression Differences in Genes for Iron and Zinc Homeostasis, Stress Response, and Lignin Biosynthesis Distinguish Roots of <i>Arabidopsis thaliana</i> and the Related Metal Hyperaccumulator <i>Thlaspi caerulescens</i> . <i>Plant Physiology</i> , 2006, 142, 1127-1147.	2.3	477
4	Intragenic Recombination and Diversifying Selection Contribute to the Evolution of Downy Mildew Resistance at the RPP8 Locus of <i>Arabidopsis</i> . <i>Plant Cell</i> , 1998, 10, 1861-1874.	3.1	453
5	What Has Natural Variation Taught Us about Plant Development, Physiology, and Adaptation?. <i>Plant Cell</i> , 2009, 21, 1877-1896.	3.1	401
6	Molecular characterization of the CER1 gene of <i>Arabidopsis</i> involved in epicuticular wax biosynthesis and pollen fertility.. <i>Plant Cell</i> , 1995, 7, 2115-2127.	3.1	390
7	<i>Arabidopsis thaliana</i> transcription factors bZIP19 and bZIP23 regulate the adaptation to zinc deficiency. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 10296-10301.	3.3	334
8	<i>Thlaspi caerulescens</i> , an attractive model species to study heavy metal hyperaccumulation in plants. <i>New Phytologist</i> , 2003, 159, 351-360.	3.5	319
9	Elevated expression of metal transporter genes in three accessions of the metal hyperaccumulator <i>Thlaspi caerulescens</i> . <i>Plant, Cell and Environment</i> , 2001, 24, 217-226.	2.8	313
10	Expression differences for genes involved in lignin, glutathione and sulphate metabolism in response to cadmium in <i>Arabidopsis thaliana</i> and the related Zn/Cd hyperaccumulator <i>Thlaspi caerulescens</i> . <i>Plant, Cell and Environment</i> , 2008, 31, 301-324.	2.8	291
11	The <i>Arabidopsis</i> MALE STERILITY 2 protein shares similarity with reductases in elongation/condensation complexes. <i>Plant Journal</i> , 1997, 12, 615-623.	2.8	268
12	Functional characterization of NRAMP3 and NRAMP4 from the metal hyperaccumulator <i>Thlaspi caerulescens</i> . <i>New Phytologist</i> , 2009, 181, 637-650.	3.5	244
13	The <i>Arabidopsis</i> MALE STERILITY 2 protein shares similarity with reductases in elongation/condensation complexes. <i>Plant Journal</i> , 1997, 12, 615-623.	2.8	239
14	Genotype × environment interaction QTL mapping in plants: lessons from <i>Arabidopsis</i> . <i>Trends in Plant Science</i> , 2014, 19, 390-398.	4.3	237
15	The Impact of the Absence of Aliphatic Glucosinolates on Insect Herbivory in <i>Arabidopsis</i> . <i>PLoS ONE</i> , 2008, 3, e2068.	1.1	223
16	ANTHOCYANINLESS2, a Homeobox Gene Affecting Anthocyanin Distribution and Root Development in <i>Arabidopsis</i> . <i>Plant Cell</i> , 1999, 11, 1217-1226.	3.1	214
17	Transposon tagging of a male sterility gene in <i>Arabidopsis</i> . <i>Nature</i> , 1993, 363, 715-717.	13.7	213
18	Transcriptome dynamics of <i>Arabidopsis</i> during sequential biotic and abiotic stresses. <i>Plant Journal</i> , 2016, 86, 249-267.	2.8	200

#	ARTICLE	IF	CITATIONS
19	Identification of R-Gene Homologous DNA Fragments Genetically Linked to Disease Resistance Loci in <i>Arabidopsis thaliana</i> . <i>Molecular Plant-Microbe Interactions</i> , 1998, 11, 251-258.	1.4	194
20	Natural genetic variation in plant photosynthesis. <i>Trends in Plant Science</i> , 2011, 16, 327-335.	4.3	191
21	Natural variation and QTL analysis for cationic mineral content in seeds of <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2004, 27, 828-839.	2.8	155
22	Opportunities and feasibilities for biotechnological improvement of Zn, Cd or Ni tolerance and accumulation in plants. <i>Environmental and Experimental Botany</i> , 2011, 72, 53-63.	2.0	154
23	Genetic architecture of plant stress resistance: multi-trait genome-wide association mapping. <i>New Phytologist</i> , 2017, 213, 1346-1362.	3.5	144
24	Progress in the genetic understanding of plant iron and zinc nutrition. <i>Physiologia Plantarum</i> , 2006, 126, 407-417.	2.6	121
25	<i>Arabidopsis</i> STERILE APETALA, a multifunctional gene regulating inflorescence, flower, and ovule development. <i>Genes and Development</i> , 1999, 13, 1002-1014.	2.7	120
26	Molecular Characterization of the CER1 Gene of <i>Arabidopsis</i> Involved in Epicuticular Wax Biosynthesis and Pollen Fertility. <i>Plant Cell</i> , 1995, 7, 2115.	3.1	111
27	Gene Expression Differences between <i>Noccaea caerulescens</i> Ecotypes Help to Identify Candidate Genes for Metal Phytoremediation. <i>Environmental Science & Technology</i> , 2014, 48, 3344-3353.	4.6	106
28	Microspore and pollen development in six male-sterile mutants of <i>Arabidopsis thaliana</i> . <i>Canadian Journal of Botany</i> , 1993, 71, 629-638.	1.2	104
29	QTL analysis of cadmium and zinc accumulation in the heavy metal hyperaccumulator <i>Thlaspi caerulescens</i> . <i>Theoretical and Applied Genetics</i> , 2006, 113, 907-920.	1.8	100
30	Phenomics for photosynthesis, growth and reflectance in <i>Arabidopsis thaliana</i> reveals circadian and long-term fluctuations in heritability. <i>Plant Methods</i> , 2016, 12, 14.	1.9	97
31	Expression of the ZNT1 Zinc Transporter from the Metal Hyperaccumulator <i>Noccaea caerulescens</i> Confers Enhanced Zinc and Cadmium Tolerance and Accumulation to <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2016, 11, e0149750.	1.1	80
32	Natural Genetic Variation for Acclimation of Photosynthetic Light Use Efficiency to Growth Irradiance in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2015, 167, 1412-1429.	2.3	78
33	<i>Arabidopsis</i> bZIP19 and bZIP23 act as zinc sensors to control plant zinc status. <i>Nature Plants</i> , 2021, 7, 137-143.	4.7	76
34	A strong effect of growth medium and organ type on the identification of QTLs for phytate and mineral concentrations in three <i>Arabidopsis thaliana</i> RIL populations. <i>Journal of Experimental Botany</i> , 2009, 60, 1409-1425.	2.4	75
35	Converging phenomics and genomics to study natural variation in plant photosynthetic efficiency. <i>Plant Journal</i> , 2019, 97, 112-133.	2.8	75
36	Construction of a genetic linkage map of <i>Thlaspi caerulescens</i> and quantitative trait loci analysis of zinc accumulation. <i>New Phytologist</i> , 2006, 170, 21-32.	3.5	71

#	ARTICLE	IF	CITATIONS
37	The heavy metal hyperaccumulator <i>Thlaspi caerulescens</i> expresses many species-specific genes, as identified by comparative expressed sequence tag analysis. <i>New Phytologist</i> , 2006, 170, 753-766.	3.5	69
38	LPCAT1 controls phosphate homeostasis in a zinc-dependent manner. <i>ELife</i> , 2018, 7, .	2.8	63
39	Mapping QTLs for mineral accumulation and shoot dry biomass under different Zn nutritional conditions in Chinese cabbage (<i>Brassica rapa</i> L. ssp. <i>pekinensis</i>). <i>Plant and Soil</i> , 2008, 310, 25-40.	1.8	62
40	Quantitative trait loci and candidate genes underlying genotype by environment interaction in the response of <i>Arabidopsis thaliana</i> to drought. <i>Plant, Cell and Environment</i> , 2015, 38, 585-599.	2.8	62
41	A transposon insertion in FLOWERING LOCUS T is associated with delayed flowering in <i>Brassica rapa</i> . <i>Plant Science</i> , 2015, 241, 211-220.	1.7	55
42	Genome-Wide Identification, Cloning and Functional Analysis of the Zinc/Iron-Regulated Transporter-Like Protein (ZIP) Gene Family in Trifoliolate Orange (<i>Poncirus trifoliata</i> L. Raf.). <i>Frontiers in Plant Science</i> , 2017, 8, 588.	1.7	55
43	Isolation of Zn-responsive genes from two accessions of the hyperaccumulator plant <i>Thlaspi caerulescens</i> . <i>Planta</i> , 2007, 225, 977-989.	1.6	54
44	Effect of prior drought and pathogen stress on <i>Arabidopsis</i> transcriptome changes to caterpillar herbivory. <i>New Phytologist</i> , 2016, 210, 1344-1356.	3.5	53
45	A two-element Enhancer-Inhibitor transposon system in <i>Arabidopsis thaliana</i> . <i>Molecular Genetics and Genomics</i> , 1995, 247, 555-564.	2.4	52
46	Activity of the AtMRP3 promoter in transgenic <i>Arabidopsis thaliana</i> and <i>Nicotiana tabacum</i> plants is increased by cadmium, nickel, arsenic, cobalt and lead but not by zinc and iron. <i>Journal of Biotechnology</i> , 2009, 139, 258-263.	1.9	52
47	Identification and functional analysis of two ZIP metal transporters of the hyperaccumulator <i>Thlaspi caerulescens</i> . <i>Plant and Soil</i> , 2009, 325, 79-95.	1.8	51
48	Genetic analysis identifies quantitative trait loci controlling rosette mineral concentrations in <i>Arabidopsis thaliana</i> under drought. <i>New Phytologist</i> , 2009, 184, 180-192.	3.5	51
49	Model of how plants sense zinc deficiency. <i>Metallomics</i> , 2013, 5, 1110.	1.0	50
50	Regulation of the adaptation to zinc deficiency in plants. <i>Plant Signaling and Behavior</i> , 2010, 5, 1553-1555.	1.2	49
51	Rice F-bZIP transcription factors regulate the zinc deficiency response. <i>Journal of Experimental Botany</i> , 2020, 71, 3664-3677.	2.4	49
52	Disaggregating polyploidy, parental genome dosage and hybridity contributions to heterosis in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2016, 209, 590-599.	3.5	46
53	High throughput screening with chlorophyll fluorescence imaging and its use in crop improvement. <i>Current Opinion in Biotechnology</i> , 2012, 23, 221-226.	3.3	45
54	Functional ecological genomics to demonstrate general and specific responses to abiotic stress. <i>Functional Ecology</i> , 2008, 22, 8-18.	1.7	43

#	ARTICLE	IF	CITATIONS
55	Reciprocal cybrids reveal how organellar genomes affect plant phenotypes. <i>Nature Plants</i> , 2020, 6, 13-21.	4.7	40
56	Altered photosynthetic performance of a natural <i>Arabidopsis</i> accession is associated with atrazine resistance. <i>Journal of Experimental Botany</i> , 2005, 56, 1625-1634.	2.4	38
57	Multi-element bioimaging of <i>Arabidopsis thaliana</i> roots. <i>Plant Physiology</i> , 2016, 172, pp.00770.2016.	2.3	38
58	De novo transcriptome assemblies of four accessions of the metal hyperaccumulator plant <i>Noccaea caerulescens</i> . <i>Scientific Data</i> , 2017, 4, 160131.	2.4	38
59	Intragenic Recombination and Diversifying Selection Contribute to the Evolution of Downy Mildew Resistance at the RPP8 Locus of <i>Arabidopsis</i> . <i>Plant Cell</i> , 1998, 10, 1861.	3.1	37
60	Comparative transcriptome analysis of the metal hyperaccumulator <i>Noccaea caerulescens</i> . <i>Frontiers in Plant Science</i> , 2014, 5, 213.	1.7	37
61	Isolation and identification of 4- β -rhamnosyloxy benzyl glucosinolate in <i>Noccaea caerulescens</i> showing intraspecific variation. <i>Phytochemistry</i> , 2015, 110, 166-171.	1.4	36
62	Natural variation of YELLOW SEEDLING1 affects photosynthetic acclimation of <i>Arabidopsis thaliana</i> . <i>Nature Communications</i> , 2017, 8, 1421.	5.8	35
63	Genotype \times environment interactions affecting preflowering physiological and morphological traits of <i>Brassica rapa</i> grown in two watering regimes. <i>Journal of Experimental Botany</i> , 2014, 65, 697-708.	2.4	34
64	A comprehensive set of transcript sequences of the heavy metal hyperaccumulator <i>Noccaea caerulescens</i> . <i>Frontiers in Plant Science</i> , 2014, 5, 261.	1.7	32
65	Characterization of natural variation for zinc, iron and manganese accumulation and zinc exposure response in <i>Brassica rapa</i> L.. <i>Plant and Soil</i> , 2007, 291, 167-180.	1.8	31
66	Low frequency of T-DNA based activation tagging in <i>Arabidopsis</i> is correlated with methylation of CaMV 35S enhancer sequences. <i>FEBS Letters</i> , 2003, 555, 459-463.	1.3	29
67	Genetic analysis of morphological traits in a new, versatile, rapid-cycling <i>Brassica rapa</i> recombinant inbred line population. <i>Frontiers in Plant Science</i> , 2012, 3, 183.	1.7	28
68	<i>Gomphrena claussenii</i> , a novel metal-hypertolerant bioindicator species, sequesters cadmium, but not zinc, in vacuolar oxalate crystals. <i>New Phytologist</i> , 2015, 208, 763-775.	3.5	28
69	Overexpression of the MYB29 transcription factor affects aliphatic glucosinolate synthesis in <i>Brassica oleracea</i> . <i>Plant Molecular Biology</i> , 2019, 101, 65-79.	2.0	28
70	Local Fitness Landscapes Predict Yeast Evolutionary Dynamics in Directionally Changing Environments. <i>Genetics</i> , 2018, 208, 307-322.	1.2	27
71	Transcriptional effects of cadmium on iron homeostasis differ in calamine accessions of <i>Noccaea caerulescens</i> . <i>Plant Journal</i> , 2019, 97, 306-320.	2.8	27
72	Natural variation in <i>Arabidopsis thaliana</i> reveals shoot ionome, biomass, and gene expression changes as biomarkers for zinc deficiency tolerance. <i>Journal of Experimental Botany</i> , 2017, 68, 3643-3656.	2.4	26

#	ARTICLE	IF	CITATIONS
73	Expression profiling reveals functionally redundant multiple-copy genes related to zinc, iron and cadmium responses in <i>Brassica rapa</i> . <i>New Phytologist</i> , 2014, 203, 182-194.	3.5	25
74	Cadmium associates with oxalate in calcium oxalate crystals and competes with calcium for translocation to stems in the cadmium bioindicator <i>Gomphrena clausenii</i> . <i>Metallomics</i> , 2018, 10, 1576-1584.	1.0	25
75	Genetics as a key to improving crop photosynthesis. <i>Journal of Experimental Botany</i> , 2022, 73, 3122-3137.	2.4	25
76	Strategies to increase zinc deficiency tolerance and homeostasis in plants. <i>Brazilian Journal of Plant Physiology</i> , 2012, 24, 3-8.	0.5	24
77	Genomics of Adaptation Depends on the Rate of Environmental Change in Experimental Yeast Populations. <i>Molecular Biology and Evolution</i> , 2017, 34, 2613-2626.	3.5	24
78	Intra-specific variation in zinc, cadmium and nickel hypertolerance and hyperaccumulation capacities in <i>Noccaea caerulescens</i> . <i>Plant and Soil</i> , 2020, 452, 479-498.	1.8	23
79	What drives plant stress genes?. <i>Trends in Plant Science</i> , 2003, 8, 99-102.	4.3	22
80	Dynamics of Adaptation in Experimental Yeast Populations Exposed to Gradual and Abrupt Change in Heavy Metal Concentration. <i>American Naturalist</i> , 2016, 187, 110-119.	1.0	22
81	<i>Gomphrena clausenii</i> , the first South-American metallophyte species with indicator-like Zn and Cd accumulation and extreme metal tolerance. <i>Frontiers in Plant Science</i> , 2013, 4, 180.	1.7	21
82	Comparison of two ecotypes of the metal hyperaccumulator <i>Thlaspi caerulescens</i> (J. & C. PRESL) at the transcriptional level. <i>Protoplasma</i> , 2010, 239, 81-93.	1.0	20
83	Comparative transcriptomics – model species lead the way. <i>New Phytologist</i> , 2006, 170, 199-201.	3.5	19
84	Expression of HMA4 cDNAs of the zinc hyperaccumulator <i>Noccaea caerulescens</i> from endogenous NcHMA4 promoters does not complement the zinc-deficiency phenotype of the <i>Arabidopsis thaliana</i> hma2hma4 double mutant. <i>Frontiers in Plant Science</i> , 2013, 4, 404.	1.7	19
85	Natural variation of photosynthetic efficiency in <i>Arabidopsis thaliana</i> accessions under low temperature conditions. <i>Plant, Cell and Environment</i> , 2020, 43, 2000-2013.	2.8	19
86	33. Transposon Tagging with the En-I System. , 1998, 82, 329-338.		18
87	Whole-Genome Hitchhiking on an Organelle Mutation. <i>Current Biology</i> , 2016, 26, 1306-1311.	1.8	17
88	Transcriptomic profiling of <i>Arabidopsis</i> gene expression in response to varying micronutrient zinc supply. <i>Genomics Data</i> , 2016, 7, 256-258.	1.3	17
89	Transcription Profiling of the Metal-hyperaccumulator <i>Thlaspi caerulescens</i> (J. & C. PRESL). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2005, 60, 216-223.	0.6	15
90	Genetic Analysis of Health-Related Secondary Metabolites in a <i>Brassica rapa</i> Recombinant Inbred Line Population. <i>International Journal of Molecular Sciences</i> , 2013, 14, 15561-15577.	1.8	13

#	ARTICLE	IF	CITATIONS
91	Identification of seed-related QTL in Brassica rapa. Spanish Journal of Agricultural Research, 2013, 11, 1085.	0.3	13
92	Spatially-resolved localization and chemical speciation of nickel and zinc in <i>Noccaea tympthaea</i> and <i>Bornmuellera emarginata</i> . Metallomics, 2019, 11, 2052-2065.	1.0	12
93	Arabidopsis thaliana and Thlaspi caerulescens respond comparably to low zinc supply. Plant and Soil, 2008, 306, 85-94.	1.8	10
94	Biofumigation using a wild Brassica oleracea accession with high glucosinolate content affects beneficial soil invertebrates. Plant and Soil, 2015, 394, 155-163.	1.8	10
95	Genetic analysis of the effect of zinc deficiency on Arabidopsis growth and mineral concentrations. Plant and Soil, 2012, 361, 227-239.	1.8	9
96	Photosynthetic response to increased irradiance correlates to variation in transcriptional response of lipid remodeling and heat shock genes. Plant Direct, 2018, 2, e00069.	0.8	9
97	QTL and candidate genes associated with leaf anion concentrations in response to phosphate supply in Arabidopsis thaliana. BMC Plant Biology, 2019, 19, 410.	1.6	9
98	Signals of speciation within Arabidopsis thaliana in comparison with its relatives. Current Opinion in Plant Biology, 2012, 15, 205-211.	3.5	7
99	Natural variation in phosphorylation of photosystem II proteins in <i>Arabidopsis thaliana</i> : is it caused by genetic variation in the STN kinases?. Philosophical Transactions of the Royal Society B: Biological Sciences, 2014, 369, 20130499.	1.8	7
100	Variation in cadmium accumulation and speciation within the same population of the hyperaccumulator Noccaea caerulescens grown in a moderately contaminated soil. Plant and Soil, 2022, 475, 379-394.	1.8	7
101	Quantification of spatial metal accumulation patterns in Noccaea caerulescens by X-ray fluorescence image processing for genetic studies. Plant Methods, 2021, 17, 86.	1.9	6
102	Nicotianamine Secretion for Zinc Excess Tolerance1. Plant Physiology, 2014, 166, 751-752.	2.3	5
103	FLC and SVP Are Key Regulators of Flowering Time in the Biennial/Perennial Species Noccaea caerulescens. Frontiers in Plant Science, 2020, 11, 582577.	1.7	5
104	Multimodal synchrotron X-ray fluorescence imaging reveals elemental distribution in seeds and seedlings of the Zn-Cd-Ni hyperaccumulator <i>Noccaea caerulescens</i> . Metallomics, 2022, 14, .	1.0	5
105	Prior Biological Knowledge Improves Genomic Prediction of Growth-Related Traits in Arabidopsis thaliana. Frontiers in Genetics, 2020, 11, 609117.	1.1	4
106	Isotopic signatures reveal zinc cycling in the natural habitat of hyperaccumulator Dichapetalum gelonioides subspecies from Malaysian Borneo. BMC Plant Biology, 2021, 21, 437.	1.6	2
107	Increasing the iron and zinc contents of plants. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2007, 146, S247-S248.	0.8	0
108	Identification of Genes for Biofortification Genetic and Molecular Analysis of Mineral Accumulation in Arabidopsis thaliana and Other Plant Species. , 2008, , 231-251.		0