Puri Fortes

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1231151/puri-fortes-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

3,729
citations

32
h-index

8.9
ext. papers

4,172
ext. papers

8.9
avg, IF

L-index

#	Paper	IF	Citations
67	The Landscape of lncRNAs in Hepatocellular Carcinoma: A Translational Perspective. <i>Cancers</i> , 2021 , 13,	6.6	7
66	Long Noncoding RNA NIHCOLE Promotes Ligation Efficiency of DNA Double-Strand Breaks in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2021 , 81, 4910-4925	10.1	6
65	Endogenous Retroelement Activation by Epigenetic Therapy Reverses the Warburg Effect and Elicits Mitochondrial-Mediated Cancer Cell Death. <i>Cancer Discovery</i> , 2021 , 11, 1268-1285	24.4	10
64	Long Noncoding RNA EGOT Responds to Stress Signals to Regulate Cell Inflammation and Growth. <i>Journal of Immunology</i> , 2021 , 206, 1932-1942	5.3	1
63	The Mir181ab1 cluster promotes KRAS-driven oncogenesis and progression in lung and pancreas. <i>Journal of Clinical Investigation</i> , 2020 , 130, 1879-1895	15.9	13
62	LncRNAs in the Type I Interferon Antiviral Response. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	10
61	Identification of Coding and Long Noncoding RNAs Differentially Expressed in Tumors and Preferentially Expressed in Healthy Tissues. <i>Cancer Research</i> , 2019 , 79, 5167-5180	10.1	19
60	Inhibition of a G9a/DNMT network triggers immune-mediated bladder cancer regression. <i>Nature Medicine</i> , 2019 , 25, 1073-1081	50.5	71
59	The cirrhotic liver is depleted of docosahexaenoic acid (DHA), a key modulator of NF- B and TGFI pathways in hepatic stellate cells. <i>Cell Death and Disease</i> , 2019 , 10, 14	9.8	19
58	Regulation of the Interferon Response by lncRNAs in HCV Infection. <i>Frontiers in Microbiology</i> , 2018 , 9, 181	5.7	13
57	Deregulation of in acute lymphoblastic leukemia is implicated in abnormal proliferation of leukemic cells. <i>Oncotarget</i> , 2018 , 9, 12842-12852	3.3	32
56	TMEM173 Alternative Spliced Isoforms Modulate Viral Replication through the STING Pathway. <i>ImmunoHorizons</i> , 2018 , 2, 363-376	2.7	7
55	lncRNA-ACOD1: GOT2 has got a lncRNA cofactor. <i>Non-coding RNA Investigation</i> , 2018 , 2, 9-9	0.6	
54	Long Non-coding RNAs in Hepatitis C Virus-Infected Cells. Frontiers in Microbiology, 2017, 8, 1833	5.7	16
53	HCV infection, IFN response and the coding and non-coding host cell genome. <i>Virus Research</i> , 2016 , 212, 85-102	6.4	14
52	Long noncoding RNA EGOT negatively affects the antiviral response and favors HCV replication. <i>EMBO Reports</i> , 2016 , 17, 1013-28	6.5	81
51	Long noncoding RNAs in viral infections. <i>Virus Research</i> , 2016 , 212, 1-11	6.4	64

(2011-2016)

50	Insulin-Like Growth Factor I (IGF-I) Expressed from an AAV1 Vector Leads to a Complete Reversion of Liver Cirrhosis in Rats. <i>PLoS ONE</i> , 2016 , 11, e0162955	3.7	6
49	Identification of IFN-Eproducing T cells as the main mediators of the side effects associated to mouse interleukin-15 sustained exposure. <i>Oncotarget</i> , 2016 , 7, 49008-49026	3.3	9
48	Cancer stem cell-associated microRNAs: searching for markers and targets in hepatocellular carcinoma. <i>Translational Gastroenterology and Hepatology</i> , 2016 , 1, 16	5.2	1
47	U1 interference (U1i) for antiviral approaches. <i>Advances in Experimental Medicine and Biology</i> , 2015 , 848, 51-69	3.6	5
46	Transient depletion of specific immune cell populations to improve adenovirus-mediated transgene expression in the liver. <i>Liver International</i> , 2015 , 35, 1274-89	7.9	13
45	Long Non-Coding RNA BST2/BISPR is Induced by IFN and Regulates the Expression of the Antiviral Factor Tetherin. <i>Frontiers in Immunology</i> , 2014 , 5, 655	8.4	75
44	Type I Interferon Regulates the Expression of Long Non-Coding RNAs. <i>Frontiers in Immunology</i> , 2014 , 5, 548	8.4	43
43	Editing liver tumours. <i>Gut</i> , 2014 , 63, 709-10	19.2	1
42	Negative regulation of the interferon response by an interferon-induced long non-coding RNA. <i>Nucleic Acids Research</i> , 2014 , 42, 10668-80	20.1	143
41	Targeting the insulin-like growth factor pathway in hepatocellular carcinoma. <i>World Journal of Hepatology</i> , 2014 , 6, 716-37	3.4	47
40	PrP(C) regulates epidermal growth factor receptor function and cell shape dynamics in Neuro2a cells. <i>Journal of Neurochemistry</i> , 2013 , 127, 124-38	6	28
39	In vitro correction of a pseudoexon-generating deep intronic mutation in LGMD2A by antisense oligonucleotides and modified small nuclear RNAs. <i>Human Mutation</i> , 2013 , 34, 1387-95	4.7	16
38	Long non-coding RNAs in haematological malignancies. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 15386-422	6.3	34
37	Design of modified U1i molecules against HIV-1 RNA. <i>Antiviral Research</i> , 2012 , 94, 208-16	10.8	10
36	AAV vectors transduce hepatocytes in vivo as efficiently in cirrhotic as in healthy rat livers. <i>Gene Therapy</i> , 2012 , 19, 411-7	4	29
35	Increased in vivo inhibition of gene expression by combining RNA interference and U1 inhibition. <i>Nucleic Acids Research</i> , 2012 , 40, e8	20.1	13
34	Adenovirus and miRNAs. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2011 , 1809, 660-7	6	16
33	AAV-mediated in vivo knockdown of luciferase using combinatorial RNAi and U1i. <i>Gene Therapy</i> , 2011 , 18, 929-35	4	12

32	MicroRNA-451 is involved in the self-renewal, tumorigenicity, and chemoresistance of colorectal cancer stem cells. <i>Stem Cells</i> , 2011 , 29, 1661-71	5.8	222
31	Combination of RNA interference and U1 inhibition leads to increased inhibition of gene expression. <i>Nucleic Acids Research</i> , 2010 , 38, e136	20.1	12
30	Adenovirus VA RNA-derived miRNAs target cellular genes involved in cell growth, gene expression and DNA repair. <i>Nucleic Acids Research</i> , 2010 , 38, 750-63	20.1	122
29	Insulin-like growth factor I gene transfer to cirrhotic liver induces fibrolysis and reduces fibrogenesis leading to cirrhosis reversion in rats. <i>Hepatology</i> , 2010 , 51, 912-21	11.2	61
28	microRNA-451 regulates macrophage migration inhibitory factor production and proliferation of gastrointestinal cancer cells. <i>Clinical Cancer Research</i> , 2009 , 15, 2281-90	12.9	299
27	Epigenetic silencing of the tumor suppressor microRNA Hsa-miR-124a regulates CDK6 expression and confers a poor prognosis in acute lymphoblastic leukemia. <i>Cancer Research</i> , 2009 , 69, 4443-53	10.1	263
26	Down-regulation of hsa-miR-10a in chronic myeloid leukemia CD34+ cells increases USF2-mediated cell growth. <i>Molecular Cancer Research</i> , 2008 , 6, 1830-40	6.6	168
25	Requirements for gene silencing mediated by U1 snRNA binding to a target sequence. <i>Nucleic Acids Research</i> , 2008 , 36, 2338-52	20.1	39
24	Liver transduction with a simian virus 40 vector encoding insulin-like growth factor I reduces hepatic damage and the development of liver cirrhosis. <i>Gene Therapy</i> , 2007 , 14, 203-10	4	23
23	Identification and characterization of RED120: a conserved PWI domain protein with links to splicing and 34end formation. <i>FEBS Letters</i> , 2007 , 581, 3087-97	3.8	14
22	Effect of adenovirus-mediated RNA interference on endogenous microRNAs in a mouse model of multidrug resistance protein 2 gene silencing. <i>Journal of Virology</i> , 2006 , 80, 12236-47	6.6	48
21	Cardiotrophin-1 defends the liver against ischemia-reperfusion injury and mediates the protective effect of ischemic preconditioning. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2809-15	16.6	57
20	Adenovirus virus-associated RNA is processed to functional interfering RNAs involved in virus production. <i>Journal of Virology</i> , 2006 , 80, 1376-84	6.6	126
19	Low surface expression of B7-1 (CD80) is an immunoescape mechanism of colon carcinoma. <i>Cancer Research</i> , 2006 , 66, 2442-50	10.1	110
18	Intratumoral injection of dendritic cells transduced by an SV40-based vector expressing interleukin-15 induces curative immunity mediated by CD8+ T lymphocytes and NK cells. <i>Molecular Therapy</i> , 2005 , 12, 950-9	11.7	25
17	Simian virus-40 as a gene therapy vector. <i>DNA and Cell Biology</i> , 2004 , 23, 271-82	3.6	19
16	Factors influencing the production of recombinant SV40 vectors. <i>Molecular Therapy</i> , 2004 , 10, 780-91	11.7	16
15	In vitro and in vivo comparative study of chimeric liver-specific promoters. <i>Molecular Therapy</i> , 2003 , 7, 375-85	11.7	86

LIST OF PUBLICATIONS

14	Methionine adenosyltransferase II beta subunit gene expression provides a proliferative advantage in human hepatoma. <i>Gastroenterology</i> , 2003 , 124, 940-8	13.3	70
13	The interaction of the cap-binding complex (CBC) with eIF4G is dispensable for translation in yeast. <i>Rna</i> , 2003 , 9, 654-62	5.8	18
12	Inhibiting expression of specific genes in mammalian cells with 5@nd-mutated U1 small nuclear RNAs targeted to terminal exons of pre-mRNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 8264-9	11.5	65
11	The Yeast Nuclear Cap Binding Complex Can Interact with Translation Factor eIF4G and Mediate Translation Initiation. <i>Molecular Cell</i> , 2000 , 6, 191-196	17.6	72
10	The mammalian staufen protein localizes to the somatodendritic domain of cultured hippocampal neurons: implications for its involvement in mRNA transport. <i>Journal of Neuroscience</i> , 1999 , 19, 288-97	6.6	225
9	Interaction of influenza virus NS1 protein and the human homologue of Staufen in vivo and in vitro. <i>Nucleic Acids Research</i> , 1999 , 27, 2241-7	20.1	76
8	The nuclear cap-binding complex is a novel target of growth factor receptor-coupled signal transduction. <i>Journal of Biological Chemistry</i> , 1999 , 274, 4166-73	5.4	35
7	Genetic and physical interactions involving the yeast nuclear cap-binding complex. <i>Molecular and Cellular Biology</i> , 1999 , 19, 6543-53	4.8	73
6	A human sequence homologue of Staufen is an RNA-binding protein that is associated with polysomes and localizes to the rough endoplasmic reticulum. <i>Molecular and Cellular Biology</i> , 1999 , 19, 2212-9	4.8	144
5	Luc7p, a novel yeast U1 snRNP protein with a role in 5\Leplice site recognition. <i>Genes and Development</i> , 1999 , 13, 2425-38	12.6	81
4	Participation of the nuclear cap binding complex in pre-mRNA 3Uprocessing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 11893-8	11.5	184
3	Cleavage of p220 by purified poliovirus 2A(pro) in cell-free systems: effects on translation of capped and uncapped mRNAs. <i>Biochemistry</i> , 1997 , 36, 7802-9	3.2	20
2	Influenza virus NS1 protein alters the subnuclear localization of cellular splicing components. <i>Journal of General Virology</i> , 1995 , 76 (Pt 4), 1001-7	4.9	52
1	Splicing of influenza virus matrix protein mRNA expressed from a simian virus 40 recombinant. Journal of General Virology, 1993 , 74 (Pt 7), 1317-26	4.9	19