

Naoki Takahashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1231569/publications.pdf>

Version: 2024-02-01

26
papers

517
citations

933447

10
h-index

677142

22
g-index

30
all docs

30
docs citations

30
times ranked

747
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Short-chain fatty acids, GPR41 and GPR43 ligands, inhibit TNF- α -induced MCP-1 expression by modulating p38 and JNK signaling pathways in human renal cortical epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2017, 486, 499-505. | 2.1 | 127 |
| 2 | Complete nucleotide sequence of immunoglobulin λ 3b chain gene cloned from newborn mouse DNA. <i>Nature</i> , 1980, 283, 786-789. | 27.8 | 104 |
| 3 | A multicenter phase II prospective clinical trial of glucocorticoid for patients with untreated IgG4-related disease. <i>Modern Rheumatology</i> , 2017, 27, 849-854. | 1.8 | 62 |
| 4 | Quantification of Coronary Artery Calcium with Multi- ϕ Detector row CT: Assessing Interscan Variability with Different Tube Currents- π Pilot Study. <i>Radiology</i> , 2003, 228, 101-106. | 7.3 | 35 |
| 5 | Renal redox dysregulation in AKI: application for oxidative stress marker of AKI. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F1342-F1351. | 2.7 | 30 |
| 6 | Telmisartan activates endogenous peroxisome proliferator-activated receptor- γ and may have anti-fibrotic effects in human mesangial cells. <i>Hypertension Research</i> , 2014, 37, 422-431. | 2.7 | 29 |
| 7 | Renal resistive index correlates with peritubular capillary loss and arteriosclerosis in biopsy tissues from patients with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1114-1119. | 1.6 | 26 |
| 8 | β -Hydroxybutyrate, a ketone body, reduces the cytotoxic effect of cisplatin via activation of HDAC5 in human renal cortical epithelial cells. <i>Life Sciences</i> , 2019, 222, 125-132. | 4.3 | 21 |
| 9 | Elevated Levels of Urinary Extracellular Vesicle Fibroblast-Specific Protein 1 in Patients with Active Crescentic Glomerulonephritis. <i>Nephron</i> , 2019, 141, 177-187. | 1.8 | 15 |
| 10 | Telmisartan, a possible PPAR- γ agonist, reduces TNF- α -stimulated VEGF-C production by inhibiting the p38MAPK/HSP27 pathway in human proximal renal tubular cells. <i>Biochemical and Biophysical Research Communications</i> , 2014, 454, 320-327. | 2.1 | 12 |
| 11 | IgA Vasculitis Developed as an Adverse Effect of Tofacitinib Taken for Rheumatoid Arthritis. <i>Internal Medicine</i> , 2020, 59, 817-821. | 0.7 | 11 |
| 12 | Chronic hypoxia exacerbates diabetic glomerulosclerosis through mesangiolysis and podocyte injury in db/db mice. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1678-1688. | 0.7 | 11 |
| 13 | Severe intraglomerular detachment of podocytes in a Gitelman syndrome patient. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 495-500. | 1.6 | 10 |
| 14 | Analytical and clinical validation of rapid chemiluminescence enzyme immunoassay for urinary thioredoxin, an oxidative stress-dependent early biomarker of acute kidney injury. <i>Clinica Chimica Acta</i> , 2020, 507, 271-279. | 1.1 | 5 |
| 15 | PPAR- γ activation reduces cisplatin-induced apoptosis via inhibiting p53/Bax/caspase-3 pathway without modulating autophagy in murine renal proximal tubular cells. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 598-607. | 1.6 | 5 |
| 16 | Clinical and biochemical investigation of male patients exhibiting membranous cytoplasmic bodies in biopsied kidney tissues; a pitfall in diagnosis of Fabry disease. <i>Journal of Nephropathology</i> , 2015, 4, 91-6. | 0.2 | 4 |
| 17 | Tubulointerstitial Nephritis Cases With IgM-Positive Plasma Cells. <i>Kidney International Reports</i> , 2020, 5, 1576-1580. | 0.8 | 3 |
| 18 | Development of Myeloperoxidase Anti-neutrophil Cytoplasmic Antibody-positive Necrotizing Crescentic Glomerulonephritis in an Elderly Patient with Immunological Kidney Disease. <i>Internal Medicine</i> , 2021, , . | 0.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Preemptive HLA Antibody Screening Prior to Episodic Transplant Renal Biopsy Enables Early Diagnosis and Therapeutic Response in Asymptomatic Chronically Active Antibody-Related Rejection: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 2750-2753. | 0.6 | 1 |
| 20 | CD8 Positive T Lymphocyte Infiltration of Liver Metastases of Uveal Melanoma: A Case Report. <i>Frontiers in Oncology</i> , 2021, 11, 672660. | 2.8 | 1 |
| 21 | Glucocorticoid-dependent Tubulointerstitial Nephritis with IgM-positive Plasma Cells Presenting with Intracellular Crystalline Inclusions within the Rough Endoplasmic Reticulum. <i>Internal Medicine</i> , 2021, 60, 3129-3136. | 0.7 | 1 |
| 22 | Fenofibrate reduces cisplatin-induced apoptosis by inhibiting the p53/Puma/Caspase-9 pathway and the MAPK/Caspase-8 pathway rather than by promoting autophagy in murine renal proximal tubular cells. <i>Biochemistry and Biophysics Reports</i> , 2022, 30, 101237. | 1.3 | 1 |
| 23 | Fanconi syndrome in an elderly patient with membranous nephropathy during treatment with the immunosuppressant mizoribine. <i>CEN Case Reports</i> , 0, , . | 0.9 | 1 |
| 24 | Comparison of immunoglobulin .GAMMA.1 and .GAMMA.2b chain genes cloned from newborn mouse. Evolutional divergence of intervening sequences and structural basis for recognition of splicing sites.. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1979, 55, 519-524. | 3.8 | 0 |
| 25 | Rapid remission of minimal change disease with angiotensin II antagonist treatment in a type 1 diabetic patient with no diabetic nephropathy. <i>CKJ: Clinical Kidney Journal</i> , 2008, 1, 375-376. | 2.9 | 0 |
| 26 | A case of Gitelman syndrome involving bilateral progressive renal cysts that necessitated the initiation of peritoneal dialysis. <i>Nihon Toseki Igakkai Zasshi</i> , 2017, 50, 581-586. | 0.1 | 0 |