
Sheri R Colberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1232464/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	American Medical Society for Sports Medicine Position Statement on the Care of the Athlete and Athletic Person With Diabetes. Clinical Journal of Sport Medicine, 2022, 32, 8-20.	1.8	3
2	Exercise/Physical Activity in Individuals with Type 2 Diabetes: A Consensus Statement from the American College of Sports Medicine. Medicine and Science in Sports and Exercise, 2022, 54, 353-368.	0.4	209
3	Type 2 diabetes, prediabetes, and gestational diabetes mellitus. , 2022, , 141-161.		0
4	Type 1 diabetes. , 2022, , 79-96.		0
5	Physical Activity, Dietary Patterns, and Glycemic Management in Active Individuals with Type 1 Diabetes: An Online Survey. International Journal of Environmental Research and Public Health, 2021, 18, 9332.	2.6	7
6	Development and Validation of the Norfolk Quality of Life Fatigue Tool (QOL-F): A New Measure of Perception of Fatigue. Journal of the American Medical Directors Association, 2020, 21, 1267-1272.e2.	2.5	3
7	The competitive athlete with type 1 diabetes. Diabetologia, 2020, 63, 1475-1490.	6.3	51
8	Nutrition and Exercise Performance in Adults With Type 1 Diabetes. Canadian Journal of Diabetes, 2020, 44, 750-758.	0.8	9
9	Impact of Exercise on Cardiovascular Risk Factors: Diabetes Mellitus. , 2020, , 769-792.		Ο
10	Supervised Balance Training and Wii Fit–Based Exercises Lower Falls Risk in Older Adults With Type 2 Diabetes. Journal of the American Medical Directors Association, 2018, 19, 185.e7-185.e13.	2.5	33
11	Exercise and Nutritional Concerns. Contemporary Diabetes, 2018, , 185-199.	0.0	Ο
12	Cardiac Autonomic Neuropathy in Diabetes: A Predictor of Cardiometabolic Events. Frontiers in Neuroscience, 2018, 12, 591.	2.8	92
13	Update on Management of Type 1 Diabetes and Type 2 Diabetes in Athletes. Current Sports Medicine Reports, 2017, 16, 38-44.	1.2	28
14	Wii-Based and Supervised Exercise Training Decrease Falls Risk in Older Adults with Type 2 Diabetes. Medicine and Science in Sports and Exercise, 2017, 49, 654.	0.4	0
15	The impact of speed and time on gait dynamics. Human Movement Science, 2017, 54, 320-330.	1.4	19
16	From Froot Loops to Fitness: My Journey as an Educator and Person With Diabetes. Diabetes Spectrum, 2017, 30, 58-63.	1.0	0
17	Key Points from the Updated Guidelines on Exercise and Diabetes. Frontiers in Endocrinology, 2017, 8, 33.	3.5	36
18	A Comparison of Screening Tools for the Early Detection of Peripheral Neuropathy in Adults with and without Type 2 Diabetes. Journal of Diabetes Research, 2017, 2017, 1-11.	2.3	32

SHERI R COLBERG

#	Article	IF	CITATIONS
19	Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. Diabetes Care, 2016, 39, 2065-2079.	8.6	1,610
20	Walking-Induced Fatigue Leads to Increased Falls Risk in Older Adults. Journal of the American Medical Directors Association, 2016, 17, 402-409.	2.5	56
21	Challenges Associated With Exercise Studies in Type 1 Diabetes. Journal of Diabetes Science and Technology, 2016, 10, 993-994.	2.2	2
22	Supervised Exercise Leads to Improved Reactions, Balance and Reduced Falls Risk in Older Adults with Type 2 Diabetes. Medicine and Science in Sports and Exercise, 2016, 48, 828.	0.4	5
23	The Online Big Blue Test for Promoting Exercise: Health, Self-Efficacy, and Social Support. Telemedicine Journal and E-Health, 2015, 21, 852-859.	2.8	6
24	Physical Activity and Type 1 Diabetes. Journal of Diabetes Science and Technology, 2015, 9, 609-618.	2.2	104
25	Moving Beyond Cardio: The Value of Resistance Training, Balance Training, and Other Forms of Exercise in the Management of Diabetes. Diabetes Spectrum, 2015, 28, 14-23.	1.0	12
26	Effect of Added Mass on Treadmill Performance and Pulmonary Function. Journal of Strength and Conditioning Research, 2015, 29, 882-888.	2.1	13
27	Exercise as Medicine for Diabetes: Prescribing Appropriate Activities and Avoiding Potential Pitfalls: Preface. Diabetes Spectrum, 2015, 28, 10-13.	1.0	3
28	Falls Risk in Older Adults with Type 2 Diabetes. Clinics in Geriatric Medicine, 2015, 31, 89-99.	2.6	66
29	Exercising With Peripheral or Autonomic Neuropathy: What Health Care Providers and Diabetic Patients Need to Know. Physician and Sportsmedicine, 2014, 42, 15-23.	2.1	17
30	Acute Effect of Breathing Exercises on Heart Rate Variability in Type 2 Diabetes: A Pilot Study. Journal of Alternative and Complementary Medicine, 2014, 20, 642-648.	2.1	4
31	Exercise improves gait, reaction time and postural stability in older adults with type 2 diabetes and neuropathy. Journal of Diabetes and Its Complications, 2014, 28, 715-722.	2.3	79
32	Exercise Effects on Postprandial Glycemia, Mood, and Sympathovagal Balance in Type 2 Diabetes. Journal of the American Medical Directors Association, 2014, 15, 261-266.	2.5	14
33	Development and validation of a predictive model of acute glucose response to exercise in individuals with type 2 diabetes. Diabetology and Metabolic Syndrome, 2013, 5, 33.	2.7	6
34	Blood Glucose Responses to Type, Intensity, Duration, and Timing of Exercise. Diabetes Care, 2013, 36, e177-e177.	8.6	28
35	The Big Blue Test: Effects of 14 Minutes of Physical Activity on Blood Glucose Levels. Diabetes Care, 2013, 36, e21-e21.	8.6	5
36	Prescribing physical activity to prevent and manage gestational diabetes. World Journal of Diabetes, 2013, 4, 256.	3.5	51

Sheri R Colberg

#	Article	IF	CITATIONS
37	Effect of Intensity of Aerobic Training on Insulin Sensitivity/Resistance in Recreationally Active Adults. Journal of Strength and Conditioning Research, 2013, 27, 2270-2276.	2.1	12
38	Physical activity: the forgotten tool for type 2 diabetes management. Frontiers in Endocrinology, 2012, 3, 70.	3.5	32
39	Relation between risk of falling and postural sway complexity in diabetes. Gait and Posture, 2012, 35, 662-668.	1.4	87
40	Time-dependent Changes In Spatio-temporal Gait Dynamics During Slow Walking. Medicine and Science in Sports and Exercise, 2011, 43, 686.	0.4	0
41	Prescribing Exercise for Individuals with Type 2 Diabetes: Recommendations and Precautions. Physician and Sportsmedicine, 2011, 39, 13-26.	2.1	14
42	Roundtable Discussion: An Integrative Approach to Diabetes. Alternative and Complementary Therapies, 2011, 17, 261-269.	0.1	0
43	Blood glucose individualized prediction for type 2 diabetes using iPhone application. , 2011, , .		15
44	Exercise and Type 2 Diabetes. Medicine and Science in Sports and Exercise, 2010, 42, 2282-2303.	0.4	438
45	Exercise and Type 2 Diabetes. Diabetes Care, 2010, 33, e147-e167.	8.6	1,180
46	Balance Training Reduces Falls Risk in Older Individuals With Type 2 Diabetes. Diabetes Care, 2010, 33, 748-750.	8.6	171
47	Exercise and Type 2 Diabetes. Diabetes Care, 2010, 33, 2692-2696.	8.6	557
48	Aerobic training increases skin perfusion by a nitric oxide mechanism in type 2 diabetes. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2010, 3, 275.	2.4	3
49	Exercise status affects skin perfusion via prostaglandin, nitric oxide, and EDHF pathways in diabetes. Microvascular Research, 2009, 77, 120-124.	2.5	12
50	Postprandial Walking is Better for Lowering the Glycemic Effect of Dinner than Pre-Dinner Exercise in Type 2 Diabetic Individuals. Journal of the American Medical Directors Association, 2009, 10, 394-397.	2.5	102
51	Exercise in the Treatment and Prevention of Diabetes. Current Sports Medicine Reports, 2009, 8, 169-175.	1.2	33
52	Physical Activity Participation May Offset Some of the Negative Impact of Diabetes on Cognitive Function. Journal of the American Medical Directors Association, 2008, 9, 434-438.	2.5	57
53	Encouraging Patients to Be Physically Active: What Busy Practitioners Need to Know. Clinical Diabetes, 2008, 26, 123-127.	2.2	3
54	ENHANCING INSULIN ACTION WITH PHYSICAL ACTIVITY TO PREVENT AND CONTROL DIABETES. ACSM's Health and Fitness Journal, 2008, 12, 16-22.	0.6	7

SHERI R COLBERG

#	Article	IF	CITATIONS
55	Physical Activity, Insulin Action, and Diabetes Prevention and Control. Current Diabetes Reviews, 2007, 3, 176-184.	1.3	33
56	Being Active. The Diabetes Educator, 2007, 33, 989-990.	2.5	8
5 7	The impact of exercise on insulin action in type 2 diabetes mellitus: Relationship to prevention and control. Insulin, 2006, 1, 85-98.	0.2	16
58	Effect of an 8-week resistance training program on cutaneous perfusion in type 2 diabetes. Microvascular Research, 2006, 71, 121-127.	2.5	22
59	Effect of a Single Bout of Prior Moderate Exercise on Cutaneous Perfusion in Type 2 Diabetes. Diabetes Care, 2006, 29, 2316-2318.	8.6	9
60	Differences in VO2 Between Kickboxing and Treadmill Exercise at Similar Heart Rates. Medicine and Science in Sports and Exercise, 2006, 38, S497.	0.4	0
61	Change in cutaneous perfusion following 10 weeks of aerobic training in Type 2 diabetes. Journal of Diabetes and Its Complications, 2005, 19, 276-283.	2.3	37
62	Analysis: Glucose Monitoring and Physical Activity: The Present and Future Challenges. Diabetes Technology and Therapeutics, 2005, 7, 681-683.	4.4	2
63	Use of the Noninvasive GlucoWatch®Biographer®During Exercise of Varying Intensity. Diabetes Technology and Therapeutics, 2004, 6, 454-462.	4.4	25
64	Effects of 8 Weeks of Flexibility and Resistance Training in Older Adults With Type 2 Diabetes. Diabetes Care, 2004, 27, 2988-2989.	8.6	63
65	Effectiveness of a Practice Regimen for Decreasing Floor Rise Time in Older Adults. Medicine and Science in Sports and Exercise, 2004, 36, S141.	0.4	0
66	The Effect of an Aerobic Exercise Training Program on Quality of Life in Type 2 Diabetes. The Diabetes Educator, 2003, 29, 837-846.	2.5	22
67	Use of Heart Rate Reserve and Rating of Perceived Exertion to Prescribe Exercise Intensity in Diabetic Autonomic Neuropathy. Diabetes Care, 2003, 26, 986-990.	8.6	89
68	Cutaneous Blood Flow in Type 2 Diabetic Individuals After an Acute Bout of Maximal Exercise. Diabetes Care, 2003, 26, 1883-1888.	8.6	28
69	Pumping Insulin During Exercise. Physician and Sportsmedicine, 2002, 30, 33-38.	2.1	3
70	Chronic exercise is associated with enhanced cutaneous blood flow in Type 2 diabetes. Journal of Diabetes and Its Complications, 2002, 16, 139-145.	2.3	60
71	Exercising with an insulin pump. Diabetes Self-management, 2002, 19, 63-4, 67-8, 70.	0.0	0
72	Recycling of Deuterium from Dideuterated Glucose during Moderate Exercise. Annals of Clinical Biochemistry, 2000, 37, 540-542.	1.6	1

Sheri R Colberg

#	Article	IF	CITATIONS
73	Practical Management of Type 1 Diabetes during Exercise. Journal of Physical Education, Recreation and Dance, 2000, 71, 24-27.	0.3	1
74	Exercise and Diabetes Control. Physician and Sportsmedicine, 2000, 28, 63-81.	2.1	43
75	Use of Clinical Practice Recommendations for Exercise by Individuals With Type 1 Diabetes. The Diabetes Educator, 2000, 26, 265-271.	2.5	9
76	Utilization of glycogen but not plasma glucose is reduced in individuals with NIDDM during mild-intensity exercise. Journal of Applied Physiology, 1996, 81, 2027-2033.	2.5	73
77	Metabolite and hormonal response in smokers during rest and sustained exercise. Medicine and Science in Sports and Exercise, 1995, 27, 1527???1534.	0.4	5
78	Skeletal muscle glycolytic and oxidative enzyme capacities are determinants of insulin sensitivity and muscle composition in obese women. FASEB Journal, 1995, 9, 273-278.	0.5	332
79	Skeletal muscle utilization of free fatty acids in women with visceral obesity Journal of Clinical Investigation, 1995, 95, 1846-1853.	8.2	275
80	Increased dependence on blood glucose in smokers during rest and sustained exercise. Journal of Applied Physiology, 1994, 76, 26-32.	2.5	23
81	Why Glucagon Matters for Hypoglycemia and Physical Activity in Individuals With Type 1 Diabetes. Frontiers in Clinical Diabetes and Healthcare, 0, 3, .	0.8	1