

Mohsen Zareh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1232686/publications.pdf>

Version: 2024-02-01

14
papers

212
citations

1163117

8
h-index

1058476

14
g-index

14
all docs

14
docs citations

14
times ranked

201
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Effect of presence of 18-crown-6 on the response of 1-pyrrolidine dicarbodithioate-based lead selective electrode. <i>Talanta</i> , 2001, 54, 1049-1057. | 5.5 | 33 |
| 2 | Uranium adsorption from a liquid waste using thermally and chemically modified bentonite. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2013, 295, 1153-1159. | 1.5 | 32 |
| 3 | Plasticized poly(vinyl chloride) membrane electrode for the determination of quinine in soft drinks. <i>Analytica Chimica Acta</i> , 2001, 447, 55-61. | 5.4 | 26 |
| 4 | Acetylacetone-formaldehyde reagent for the spectrophotometric determination of some sulfa drugs in pure and dosage forms. <i>Mikrochimica Acta</i> , 1996, 124, 227-233. | 5.0 | 25 |
| 5 | Plastic membrane ion selective electrodes for the determination of some anesthetic compounds. <i>Microchemical Journal</i> , 1988, 37, 299-305. | 4.5 | 20 |
| 6 | New Ion-Selective Electrodes for Determination of Bupivacaine and Oxybuprocaine. <i>Analytical Letters</i> , 1991, 24, 1581-1590. | 1.8 | 16 |
| 7 | 1- β -Pyrrolidine Dicarbodithioate Based Electrodes for Determination of Iron(III) in Lubrication Oil. <i>Electroanalysis</i> , 2010, 22, 1369-1375. | 2.9 | 13 |
| 8 | Blank Membranes versus Ionophore-based Membranes for the Selective Determination of H ⁺ . <i>Analytical Sciences</i> , 2009, 25, 1131-1135. | 1.6 | 9 |
| 9 | Potentiometric sensor for phenylephrine based on phenylephrine-tetraphenylborate lipophilic salt. <i>Mikrochimica Acta</i> , 1989, 99, 101-108. | 5.0 | 8 |
| 10 | PVC-MEMBRANES SENSITIVE TO CHLORPHENOXAMINE BASED ON TETRAPHENYLBORATE SALT AND NEUTRAL CARRIER ADDITIVES. <i>Analytical Letters</i> , 2002, 35, 17-28. | 1.8 | 7 |
| 11 | Relative Selectivity Coefficient as a New Concept for Evaluating Electrochemical Dopamine Sensors. <i>Journal of Applied Sciences</i> , 2008, 8, 3654-3661. | 0.3 | 7 |
| 12 | New polycrystalline solid state responsive electrodes for the determination of the selenite ion. <i>Electroanalysis</i> , 1995, 7, 587-590. | 2.9 | 6 |
| 13 | Effect of using mixed ion-pairs on PVC-membrane electrodes for ephedrine. <i>Mikrochimica Acta</i> , 1997, 126, 271-277. | 5.0 | 5 |
| 14 | Potentiometric and Optical Measurements for the Determination of Ephedrine. <i>Microchemical Journal</i> , 1998, 60, 110-121. | 4.5 | 5 |