
Christopher L Averill

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1233143/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ketamine Treatment and Global Brain Connectivity in Major Depression. Neuropsychopharmacology, 2017, 42, 1210-1219.	2.8	240
2	A Network-Based Neurobiological Model of PTSD: Evidence From Structural and Functional Neuroimaging Studies. Current Psychiatry Reports, 2017, 19, 81.	2.1	239
3	The effects of ketamine on prefrontal glutamate neurotransmission in healthy and depressed subjects. Neuropsychopharmacology, 2018, 43, 2154-2160.	2.8	146
4	Default mode network abnormalities in posttraumatic stress disorder: A novel network-restricted topology approach. NeuroImage, 2018, 176, 489-498.	2.1	138
5	Glutamate dysregulation and glutamatergic therapeutics for PTSD: Evidence from human studies. Neuroscience Letters, 2017, 649, 147-155.	1.0	137
6	Reduced global functional connectivity of the medial prefrontal cortex in major depressive disorder. Human Brain Mapping, 2016, 37, 3214-3223.	1.9	125
7	The Neurobiology and Pharmacotherapy of Posttraumatic Stress Disorder. Annual Review of Pharmacology and Toxicology, 2019, 59, 171-189.	4.2	106
8	Prefrontal Connectivity and Glutamate Transmission: Relevance to Depression Pathophysiology and Ketamine Treatment. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 566-574.	1.1	72
9	Cortical thickness reduction in combat exposed U.S. veterans with and without PTSD. European Neuropsychopharmacology, 2017, 27, 515-525.	0.3	69
10	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. Molecular Psychiatry, 2021, 26, 4315-4330.	4.1	69
11	Anterior hippocampal dysconnectivity in posttraumatic stress disorder: a dimensional and multimodal approach. Translational Psychiatry, 2017, 7, e1045-e1045.	2.4	54
12	Ketamine, but Not the NMDAR Antagonist Lanicemine, Increases Prefrontal Global Connectivity in Depressed Patients. Chronic Stress, 2018, 2, 247054701879610.	1.7	52
13	The Association of PTSD Symptom Severity With Localized Hippocampus and Amygdala Abnormalities. Chronic Stress, 2017, 1, 247054701772406.	1.7	45
14	Stress Response Modulation Underlying the Psychobiology of Resilience. Current Psychiatry Reports, 2018, 20, 27.	2.1	32
15	White matter microstructural alterations in posttraumatic stress disorder: An ROI and whole-brain based meta-analysis. Journal of Affective Disorders, 2020, 266, 655-670.	2.0	30
16	Salience Network Disruption in U.S. Army Soldiers With Posttraumatic Stress Disorder. Chronic Stress, 2019, 3, 247054701985046.	1.7	29
17	Reduced Salience and Enhanced Central Executive Connectivity Following PTSD Treatment. Chronic Stress, 2019, 3, 247054701983897.	1.7	26
18	Combat Exposure Severity Is Associated With Reduced Cortical Thickness in Combat Veterans: A Preliminary Report. Chronic Stress, 2017, 1, 247054701772471.	1.7	25

#	Article	IF	CITATIONS
19	Assessment of brain age in posttraumatic stress disorder: Findings from the ENIGMA PTSD and brain age working groups. Brain and Behavior, 2022, 12, e2413.	1.0	25
20	Posttraumatic Stress Disorder and Depression Symptom Severities Are Differentially Associated With Hippocampal Subfield Volume Loss in Combat Veterans. Chronic Stress, 2017, 1, 247054701774453.	1.7	23
21	A robust and reproducible connectome fingerprint of ketamine is highly associated with the connectomic signature of antidepressants. Neuropsychopharmacology, 2021, 46, 478-485.	2.8	22
22	mTORC1 inhibitor effects on rapid ketamine-induced reductions in suicidal ideation in patients with treatment-resistant depression. Journal of Affective Disorders, 2022, 303, 91-97.	2.0	22
23	A Unique Brain Connectome Fingerprint Predates and Predicts Response to Antidepressants. IScience, 2020, 23, 100800.	1.9	19
24	Altered White Matter Diffusivity of the Cingulum Angular Bundle in Posttraumatic Stress Disorder. Molecular Neuropsychiatry, 2018, 4, 75-82.	3.0	18
25	Ketamine Normalizes the Structural Alterations of Inferior Frontal Gyrus in Depression. Chronic Stress, 2020, 4, 247054702098068.	1.7	18
26	Transcranial direct current stimulation targeting the medial prefrontal cortex modulates functional connectivity and enhances safety learning in obsessiveâ€compulsive disorder: Results from two pilot studies. Depression and Anxiety, 2022, 39, 37-48.	2.0	17
27	Pretreatment Brain Connectome Fingerprint Predicts Treatment Response in Major Depressive Disorder. Chronic Stress, 2020, 4, 247054702098472.	1.7	10
28	Topology of brain functional connectivity networks in posttraumatic stress disorder. Data in Brief, 2018, 20, 1658-1675.	0.5	8
29	Prefrontal Glutamate Neurotransmission in PTSD: A Novel Approach to Estimate Synaptic Strength in Vivo in Humans. Chronic Stress, 2022, 6, 247054702210927.	1.7	8
30	Effects of Smoking Status and State on Intrinsic Connectivity. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2022, 7, 895-904.	1.1	6
31	Neurobiological Mechanisms of Ketamine: Depression, Suicide, Trauma, and Chronic Stress Pathologies. Psychiatric Annals, 2020, 50, 48-53.	0.1	6
32	Development and preliminary validation of the Opioid Abuse Risk Screener. Health Psychology Open, 2016, 3, 205510291664899.	0.7	5
33	581. The Default Mode Network in Posttraumatic Stress Disorder (PTSD): A Data-Driven Multimodal Approach. Biological Psychiatry, 2017, 81, S235.	0.7	3
34	The Opioid Abuse Risk Screener predicts aberrant same-day urine drug tests and 1-year controlled substance database checks: A brief report. Health Psychology Open, 2017, 4, 205510291774845.	0.7	2
35	Of Forests and Trees: Bridging the Gap Between Neurobiology and Behavior in Posttraumatic Stress Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 135-137.	1.1	2
36	When the "Golden Chain―Breaks: Sleep Disturbance and the Vicious Cycle of Chronic Stress. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 1018-1020.	1,1	0