

# Timothy J Ritchie

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1233374/timothy-j-ritchie-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27  
papers

1,678  
citations

16  
h-index

27  
g-index

27  
ext. papers

1,849  
ext. citations

6.5  
avg, IF

4.8  
L-index

#	Paper	IF	Citations
27	Heterocyclic replacements for benzene: Maximising ADME benefits by considering individual ring isomers. <i>European Journal of Medicinal Chemistry</i> , <b>2016</b> , 124, 1057-1068	6.8	15
26	How drug-like are biglybdrugs: do drug-likeness metrics predict ADME behaviour in humans?. <i>Drug Discovery Today</i> , <b>2014</b> , 19, 489-95	8.8	43
25	Physicochemical descriptors of aromatic character and their use in drug discovery. <i>Journal of Medicinal Chemistry</i> , <b>2014</b> , 57, 7206-15	8.3	58
24	Increasing small molecule drug developability in sub-optimal chemical space. <i>MedChemComm</i> , <b>2013</b> , 4, 673	5	46
23	Should medicinal chemists do molecular modelling?. <i>Drug Discovery Today</i> , <b>2012</b> , 17, 534-7	8.8	15
22	The developability of heteroaromatic and heteroaliphatic rings: do some have a better pedigree as potential drug molecules than others?. <i>MedChemComm</i> , <b>2012</b> , 3, 1062	5	128
21	The graphical representation of ADME-related molecule properties for medicinal chemists. <i>Drug Discovery Today</i> , <b>2011</b> , 16, 65-72	8.8	94
20	The impact of aromatic ring count on compound developability: further insights by examining carbo- and hetero-aromatic and -aliphatic ring types. <i>Drug Discovery Today</i> , <b>2011</b> , 16, 164-71	8.8	286
19	The impact of aromatic ring count on compound developability--are too many aromatic rings a liability in drug design?. <i>Drug Discovery Today</i> , <b>2009</b> , 14, 1011-20	8.8	512
18	Sulfonamido-aryl ethers as bradykinin B1 receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2009</b> , 19, 119-22	2.9	11
17	Analysis of the calculated physicochemical properties of respiratory drugs: can we design for inhaled drugs yet?. <i>Journal of Chemical Information and Modeling</i> , <b>2009</b> , 49, 1025-32	6.1	49
16	Potent and orally bioavailable non-peptide antagonists at the human bradykinin B(1) receptor based on a 2-alkylamino-5-sulfamoylbenzamide core. <i>Journal of Medicinal Chemistry</i> , <b>2004</b> , 47, 4642-4	8.3	28
15	Nonpeptide bradykinin B2 receptor antagonists: conversion of rodent-selective bradyzide analogues into potent, orally-active human bradykinin B2 receptor antagonists. <i>Journal of Medicinal Chemistry</i> , <b>2002</b> , 45, 2160-72	8.3	18
14	Cheminformatics: manipulating chemical information to facilitate decision-making in drug discovery. <i>Drug Discovery Today</i> , <b>2001</b> , 6, 813-814	8.8	5
13	Bradyzide, a potent non-peptide B(2) bradykinin receptor antagonist with long-lasting oral activity in animal models of inflammatory hyperalgesia. <i>British Journal of Pharmacology</i> , <b>2000</b> , 129, 77-86	8.6	88
12	1-(2-Nitrophenyl)thiosemicarbazides: a novel class of potent, orally active non-peptide antagonist for the bradykinin B(2) receptor. <i>Journal of Medicinal Chemistry</i> , <b>2000</b> , 43, 769-71	8.3	26
11	Similarities and differences in the structure-activity relationships of capsaicin and resiniferatoxin analogues. <i>Journal of Medicinal Chemistry</i> , <b>1996</b> , 39, 2939-52	8.3	72

- 10 Synthesis of 2,9,10-trioxatricyclo[4.3.1.0]decane analogues of resiniferatoxin. *Journal of the Chemical Society Perkin Transactions 1*, **1992**, 1229 5
- 9 The stereoselective synthesis of 2,9,10-trioxatricyclo[4.3.1.0]decane analogues of resiniferatoxin. *Journal of the Chemical Society Chemical Communications*, **1991**, 215 2
- 8 Silyl migration and formation of an anhydro derivative on attempted benzylation of 3-O-tert-butyltrimethylsilyl-6-O-tosyl-D-glucal. *Carbohydrate Research*, **1990**, 197, 324-326 2.9 14
- 7 Diastereoselective free-radical reactions. Part 1. Preparation of 2-deoxy- $\beta$ -glycosides by synthesis and reductive decarboxylation of 3-deoxyulosonic acid glycosides. *Journal of the Chemical Society Perkin Transactions 1*, **1990**, 945-954 35
- 6 Preparation of 2-deoxy- $\beta$ -lyxo-hexosides (2-deoxy- $\beta$ -galactosides). *Carbohydrate Research*, **1989**, 190, C3-C6 2.9 36
- 5 Some Studies on Carbonyl Radical Cyclizations and on the Synthesis of 2-Deoxy- $\beta$ -Glycosides by Stereoselective Radical Reactions **1989**, 135-143 2
- 4 Preparation and reactions of some cyclic orthoester derivatives. *Tetrahedron*, **1988**, 44, 2319-2328 2.4 15
- 3 Lignans and related phenols. Part 18. The synthesis of quinones from podophyllotoxin and its analogues. *Journal of the Chemical Society Perkin Transactions 1*, **1988**, 2573 7
- 2 Stereoselective free radical reactions in the preparation of 2-deoxy- $\beta$ -glucosides. *Journal of the Chemical Society Chemical Communications*, **1988**, 1461-1463 55
- 1 A concise synthesis of 3-deoxy-2-O-methyl-4,5,7-tri-O-benzyl-D-arabino-heptulosonic acid and related compounds from 3,4,6-tri-O-benzyl-D-glucal. *Journal of the Chemical Society Chemical Communications*, **1988**, 985 13