

Sergio Tanganelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1233482/publications.pdf>

Version: 2024-02-01

134
papers

5,877
citations

61857

43
h-index

91712

69
g-index

135
all docs

135
docs citations

135
times ranked

4462
citing authors

#	ARTICLE	IF	CITATIONS
1	Study of GPCR Homo- and Heteroreceptor Complexes in Specific Neuronal Cell Populations Using the In Situ Proximity Ligation Assay. <i>Neuromethods</i> , 2021, , 117-134.	0.2	4
2	Acute cocaine treatment enhances the antagonistic allosteric adenosine A2A-dopamine D2 receptor-receptor interactions in rat dorsal striatum without increasing significantly extracellular dopamine levels. <i>Pharmacological Reports</i> , 2020, 72, 332-339.	1.5	7
3	Multiple Adenosine-Dopamine (A2A-D2 Like) Heteroreceptor Complexes in the Brain and Their Role in Schizophrenia. <i>Cells</i> , 2020, 9, 1077.	1.8	18
4	Acute Cocaine Enhances Dopamine D2R Recognition and Signaling and Counteracts D2R Internalization in Sigma1R-D2R Heteroreceptor Complexes. <i>Molecular Neurobiology</i> , 2019, 56, 7045-7055.	1.9	11
5	Analysis and Quantification of GPCR Allosteric Receptor-Receptor Interactions Using Radioligand Binding Assays: The A2AR-D2R Heteroreceptor Complex Example. <i>Neuromethods</i> , 2018, , 1-14.	0.2	0
6	Brain Dopamine Transmission in Health and Parkinson's Disease: Modulation of Synaptic Transmission and Plasticity Through Volume Transmission and Dopamine Heteroreceptors. <i>Frontiers in Synaptic Neuroscience</i> , 2018, 10, 20.	1.3	43
7	Detection, Analysis, and Quantification of GPCR Homo- and Heteroreceptor Complexes in Specific Neuronal Cell Populations Using the In Situ Proximity Ligation Assay. <i>Neuromethods</i> , 2018, , 299-315.	0.2	3
8	Use of Superfused Synaptosomes to Understand the Role of Receptor-Receptor Interactions as Integrative Mechanisms in Nerve Terminals from Selected Brain Region. <i>Neuromethods</i> , 2018, , 41-55.	0.2	1
9	In Vivo Microdialysis Technique Applications to Understand the Contribution of Receptor-Receptor Interactions to the Central Nervous System Signaling. <i>Neuromethods</i> , 2018, , 91-107.	0.2	0
10	Long-lasting alterations of hippocampal GABAergic neurotransmission in adult rats following perinatal δ^9 -THC exposure. <i>Neurobiology of Learning and Memory</i> , 2017, 139, 135-143.	1.0	29
11	Cocaine modulates allosteric D2- β 1 receptor-receptor interactions on dopamine and glutamate nerve terminals from rat striatum. <i>Cellular Signalling</i> , 2017, 40, 116-124.	1.7	21
12	Palmitoylethanolamide Blunts Amyloid- β 242-Induced Astrocyte Activation and Improves Neuronal Survival in Primary Mouse Cortical Astrocyte-Neuron Co-Cultures. <i>Journal of Alzheimer's Disease</i> , 2017, 61, 389-399.	1.2	22
13	Understanding the Role of GPCR Heteroreceptor Complexes in Modulating the Brain Networks in Health and Disease. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 37.	1.8	110
14	Understanding the Functional Plasticity in Neural Networks of the Basal Ganglia in Cocaine Use Disorder: A Role for Allosteric Receptor-Receptor Interactions in A2A-D2 Heteroreceptor Complexes. <i>Neural Plasticity</i> , 2016, 2016, 1-12.	1.0	28
15	Functional role of striatal A2A, D2, and mGluR5 receptor interactions in regulating striatopallidal GABA neuronal transmission. <i>Journal of Neurochemistry</i> , 2016, 138, 254-264.	2.1	42
16	GET73 Prevents Ethanol-Induced Neurotoxicity in Primary Cultures of Rat Hippocampal Neurons. <i>Alcohol and Alcoholism</i> , 2016, 51, 128-135.	0.9	24
17	Multiple D2 heteroreceptor complexes: new targets for treatment of schizophrenia. <i>Therapeutic Advances in Psychopharmacology</i> , 2016, 6, 77-94.	1.2	51
18	Differential Effects of Palmitoylethanolamide against Amyloid- β 2 Induced Toxicity in Cortical Neuronal and Astrocytic Primary Cultures from Wild-Type and 3xTg-AD Mice. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 407-421.	1.2	26

#	ARTICLE	IF	CITATIONS
19	Editorial (Thematic Issue: Understanding the Role of Heteroreceptor Complexes in the Central Nervous System) Tj ETQq1 1 0.784314.rgBT /Overlock 100	0.78	29
20	Diversity and Bias through Receptor-Receptor Interactions in GPCR Heteroreceptor Complexes. Focus on Examples from Dopamine D2 Receptor Heteromerization. <i>Frontiers in Endocrinology</i> , 2014, 5, 71.	1.5	44
21	Endogenous kynurenic acid regulates extracellular GABA levels in the rat prefrontal cortex. <i>Neuropharmacology</i> , 2014, 82, 11-18.	2.0	56
22	Dopamine D2 heteroreceptor complexes and their receptor-receptor interactions in ventral striatum. <i>Progress in Brain Research</i> , 2014, 211, 113-139.	0.9	37
23	Adenosine A2A-D2 Receptor-Receptor Interactions in Putative Heteromers in the Regulation of the Striato-Pallidal GABA Pathway: Possible Relevance for Parkinson's Disease and its Treatment. <i>Current Protein and Peptide Science</i> , 2014, 15, 673-680.	0.7	20
24	Neurotensin NTS1-Dopamine D2 Receptor-Receptor Interactions in Putative Receptor Heteromers: Relevance for Parkinson's Disease and Schizophrenia. <i>Current Protein and Peptide Science</i> , 2014, 15, 681-690.	0.7	22
25	Dopamine D2 receptor signaling dynamics of dopamine D2-neurotensin 1 receptor heteromers. <i>Biochemical and Biophysical Research Communications</i> , 2013, 435, 140-146.	1.0	44
26	Understanding the balance and integration of volume and synaptic transmission. Relevance for psychiatry. <i>Neurology Psychiatry and Brain Research</i> , 2013, 19, 141-158.	2.0	17
27	Kynurenic acid, by targeting $\alpha 7$ nicotinic acetylcholine receptors, modulates extracellular GABA levels in the rat striatum <i>in vivo</i> . <i>European Journal of Neuroscience</i> , 2013, 37, 1470-1477.	1.2	54
28	GET73 increases rat extracellular hippocampal CA1 GABA levels through a possible involvement of local mGlu5 receptor. <i>Synapse</i> , 2013, 67, 678-691.	0.6	14
29	The New Compound GET73, N-[(4-trifluoromethyl)benzyl]4-methoxybutyramide, Regulates Hippocampal Aminoacidergic Transmission Possibly Via an Allosteric Modulation of mGlu5 Receptor. Behavioural Evidence of its Anti-Alcohol and Anxiolytic Properties. <i>Current Medicinal Chemistry</i> , 2013, 20, 3339-3357.	1.2	15
30	The Vigilance Promoting Drug Modafinil Modulates Serotonin Transmission in the Rat Prefrontal Cortex and Dorsal Raphe Nucleus. Possible Relevance for Its Postulated Antidepressant Activity. <i>Mini-Reviews in Medicinal Chemistry</i> , 2013, 13, 478-492.	1.1	11
31	Extrasynaptic Neurotransmission in the Modulation of Brain Function. Focus on the Striatal Neuronal-Glial Networks. <i>Frontiers in Physiology</i> , 2012, 3, 136.	1.3	67
32	GPCR Heteromers and their Allosteric Receptor-Receptor Interactions. <i>Current Medicinal Chemistry</i> , 2012, 19, 356-363.	1.2	83
33	Relevance of Dopamine D2/Neurotensin NTS1 and NMDA/Neurotensin NTS1 Receptor Interaction in Psychiatric and Neurodegenerative Disorders. <i>Current Medicinal Chemistry</i> , 2012, 19, 304-316.	1.2	23
34	Editorial [Hot Topic: Relevance of Integration at the Membrane Level of Receptor-Receptor Interactions in Neurodegenerative Diseases and Drug Addiction (Guest Editor: Sergio Tanganelli)]. <i>Current Medicinal Chemistry</i> , 2012, 19, 303-303.	1.2	0
35	Prenatal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin produces alterations in cortical neuron development and a long-term dysfunction of glutamate transmission in rat cerebral cortex. <i>Neurochemistry International</i> , 2012, 61, 759-766.	1.9	13
36	A Novel Mechanism of Cocaine to Enhance Dopamine D2-Like Receptor Mediated Neurochemical and Behavioral Effects. An In Vivo and In Vitro Study. <i>Neuropsychopharmacology</i> , 2012, 37, 1856-1866.	2.8	28

#	ARTICLE	IF	CITATIONS
37	A2A/D2 receptor heteromerization in a model of Parkinson's disease. Focus on striatal aminoacidergic signaling. <i>Brain Research</i> , 2012, 1476, 96-107.	1.1	19
38	Striatal NTS ₁ , dopamine D ₂ and NMDA receptor regulation of pallidal GABA and glutamate release – a dual-probe microdialysis study in the intranigral 6-hydroxydopamine unilaterally lesioned rat. <i>European Journal of Neuroscience</i> , 2012, 35, 207-220.	1.2	19
39	Unbalance of CB1 receptors expressed in GABAergic and glutamatergic neurons in a transgenic mouse model of Huntington's disease. <i>Neurobiology of Disease</i> , 2012, 45, 983-991.	2.1	41
40	GET73 modulates rat hippocampal glutamate transmission: evidence for a functional interaction with mGluR5. <i>Pharmacological Reports</i> , 2011, 63, 1359-1371.	1.5	7
41	Neurotensin regulates cortical glutamate transmission by modulating N-methyl-D-aspartate receptor functional activity: An in vivo microdialysis study. <i>Journal of Neuroscience Research</i> , 2011, 89, 1618-1626.	1.3	16
42	Nanomolar concentrations of cocaine enhance D2-like agonist-induced inhibition of the K ⁺ -evoked [³ H]-dopamine efflux from rat striatal synaptosomes: a novel action of cocaine. <i>Journal of Neural Transmission</i> , 2010, 117, 593-597.	1.4	25
43	Adenosine – Dopamine Interactions in the Pathophysiology and Treatment of CNS Disorders. <i>CNS Neuroscience and Therapeutics</i> , 2010, 16, e18-42.	1.9	141
44	Cannabinoid CB ₁ and Cholecystokinin CCK ₂ Receptors Modulate, in an Opposing Way, Electrically Evoked [³ H]GABA Efflux from Rat Cerebral Cortex Cell Cultures: Possible Relevance for Cortical GABA Transmission and Anxiety. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 329, 708-717.	1.3	7
45	Emerging Evidence for Neurotensin Receptor 1 Antagonists as Novel Pharmaceuticals in Neurodegenerative Disorders. <i>Mini-Reviews in Medicinal Chemistry</i> , 2009, 9, 1429-1438.	1.1	21
46	Integrated signaling in heterodimers and receptor mosaics of different types of GPCRs of the forebrain: relevance for schizophrenia. <i>Journal of Neural Transmission</i> , 2009, 116, 923-939.	1.4	42
47	Short- and long-term consequences of prenatal exposure to the cannabinoid agonist WIN55,212-2 on rat glutamate transmission and cognitive functions. <i>Journal of Neural Transmission</i> , 2009, 116, 1017-1027.	1.4	29
48	Developmental exposure to methylmercury elicits early cell death in the cerebral cortex and long-term memory deficits in the rat. <i>International Journal of Developmental Neuroscience</i> , 2009, 27, 165-174.	0.7	38
49	Brain uptake of an anti-ischemic agent by nasal administration of microparticles. <i>Journal of Pharmaceutical Sciences</i> , 2008, 97, 4889-4903.	1.6	62
50	Efficient synthesis and biological evaluation of two modafinil analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 9904-9910.	1.4	17
51	Neurotensin receptors as modulators of glutamatergic transmission. <i>Brain Research Reviews</i> , 2008, 58, 365-373.	9.1	37
52	Receptor-receptor interactions within receptor mosaics. Impact on neuropsychopharmacology. <i>Brain Research Reviews</i> , 2008, 58, 415-452.	9.1	192
53	Enhanced striatal glutamate release after the administration of rimonabant to 6-hydroxydopamine-lesioned rats. <i>Neuroscience Letters</i> , 2008, 438, 10-13.	1.0	35
54	Antagonistic cannabinoid CB1/dopamine D2 receptor interactions in striatal CB1/D2 heteromers. A combined neurochemical and behavioral analysis. <i>Neuropharmacology</i> , 2008, 54, 815-823.	2.0	154

#	ARTICLE	IF	CITATIONS
55	Neurotensin Receptor Involvement in the Rise of Extracellular Glutamate Levels and Apoptotic Nerve Cell Death in Primary Cortical Cultures after Oxygen and Glucose Deprivation. <i>Cerebral Cortex</i> , 2008, 18, 1748-1757.	1.6	28
56	The Nigro-Striatal DA Neurons and Mechanisms of Their Degeneration in Parkinson's Disease. , 2008, , 121-144.		1
57	Neurotensin receptor mechanisms and its modulation of glutamate transmission in the brain. <i>Progress in Neurobiology</i> , 2007, 83, 92-109.	2.8	49
58	Mesolimbic dopamine and cortico-accumbens glutamate afferents as major targets for the regulation of the ventral striato-pallidal GABA pathways by neurotensin peptides. <i>Brain Research Reviews</i> , 2007, 55, 144-154.	9.1	24
59	Receptor-receptor interactions as studied with microdialysis. Focus on NTR/D2 interactions in the basal ganglia. <i>Journal of Neural Transmission</i> , 2007, 114, 105-113.	1.4	24
60	Intramembrane receptor-receptor interactions: a novel principle in molecular medicine. <i>Journal of Neural Transmission</i> , 2007, 114, 49-75.	1.4	113
61	Experimental studies and theoretical aspects on A2A/D2 receptor interactions in a model of Parkinson's disease. Relevance for L-dopa induced dyskinesias. <i>Journal of the Neurological Sciences</i> , 2006, 248, 16-22.	0.3	44
62	Prenatal exposure to the cannabinoid receptor agonist WIN 55,212-2 and carbon monoxide reduces extracellular glutamate levels in primary rat cerebral cortex cell cultures. <i>Neurochemistry International</i> , 2006, 49, 568-576.	1.9	13
63	Ascorbic and 6-Br-ascorbic acid conjugates as a tool to increase the therapeutic effects of potentially central active drugs. <i>European Journal of Pharmaceutical Sciences</i> , 2005, 24, 259-269.	1.9	33
64	Modafinil enhances the increase of extracellular serotonin levels induced by the antidepressant drugs fluoxetine and imipramine: A dual probe microdialysis study in awake rat. <i>Synapse</i> , 2005, 55, 230-241.	0.6	38
65	Effects of sarizotan on the corticostriatal glutamate pathways. <i>Synapse</i> , 2005, 58, 193-199.	0.6	69
66	Prenatal Exposure to the CB1 Receptor Agonist WIN 55,212-2 Causes Learning Disruption Associated with Impaired Cortical NMDA Receptor Function and Emotional Reactivity Changes in Rat Offspring. <i>Cerebral Cortex</i> , 2005, 15, 2013-2020.	1.6	105
67	Transporter-Mediated Effects of Diclofenamic Acid and its Ascorbyl Pro-Drug in the in Vivo Neurotropic Activity of Ascorbyl Nipecotic Acid Conjugate. <i>Journal of Pharmaceutical Sciences</i> , 2004, 93, 78-85.	1.6	21
68	Striatal plasticity at the network level. Focus on adenosine A2A and D2 interactions in models of Parkinson's Disease. <i>Parkinsonism and Related Disorders</i> , 2004, 10, 273-280.	1.1	72
69	Long-term effects on cortical glutamate release induced by prenatal exposure to the cannabinoid receptor agonist (r)-(+)-[2,3-dihydro-5-methyl-3-(4-morpholinyl-methyl)pyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]-1-naphthalenylmethanone: an in vivo microdialysis study in the awake rat. <i>Neuroscience</i> , 2004, 124, 367-375.	1.1	43
70	Neurotensin Enhances Endogenous Extracellular Glutamate Levels in Primary Cultures of Rat Cortical Neurons: Involvement of Neurotensin Receptor in NMDA Induced Excitotoxicity. <i>Cerebral Cortex</i> , 2004, 14, 466-473.	1.6	34
71	Selective β^3 -hydroxybutyric acid receptor ligands increase extracellular glutamate in the hippocampus, but fail to activate G protein and to produce the sedative/hypnotic effect of β^3 -hydroxybutyric acid. <i>Journal of Neurochemistry</i> , 2003, 87, 722-732.	2.1	65
72	Prenatal exposure to a cannabinoid agonist produces memory deficits linked to dysfunction in hippocampal long-term potentiation and glutamate release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4915-4920.	3.3	176

#	ARTICLE	IF	CITATIONS
73	Neurotensin-induced modulation of dopamine D2 receptors and their function in rat striatum: Counteraction by a NTR1-like receptor antagonist. <i>NeuroReport</i> , 2002, 13, 763-766.	0.6	36
74	Design, Synthesis and Activity of Ascorbic Acid Prodrugs of Nipecotic, Kynurenic and Diclophenamic Acids, Liable to Increase Neurotropic Activity. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 559-562.	2.9	99
75	δ^9 -Tetrahydrocannabinol decreases extracellular GABA and increases extracellular glutamate and dopamine levels in the rat prefrontal cortex: an in vivo microdialysis study. <i>Brain Research</i> , 2002, 948, 155-158.	1.1	201
76	Differential enhancement of dialysate serotonin levels in distinct brain regions of the awake rat by modafinil: Possible relevance for wakefulness and depression. <i>Journal of Neuroscience Research</i> , 2002, 68, 107-112.	1.3	55
77	δ^9 -tetrahydrocannabinol increases endogenous extracellular glutamate levels in primary cultures of rat cerebral cortex neurons: Involvement of CB1 receptors. <i>Journal of Neuroscience Research</i> , 2002, 68, 449-453.	1.3	24
78	Neurotensin enhances glutamate excitotoxicity in mesencephalic neurons in primary culture. <i>Journal of Neuroscience Research</i> , 2002, 70, 766-773.	1.3	16
79	Cholecystokinin/dopamine/GABA interactions in the nucleus accumbens: biochemical and functional correlates. <i>Peptides</i> , 2001, 22, 1229-1234.	1.2	32
80	Nigral neurotensin receptor regulation of nigral glutamate and nigroventral thalamic GABA transmission: a dual-probe microdialysis study in intact conscious rat brain. <i>Neuroscience</i> , 2001, 102, 113-120.	1.1	46
81	δ^3 -Hydroxybutyrate modulation of glutamate levels in the hippocampus: an in vivo and in vitro study. <i>Journal of Neurochemistry</i> , 2001, 78, 929-939.	2.1	37
82	Cannabinoid receptor agonist WIN 55,212-2 inhibits rat cortical dialysate γ -aminobutyric acid levels. <i>Journal of Neuroscience Research</i> , 2001, 66, 298-302.	1.3	44
83	Modafinil does not affect serotonin efflux from rat frontal cortex synaptosomes: comparison with known serotonergic drugs. <i>Brain Research</i> , 2001, 894, 307-310.	1.1	11
84	The Cannabinoid Receptor Agonist WIN 55,212-2 Regulates Glutamate Transmission in Rat Cerebral Cortex: an In Vivo and In Vitro Study. <i>Cerebral Cortex</i> , 2001, 11, 728-733.	1.6	77
85	Differential effects of acute and short-term lithium administration on dialysate glutamate and GABA levels in the frontal cortex of the conscious rat. <i>Synapse</i> , 2000, 38, 355-362.	0.6	31
86	Evidence for a nucleus accumbens CCK2 receptor regulation of rat ventral pallidal GABA levels. <i>Life Sciences</i> , 2000, 68, 483-496.	2.0	11
87	Neurotensin increases endogenous glutamate release in rat cortical slices. <i>Life Sciences</i> , 2000, 66, 927-936.	2.0	30
88	Amplification of cortical serotonin release: a further neurochemical action of the vigilance-promoting drug modafinil. <i>Neuropharmacology</i> , 2000, 39, 1974-1983.	2.0	81
89	The Vigilance Promoting Drug Modafinil Increases Extracellular Glutamate Levels in the Medial Preoptic Area and the Posterior Hypothalamus of the Conscious Rat Prevention by Local GABA _A Receptor Blockade. <i>Neuropsychopharmacology</i> , 1999, 20, 346-356.	2.8	139
90	The effects of modafinil on striatal, pallidal and nigral GABA and glutamate release in the conscious rat: evidence for a preferential inhibition of striato-pallidal GABA transmission. <i>Neuroscience Letters</i> , 1998, 253, 135-138.	1.0	110

#	ARTICLE	IF	CITATIONS
91	The Striatal Neurotensin Receptor Modulates Striatal and Pallidal Glutamate and GABA Release: Functional Evidence for a Pallidal Glutamate-GABA Interaction via the Pallidal-Subthalamic Nucleus Loop. <i>Journal of Neuroscience</i> , 1998, 18, 6977-6989.	1.7	65
92	The antinarcotic drug modafinil increases glutamate release in thalamic areas and hippocampus. <i>NeuroReport</i> , 1997, 8, 2883-2887.	0.6	105
93	Modafinil: An antinarcotic drug with a different neurochemical profile to d-amphetamine and dopamine uptake blockers. <i>Biological Psychiatry</i> , 1997, 42, 1181-1183.	0.7	128
94	Inhibitory cholinergic control of endogenous GABA release from electrically stimulated cortical slices and K ⁺ -depolarized synaptosomes. <i>Neurochemistry International</i> , 1997, 31, 795-800.	1.9	13
95	Differential Effects of Intrastratial Neurotensin(1-13) and Neurotensin(8-13) on Striatal Dopamine and Pallidal GABA Release. A Dual-probe Microdialysis Study in the Awake Rat. <i>European Journal of Neuroscience</i> , 1997, 9, 1838-1846.	1.2	43
96	Evidence for a differential cholecystokinin-B and -A receptor regulation of gaba release in the rat nucleus accumbens mediated via dopaminergic and cholinergic mechanisms. <i>Neuroscience</i> , 1996, 73, 941-950.	1.1	28
97	The vigilance promoting drug modafinil increases dopamine release in the rat nucleus accumbens via the involvement of a local GABAergic mechanism. <i>European Journal of Pharmacology</i> , 1996, 306, 33-39.	1.7	125
98	The vigilance promoting drug modafinil decreases GABA release in the medial preoptic area and in the posterior hypothalamus of the awake rat: possible involvement of the serotonergic 5-HT ₃ receptor. <i>Neuroscience Letters</i> , 1996, 220, 5-8.	1.0	103
99	Evidence for an in vivo and in vitro modulation of endogenous cortical GABA release by \pm -glycerylphosphorylcholine. <i>Neurochemical Research</i> , 1996, 21, 547-552.	1.6	3
100	Neurotensin peptides antagonistically regulate postsynaptic dopamine D ₂ receptors in rat nucleus accumbens: a receptor binding and microdialysis study. <i>Journal of Neural Transmission</i> , 1995, 102, 125-137.	1.4	48
101	Neurotensin increases endogenous glutamate release in the neostriatum of the awake rat. <i>Synapse</i> , 1995, 20, 362-364.	0.6	39
102	5-Hydroxytryptamine-mediated effects of nicotine on endogenous GABA efflux from guinea-pig cortical slices. <i>British Journal of Pharmacology</i> , 1995, 116, 2724-2728.	2.7	14
103	Modafinil and cortical ³ H-aminobutyric acid outflow. Modulation by 5-hydroxytryptamine neurotoxins. <i>European Journal of Pharmacology</i> , 1995, 273, 63-71.	1.7	60
104	Receptor-Receptor Interactions and Their Relevance for Receptor Diversity. <i>Annals of the New York Academy of Sciences</i> , 1995, 757, 365-376.	1.8	25
105	Facilitation of gaba release by neurotensin is associated with a reduction of dopamine release in rat nucleus accumbens. <i>Neuroscience</i> , 1994, 60, 649-657.	1.1	96
106	6-Hydroxy-dopamine treatment counteracts the reduction of cortical GABA release produced by the vigilance promoting drug modafinil in the awake freely moving guinea-pig. <i>Neuroscience Letters</i> , 1994, 171, 201-204.	1.0	21
107	Evidence for a preventive action of the vigilance-promoting drug modafinil against striatal ischemic injury induced by endothelin-1 in the rat. <i>Experimental Brain Research</i> , 1993, 96, 89-99.	0.7	32
108	Noradrenergic modulation of ³ H-aminobutyric acid outflow from the human cerebral cortex. <i>Brain Research</i> , 1993, 629, 103-108.	1.1	30

#	ARTICLE	IF	CITATIONS
109	Neurotensin and cholecystokinin octapeptide control synergistically dopamine release and dopamine D2 receptor affinity in rat neostriatum. <i>European Journal of Pharmacology</i> , 1993, 230, 159-166.	1.7	26
110	Evidence for a substrate of neuronal plasticity based on pre- and postsynaptic neurotensin-dopamine receptor interactions in the neostriatum.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 5591-5595.	3.3	78
111	Changes in gamma-aminobutyric acid release induced by topical administration of drugs affecting its metabolism and receptors: Studies in freely moving guinea pigs with epidural cups. <i>Neurochemistry International</i> , 1992, 21, 15-20.	1.9	8
112	Intramembrane Interactions between Neurotensin Receptors and Dopamine D2Receptors as a Major Mechanism for the Neuroleptic-like Action of Neurotensin. <i>Annals of the New York Academy of Sciences</i> , 1992, 668, 186-204.	1.8	90
113	The effects of neurotensin on GABA and acetylcholine release in the dorsal striatum of the rat: an in vivo microdialysis study. <i>Brain Research</i> , 1992, 573, 209-216.	1.1	56
114	Inhibitory effects of the psychoactive drug modafinil on γ -aminobutyric acid outflow from the cerebral cortex of the awake freely moving guinea-pig. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1992, 345, 461-5.	1.4	75
115	Evidence for a protective action of the vigilance promoting drug Modafinil on the MPTP-induced degeneration of the nigrostriatal dopamine neurons in the black mouse: an immunocytochemical and biochemical analysis. <i>Experimental Brain Research</i> , 1992, 88, 117-130.	0.7	59
116	Effect of acute and subchronic nicotine treatment on cortical efflux of [³ H]- α -aspartate and endogenous GABA in freely moving guinea-pigs. <i>British Journal of Pharmacology</i> , 1991, 104, 15-20.	2.7	9
117	Glutamate antagonists prevent morphine withdrawal in mice and guinea pigs. <i>Neuroscience Letters</i> , 1991, 122, 270-272.	1.0	106
118	Involvement of cholecystokinin receptors in the control of striatal dopamine autoreceptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1990, 342, 300-304.	1.4	17
119	Changes in pituitary-adrenal activity affect the apomorphine- and cholecystokinin-8-induced changes in striatal dopamine release using microdialysis. <i>Journal of Neural Transmission</i> , 1990, 81, 183-194.	1.4	20
120	Changes in pituitary-adrenal activity affect the binding properties of striatal dopamine D-2 receptors but not their modulation by neurotensin and cholecystokinin-8. <i>Neurochemistry International</i> , 1990, 16, 275-280.	1.9	17
121	β 1Adrenoreceptor-Mediated Increase in Acetylcholine Release in Brain Slices During Morphine Tolerance. <i>Journal of Neurochemistry</i> , 1989, 53, 1072-1076.	2.1	13
122	Neurotensin counteracts apomorphine-induced inhibition of dopamine release as studied by microdialysis in rat neostriatum. <i>Brain Research</i> , 1989, 502, 319-324.	1.1	63
123	Chapter 14 Effect of nicotine on the release of acetylcholine and amino acids in the brain. <i>Progress in Brain Research</i> , 1989, 79, 149-155.	0.9	27
124	A simple integrator to process the electroencephalogram of small laboratory animals. <i>Journal of Pharmacological Methods</i> , 1987, 17, 219-229.	0.7	1
125	The modulation of cortical acetylcholine release by GABA, GABA-like drugs and benzodiazepines in freely moving guinea-pigs. <i>Neuropharmacology</i> , 1985, 24, 291-299.	2.0	15
126	Different approaches to study acetylcholine release: endogenous ACh versus tritium efflux. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1984, 328, 119-126.	1.4	66

#	ARTICLE	IF	CITATIONS
127	Diazepam antagonizes GABA-and muscimol-induced changes of acetylcholine release in slices of guinea-pig cerebral cortex. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1983, 324, 34-37.	1.4	9
128	Glycine-induced changes in acetylcholine release from guinea-pig brain slices. <i>British Journal of Pharmacology</i> , 1983, 79, 623-628.	2.7	12
129	Release of GABA from the guinea-pig neocortex induced by electrical stimulation of the locus coeruleus or by norepinephrine. <i>Brain Research</i> , 1982, 232, 216-221.	1.1	19
130	GABA induced changes in acetylcholine release from slices of guinea-pig brain. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1982, 318, 253-258.	1.4	46
131	The Release of γ -Aminobutyric Acid, Glutamate, and Acetylcholine from Striatal Slices: A Mass Fragmentographic Study. <i>Journal of Neurochemistry</i> , 1981, 36, 1691-1697.	2.1	37
132	A mass-fragmentographic approach to release studies of endogenous GABA, glutamic acid and glutamine <i>in vitro</i> . <i>Pharmacological Research Communications</i> , 1980, 12, 501-505.	0.2	11
133	Dopamine modulation of acetylcholine release from the guinea-pig brain. <i>European Journal of Pharmacology</i> , 1979, 58, 235-246.	1.7	31
134	Inhibition of acetylcholine outflow from guinea-pig cerebral cortex following locus coeruleus stimulation. <i>Neuroscience Letters</i> , 1979, 14, 97-100.	1.0	25