

Marco Agostini

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1234302/marco-agostini-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

2,544
citations

29
h-index

43
g-index

148
ext. papers

3,068
ext. citations

4.9
avg, IF

4.93
L-index

#	Paper	IF	Citations
125	A Specific Mutational Signature Associated with DNA 8-Oxoguanine Persistence in MUTYH-defective Colorectal Cancer. <i>EBioMedicine</i> , 2017 , 20, 39-49	8.8	112
124	Recent Advances in Understanding the Protein Corona of Nanoparticles and in the Formulation of "Stealthy" Nanomaterials. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 166	5.8	92
123	Circulating cell-free DNA: a promising marker of pathologic tumor response in rectal cancer patients receiving preoperative chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2461-8	3.1	87
122	Extracellular Matrix and Colorectal Cancer: How Surrounding Microenvironment Affects Cancer Cell Behavior?. <i>Journal of Cellular Physiology</i> , 2017 , 232, 967-975	7	84
121	An Advanced Lithium-Ion Sulfur Battery for High Energy Storage. <i>Advanced Energy Materials</i> , 2015 , 5, 1500481	21.8	84
120	Relationship between tumor and plasma levels of hTERT mRNA in patients with colorectal cancer: implications for monitoring of neoplastic disease. <i>Clinical Cancer Research</i> , 2008 , 14, 7444-51	12.9	76
119	Compartmentalized activities of the pyruvate dehydrogenase complex sustain lipogenesis in prostate cancer. <i>Nature Genetics</i> , 2018 , 50, 219-228	36.3	71
118	Diagnostic and prognostic role of cell-free DNA testing for colorectal cancer patients. <i>International Journal of Cancer</i> , 2017 , 140, 1888-1898	7.5	62
117	Circulating cell-free DNA: a promising marker of regional lymphnode metastasis in breast cancer patients. <i>Cancer Biomarkers</i> , 2012 , 11, 89-98	3.8	57
116	Two PMS2 mutations in a Turcot syndrome family with small bowel cancers. <i>American Journal of Gastroenterology</i> , 2005 , 100, 1886-91	0.7	56
115	Telomere-specific reverse transcriptase (hTERT) and cell-free RNA in plasma as predictors of pathologic tumor response in rectal cancer patients receiving neoadjuvant chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3089-96	3.1	54
114	Tumor response is predicted by patient genetic profile in rectal cancer patients treated with neo-adjuvant chemo-radiotherapy. <i>Pharmacogenomics Journal</i> , 2011 , 11, 214-26	3.5	54
113	Enabling cytoplasmic delivery and organelle targeting by surface modification of nanocarriers. <i>Nanomedicine</i> , 2015 , 10, 1923-40	5.6	52
112	Telomerase is an independent prognostic marker of overall survival in patients with colorectal cancer. <i>British Journal of Cancer</i> , 2013 , 108, 278-84	8.7	51
111	A haplotype of the methylenetetrahydrofolate reductase gene predicts poor tumor response in rectal cancer patients receiving preoperative chemoradiation. <i>Pharmacogenetics and Genomics</i> , 2006 , 16, 817-24	1.9	51
110	Circulating miR-182 is a biomarker of colorectal adenocarcinoma progression. <i>Oncotarget</i> , 2014 , 5, 6611-93	3.3	49
109	Serum miR-125b is a non-invasive predictive biomarker of the pre-operative chemoradiotherapy responsiveness in patients with rectal adenocarcinoma. <i>Oncotarget</i> , 2016 , 7, 28647-57	3.3	48

108	NOTCH3 signaling regulates MUSASHI-1 expression in metastatic colorectal cancer cells. <i>Cancer Research</i> , 2014 , 74, 2106-18	10.1	46
107	Circulating cell-free DNA, SLC5A8 and SLC26A4 hypermethylation, BRAF(V600E): A non-invasive tool panel for early detection of thyroid cancer. <i>Biomedicine and Pharmacotherapy</i> , 2013 , 67, 723-30	7.5	43
106	Decellularized colorectal cancer matrix as bioactive microenvironment for in vitro 3D cancer research. <i>Journal of Cellular Physiology</i> , 2018 , 233, 5937-5948	7	43
105	Bottom-up synthesis of carbon nanoparticles with higher doxorubicin efficacy. <i>Journal of Controlled Release</i> , 2017 , 248, 144-152	11.7	41
104	Engineered biomimetic nanovesicles show intrinsic anti-inflammatory properties for the treatment of inflammatory bowel diseases. <i>Nanoscale</i> , 2017 , 9, 14581-14591	7.7	41
103	miRNAs in colon and rectal cancer: A consensus for their true clinical value. <i>Clinica Chimica Acta</i> , 2010 , 411, 1181-6	6.2	35
102	Stability of BAT26 in tumours of hereditary nonpolyposis colorectal cancer patients with MSH2 intragenic deletion. <i>European Journal of Human Genetics</i> , 2006 , 14, 63-8	5.3	35
101	An integrative approach for the identification of prognostic and predictive biomarkers in rectal cancer. <i>Oncotarget</i> , 2015 , 6, 32561-74	3.3	32
100	Evaluation of cell-free DNA as a biomarker for pancreatic malignancies. <i>International Journal of Biological Markers</i> , 2015 , 30, e136-41	2.8	32
99	Gene and MicroRNA Expression Are Predictive of Tumor Response in Rectal Adenocarcinoma Patients Treated With Preoperative Chemoradiotherapy. <i>Journal of Cellular Physiology</i> , 2017 , 232, 426-435	7.5	31
98	Integrated analysis of unclassified variants in mismatch repair genes. <i>Genetics in Medicine</i> , 2011 , 13, 115-24	8.4	31
97	A functional biological network centered on XRCC3: a new possible marker of chemoradiotherapy resistance in rectal cancer patients. <i>Cancer Biology and Therapy</i> , 2015 , 16, 1160-71	4.6	30
96	Amiodarone inhibits lung degradation of SP-A and perturbs the distribution of lysosomal enzymes. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2001 , 281, L1189-99	5.8	27
95	Next-generation sequencing for genetic testing of familial colorectal cancer syndromes. <i>Hereditary Cancer in Clinical Practice</i> , 2015 , 13, 18	2.3	26
94	Altered plasma levels of decanoic acid in colorectal cancer as a new diagnostic biomarker. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 6321-8	4.4	26
93	Patient-Derived Scaffolds of Colorectal Cancer Metastases as an Organotypic 3D Model of the Liver Metastatic Microenvironment. <i>Cancers</i> , 2020 , 12,	6.6	24
92	miR-194 as predictive biomarker of responsiveness to neoadjuvant chemoradiotherapy in patients with locally advanced rectal adenocarcinoma. <i>Journal of Clinical Pathology</i> , 2018 , 71, 344-350	3.9	23
91	The role of MYH gene in genetic predisposition to colorectal cancer: another piece of the puzzle. <i>Cancer Letters</i> , 2008 , 268, 308-13	9.9	23

90	Multivariate analysis approach to the plasma protein profile of patients with advanced colorectal cancer. <i>Journal of Mass Spectrometry</i> , 2006 , 41, 1546-53	2.2	22
89	Rectal cancer neoadjuvant treatment in elderly patients. <i>Anticancer Research</i> , 2006 , 26, 3913-23	2.3	22
88	High risk of rectal cancer and of metachronous colorectal cancer in probands of families fulfilling the Amsterdam criteria. <i>Annals of Surgery</i> , 2013 , 257, 900-4	7.8	21
87	Circulating Cell-Free DNA in Dogs with Mammary Tumors: Short and Long Fragments and Integrity Index. <i>PLoS ONE</i> , 2017 , 12, e0169454	3.7	21
86	Predictive response biomarkers in rectal cancer neoadjuvant treatment. <i>Frontiers in Bioscience - Scholar</i> , 2014 , 6, 110-9	2.4	21
85	miR-27a is a master regulator of metabolic reprogramming and chemoresistance in colorectal cancer. <i>British Journal of Cancer</i> , 2020 , 122, 1354-1366	8.7	20
84	Early-age-at-onset colorectal cancer and microsatellite instability as markers of hereditary nonpolyposis colorectal cancer. <i>Diseases of the Colon and Rectum</i> , 2003 , 46, 305-12	3.1	20
83	Long non-coding RNA and extracellular matrix: the hidden players in cancer-stroma cross-talk. <i>Non-coding RNA Research</i> , 2018 , 3, 174-177	6	20
82	Nanovectors Design for Theranostic Applications in Colorectal Cancer. <i>Journal of Oncology</i> , 2019 , 2019, 2740923	4.5	19
81	A ten markers panel provides a more accurate and complete microsatellite instability analysis in mismatch repair-deficient colorectal tumors. <i>Cancer Biomarkers</i> , 2010 , 6, 49-61	3.8	19
80	Liposomal delivery of a Pin1 inhibitor complexed with cyclodextrins as new therapy for high-grade serous ovarian cancer. <i>Journal of Controlled Release</i> , 2018 , 281, 1-10	11.7	18
79	Survivin and laryngeal carcinoma prognosis: nuclear localization and expression of splice variants. <i>Histopathology</i> , 2012 , 61, 247-56	7.3	18
78	Evaluation of cell-free DNA in urine as a marker for bladder cancer diagnosis. <i>International Journal of Biological Markers</i> , 2009 , 24, 147-55	2.8	18
77	Recellularized Colorectal Cancer Patient-derived Scaffolds as in vitro Pre-clinical 3D Model for Drug Screening. <i>Cancers</i> , 2020 , 12,	6.6	17
76	Evaluation of Cell-free DNA in Urine as a Marker for Bladder Cancer Diagnosis. <i>International Journal of Biological Markers</i> , 2009 , 24, 147-155	2.8	17
75	MicroRNAs as tools and effectors for patient treatment in gastrointestinal carcinogenesis. <i>Current Drug Targets</i> , 2015 , 16, 383-92	3	17
74	Mass spectrometry in the pharmacokinetic studies of anticancer natural products. <i>Mass Spectrometry Reviews</i> , 2017 , 36, 213-251	11	16
73	Analytical aspects of sunitinib and its geometric isomerism towards therapeutic drug monitoring in clinical routine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 160, 360-367	3.5	16

72	Tryptophan metabolism along the kynurenine and serotonin pathways reveals substantial differences in colon and rectal cancer. <i>Metabolomics</i> , 2017 , 13, 1	4.7	16
71	Preclinical three-dimensional colorectal cancer model: The next generation of in vitro drug efficacy evaluation. <i>Journal of Cellular Physiology</i> , 2018 , 234, 181-191	7	16
70	Inflammation and Cancer: In Medio Stat Nano. <i>Current Medicinal Chemistry</i> , 2018 , 25, 4208-4223	4.3	16
69	BTK inhibitors synergise with 5-FU to treat drug-resistant TP53-null colon cancers. <i>Journal of Pathology</i> , 2020 , 250, 134-147	9.4	15
68	Serum seleno-proteins status for colorectal cancer screening explored by data mining techniques - a multidisciplinary pilot study. <i>Microchemical Journal</i> , 2012 , 105, 124-132	4.8	14
67	Clinical predictive circulating peptides in rectal cancer patients treated with neoadjuvant chemoradiotherapy. <i>Journal of Cellular Physiology</i> , 2015 , 230, 1822-8	7	13
66	Proximal colon cancer in patients aged 51-60 years of age should be tested for microsatellites instability. A comment on the Revised Bethesda Guidelines. <i>International Journal of Colorectal Disease</i> , 2008 , 23, 801-6	3	13
65	MUTYH c.933+3A>C, associated with a severely impaired gene expression, is the first Italian founder mutation in MUTYH-Associated Polyposis. <i>International Journal of Cancer</i> , 2013 , 132, 1060-9	7.5	12
64	Search of plasma markers for colorectal cancer by matrix-assisted laser desorption/ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2005 , 40, 123-6	2.2	12
63	Intrinsic and Extrinsic Modulators of the Epithelial to Mesenchymal Transition: Driving the Fate of Tumor Microenvironment. <i>Frontiers in Oncology</i> , 2020 , 10, 1122	5.3	12
62	Alterations of the Plasma Peptidome Profiling in Colorectal Cancer Progression. <i>Journal of Cellular Physiology</i> , 2016 , 231, 915-25	7	12
61	MALDI-MS-NIST library approach for colorectal cancer diagnosis. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 2839-45	2.2	11
60	Glutathione S-transferase P1 Ile105Val polymorphism is associated with haematological toxicity in elderly rectal cancer patients receiving preoperative chemoradiotherapy. <i>Drugs and Aging</i> , 2008 , 25, 531-9	4.7	11
59	Predictive role of microRNA-related genetic polymorphisms in the pathological complete response to neoadjuvant chemoradiotherapy in locally advanced rectal cancer patients. <i>Oncotarget</i> , 2016 , 7, 19781-93	2.3	11
58	miR-19a and SOCS-1 expression in the differential diagnosis of laryngeal (glottic) verrucous squamous cell carcinoma. <i>Journal of Clinical Pathology</i> , 2016 , 69, 415-21	3.9	11
57	The role of mass spectrometry in studies of glycation processes and diabetes management. <i>Mass Spectrometry Reviews</i> , 2019 , 38, 112-146	11	11
56	Clinical and molecular features of attenuated adenomatous polyposis in northern Italy. <i>Techniques in Coloproctology</i> , 2013 , 17, 79-87	2.9	10
55	Neoadjuvant treatment for locally advanced rectal carcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2004 , 52, 61-71	7	10

54	Pharmacogenetics Biomarkers and Their Specific Role in Neoadjuvant Chemoradiotherapy Treatments: An Exploratory Study on Rectal Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	10
53	miR-224 Is Significantly Upregulated and Targets Caspase-3 and Caspase-7 During Colorectal Carcinogenesis. <i>Translational Oncology</i> , 2019 , 12, 282-291	4.9	10
52	Carcinoma and Sarcoma Microenvironment at a Glance: Where We Are. <i>Frontiers in Oncology</i> , 2020 , 10, 76	5.3	9
51	Circulating microRNA expression profiling revealed miR-92a-3p as a novel biomarker of Barrett's carcinogenesis. <i>Pathology Research and Practice</i> , 2020 , 216, 152907	3.4	9
50	Soft tissue sarcoma and the hereditary non-polyposis colorectal cancer (HNPCC) syndrome: formulation of an hypothesis. <i>Molecular Biology Reports</i> , 2012 , 39, 9307-10	2.8	9
49	PKH26 staining defines distinct subsets of normal human colon epithelial cells at different maturation stages. <i>PLoS ONE</i> , 2012 , 7, e43379	3.7	9
48	Rectum-sparing surgery may be appropriate for biallelic MutYH-associated polyposis. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 1670-5	3.1	9
47	BRAF p.V600E-specific immunohistochemical assessment in colorectal cancer endoscopy biopsies is consistent with the mutational profiling. <i>Histopathology</i> , 2017 , 71, 1008-1011	7.3	8
46	Experimental Evidence of the Presence of Bimolecular Caffeine/Catechin Complexes in Green Tea Extracts. <i>Journal of Natural Products</i> , 2018 , 81, 2338-2347	4.9	8
45	Insulin promotes HER2 signaling activation during Barrett's Esophagus carcinogenesis. <i>Digestive and Liver Disease</i> , 2017 , 49, 630-638	3.3	7
44	Determining therapeutic approaches in the elderly with rectal cancer. <i>Drugs and Aging</i> , 2007 , 24, 781-90	4.7	7
43	Integration of Flexibility from Distributed Energy Resources: Mapping the Innovative Italian Pilot Project UVAM. <i>Energies</i> , 2021 , 14, 1910	3.1	7
42	Cross-validation of a mass spectrometric-based method for the therapeutic drug monitoring of irinotecan: implementation of matrix-assisted laser desorption/ionization mass spectrometry in pharmacokinetic measurements. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 5369-77	4.4	7
41	Immunonutrition before esophagectomy: Impact on immune surveillance mechanisms. <i>Tumor Biology</i> , 2017 , 39, 1010428317728683	2.9	6
40	Peptide Patterns as Discriminating Biomarkers in Plasma of Patients With Familial Adenomatous Polyposis. <i>Clinical Colorectal Cancer</i> , 2016 , 15, e75-92	3.8	6
39	Biomarker Signature Discovery from Mass Spectrometry Data. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2014 , 11, 766-72	3	6
38	Matrix-assisted laser desorption/ionization, nanostructure-assisted laser desorption/ionization and carbon nanohorns in the detection of antineoplastic drugs. 1. The cases of irinotecan, sunitinib and 6-alpha-hydroxy paclitaxel. <i>European Journal of Mass Spectrometry</i> , 2014 , 20, 445-59	1.1	6
37	Serpins3 upregulates the Cyclooxygenase-2 / E-catenin positive loop in colorectal cancer. <i>Oncotarget</i> , 2017 , 8, 15732-15743	3.3	6

36	An investigation on the nature of the peptide at m/z 904, overexpressed in plasma of patients with colorectal cancer and familial adenomatous polyposis. <i>Journal of Mass Spectrometry</i> , 2007 , 42, 1606-12	2.2	6
35	Assessment of intratumor immune-microenvironment in colorectal cancers with extranodal extension of nodal metastases. <i>Cancer Cell International</i> , 2018 , 18, 131	6.4	6
34	Medium chain fatty acids in intrauterine growth restricted and small for gestational age pregnancies. <i>Metabolomics</i> , 2017 , 13, 1	4.7	5
33	Leveraging Demand Flexibility by Exploiting Prosumer Response to Price Signals in Microgrids. <i>Energies</i> , 2020 , 13, 3078	3.1	5
32	Multiplexed protein signal pathway mapping identifies patients with rectal cancer that responds to neoadjuvant treatment. <i>Clinical Colorectal Cancer</i> , 2012 , 11, 268-74	3.8	5
31	New Mass Spectrometric Approaches for the Quantitative Evaluation of Anticancer Drug Levels in Treated Patients. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 1-10	3.2	5
30	Field-assisted paper spray mass spectrometry for therapeutic drug monitoring: 1. the case of imatinib in plasma. <i>Journal of Mass Spectrometry</i> , 2017 , 52, 283-289	2.2	4
29	Factors affecting the treatment of multiple colorectal adenomas. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 207-13	5.2	4
28	A prognostic role for Nm23-H1 in laryngeal carcinoma treated with postoperative radiotherapy: an introductory investigation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 197-203	3.5	4
27	The development of a matrix-assisted laser desorption/ionization (MALDI)-based analytical method for determination of irinotecan levels in human plasma: preliminary results. <i>Journal of Mass Spectrometry</i> , 2015 , 50, 959-62	2.2	4
26	APC I1307K mutations and forkhead box gene (FOXO1A): another piece of an interesting correlation. <i>International Journal of Biological Markers</i> , 2012 , 27, 13-9	2.8	4
25	Long-term follow-up after endoscopic forceps biopsies for early stage duodenal carcinoid: case report and review of endoscopic treatments. <i>Endoscopy</i> , 2007 , 39 Suppl 1, E128	3.4	4
24	Circulating Biomarkers for Response Prediction of Rectal Cancer to Neoadjuvant Chemoradiotherapy. <i>Current Medicinal Chemistry</i> , 2020 , 27, 4274-4294	4.3	4
23	Reduced Plasma Levels of Very-Long-Chain Dicarboxylic Acid 28:4 in Italian and Brazilian Colorectal Cancer Patient Cohorts. <i>Metabolites</i> , 2018 , 8,	5.6	4
22	Decellularized normal and cancer tissues as tools for cancer research. <i>Cancer Gene Therapy</i> , 2021 ,	5.4	3
21	Diagnostic Devices for Circulating Biomarkers Detection and Quantification. <i>Current Medicinal Chemistry</i> , 2018 , 25, 4304-4327	4.3	3
20	Genetic heterogeneity of variable number tandem repeats in thymidylate synthase gene in colorectal cancer patients. <i>International Journal of Biological Markers</i> , 2004 , 19, 332-6	2.8	3
19	p65BTK targeting restores the apoptotic response to chemotherapy of p53-null drug-resistant colon cancer cells. <i>European Journal of Cancer</i> , 2016 , 69, S140	7.5	3

18	Field-assisted paper spray mass spectrometry for the quantitative evaluation of imatinib levels in plasma. <i>European Journal of Mass Spectrometry</i> , 2016 , 22, 217-228	1.1	3
17	Mass spectrometry in the study of molecular complexes between 5-fluorouracil and catechins. <i>Journal of Mass Spectrometry</i> , 2021 , 56, e4682	2.2	3
16	Tryptophan Catabolism and Response to Therapy in Locally Advanced Rectal Cancer (LARC) Patients. <i>Frontiers in Oncology</i> , 2020 , 10, 583228	5.3	2
15	Clinical and molecular detection of inherited colorectal cancers in northeast Italy: a first prospective study of incidence of Lynch syndrome and MUTYH-related colorectal cancer in Italy. <i>Tumor Biology</i> , 2012 , 33, 857-64	2.9	2
14	Reply to Jaskowski et al. <i>European Journal of Human Genetics</i> , 2007 , 15, 141-142	5.3	2
13	Evidence of noncovalent complexes in some natural extracts: Ceylon tea and mate extracts. <i>Journal of Mass Spectrometry</i> , 2020 , 55, e4459	2.2	2
12	Tryptophan Metabolism as Source of New Prognostic Biomarkers for FAP Patients. <i>International Journal of Tryptophan Research</i> , 2019 , 12, 1178646919890293	5.6	2
11	Tumor Cells and the Extracellular Matrix Dictate the Pro-Tumoral Profile of Macrophages in CRC. <i>Cancers</i> , 2021 , 13,	6.6	1
10	A rhabdomyosarcoma hydrogel model to unveil cell-extracellular matrix interactions. <i>Biomaterials Science</i> , 2021 ,	7.4	1
9	Ancillary services provision by aggregators and impact on distribution network operation 2019 ,		1
8	Increased Tenascin C, Osteopontin and HSP90 Levels in Plasmatic Small Extracellular Vesicles of Pediatric ALK-Positive Anaplastic Large Cell Lymphoma: New Prognostic Biomarkers?. <i>Diagnostics</i> , 2021 , 11,	3.8	1
7	A method for assessing plasma free fatty acids from C2 to C18 and its application for the early detection of colorectal cancer.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 215, 114762	3.5	1
6	MASS SPECTROMETRY FOR A HOLISTIC VIEW OF NATURAL EXTRACTS OF PHYTOTHERAPEUTIC INTEREST. <i>Mass Spectrometry Reviews</i> , 2020 , 39, 553-573	11	0
5	Nanodelivery Systems Face Challenges and Limitations in Bone Diseases Management. <i>Advanced Therapeutics</i> , 2100152	4.9	0
4	Voltammetric responses at modified electrodes and aggregation effects of two anticancer molecules: irinotecan and sunitinib. <i>New Journal of Chemistry</i> , 2020 , 44, 18233-18241	3.6	0
3	An investigation on [5 fluorouracil and epigallocatechin-3-gallate] complex activity on HT-29 cell death and its stability in gastrointestinal fluid.. <i>Oncotarget</i> , 2022 , 13, 476-489	3.3	0
2	Multivariate Analysis Approach to the Serum Peptide Profile of Morbidly Obese Patients. <i>Disease Markers</i> , 2013 , 34, 269-278	3.2	
1	An electrospray ionization study on complexes of amylin with Cu(II) and Cu(I). <i>Journal of Mass Spectrometry</i> , 2021 , 56, e4773	2.2	

