

Jung-Bo Huh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1234340/publications.pdf>

Version: 2024-02-01

152
papers

2,469
citations

218381

26
h-index

253896

43
g-index

152
all docs

152
docs citations

152
times ranked

3230
citing authors

#	ARTICLE	IF	CITATIONS
1	A study on the <i>in-vitro</i> wear of the natural tooth structure by opposing zirconia or dental porcelain. Journal of Advanced Prosthodontics, 2010, 2, 111.	1.1	160
2	Relationship between articulation paper mark size and percentage of force measured with computerized occlusal analysis. Journal of Advanced Prosthodontics, 2012, 4, 7.	1.1	100
3	Efficacy of rhBMP-2 loaded PCL/PLGA/ β -TCP guided bone regeneration membrane fabricated by 3D printing technology for reconstruction of calvaria defects in rabbit. Biomedical Materials (Bristol), 2014, 9, 065006.	1.7	96
4	Stimulation of healing within a rabbit calvarial defect by a PCL/PLGA scaffold blended with TCP using solid freeform fabrication technology. Journal of Materials Science: Materials in Medicine, 2012, 23, 2993-3002.	1.7	91
5	Effects of 3D-Printed Polycaprolactone/ β -Tricalcium Phosphate Membranes on Guided Bone Regeneration. International Journal of Molecular Sciences, 2017, 18, 899.	1.8	87
6	Fabrication of Blended Polycaprolactone/Poly (Lactic-Co-Glycolic Acid)/ β -Tricalcium Phosphate Thin Membrane Using Solid Freeform Fabrication Technology for Guided Bone Regeneration. Tissue Engineering - Part A, 2013, 19, 317-328.	1.6	80
7	Comparative Efficacies of a 3D-Printed PCL/PLGA/ β -TCP Membrane and a Titanium Membrane for Guided Bone Regeneration in Beagle Dogs. Polymers, 2015, 7, 2061-2077.	2.0	62
8	Improving osteoblast functions and bone formation upon BMP-2 immobilization on titanium modified with heparin. Carbohydrate Polymers, 2014, 114, 123-132.	5.1	56
9	Cell Adhesion and in Vivo Osseointegration of Sandblasted/Acid Etched/Anodized Dental Implants. International Journal of Molecular Sciences, 2015, 16, 10324-10336.	1.8	53
10	Sterilization effect of atmospheric pressure non-thermal air plasma on dental instruments. Journal of Advanced Prosthodontics, 2013, 5, 2.	1.1	51
11	Wear of primary teeth caused by opposed all-ceramic or stainless steel crowns. Journal of Advanced Prosthodontics, 2016, 8, 43.	1.1	49
12	Characterization of hydroxyapatite-coated bacterial cellulose scaffold for bone tissue engineering. Biotechnology and Bioprocess Engineering, 2015, 20, 948-955.	1.4	48
13	Comparative Efficacies of Collagen-Based 3D Printed PCL/PLGA/ β -TCP Composite Block Bone Grafts and Biphasic Calcium Phosphate Bone Substitute for Bone Regeneration. Materials, 2017, 10, 421.	1.3	48
14	The effect of bacterial cellulose membrane compared with collagen membrane on guided bone regeneration. Journal of Advanced Prosthodontics, 2015, 7, 484.	1.1	46
15	Preparation and Characterization of Resorbable Bacterial Cellulose Membranes Treated by Electron Beam Irradiation for Guided Bone Regeneration. International Journal of Molecular Sciences, 2017, 18, 2236.	1.8	43
16	The Effect of Reduced Graphene Oxide-Coated Biphasic Calcium Phosphate Bone Graft Material on Osteogenesis. International Journal of Molecular Sciences, 2017, 18, 1725.	1.8	42
17	Porosity effect of 3D-printed polycaprolactone membranes on calvarial defect model for guided bone regeneration. Biomedical Materials (Bristol), 2018, 13, 015014.	1.7	42
18	Influence of the implant-abutment connection design and diameter on the screw joint stability. Journal of Advanced Prosthodontics, 2014, 6, 126.	1.1	41

#	ARTICLE	IF	CITATIONS
19	Co-delivery of platelet-derived growth factor (PDGF-BB) and bone morphogenic protein (BMP-2) coated onto heparinized titanium for improving osteoblast function and osteointegration. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015, 9, E219-E228.	1.3	37
20	Efficacy of rhBMP-2 Loaded PCL/ β -TCP/bdECM Scaffold Fabricated by 3D Printing Technology on Bone Regeneration. <i>BioMed Research International</i> , 2018, 2018, 1-12.	0.9	36
21	Randomized clinical trial on the efficacy of <i>Escherichia coli</i> -derived rhBMP-2 with β -TCP/HA in extraction socket. <i>Journal of Advanced Prosthodontics</i> , 2011, 3, 161.	1.1	35
22	Three-Dimensional Evaluation on Accuracy of Conventional and Milled Gypsum Models and 3D Printed Photopolymer Models. <i>Materials</i> , 2019, 12, 3499.	1.3	35
23	The effect of several dentin desensitizers on shear bond strength of adhesive resin luting cement using self-etching primer. <i>Journal of Dentistry</i> , 2008, 36, 1025-1032.	1.7	33
24	Risk assessment for clinical attachment loss of periodontal tissue in Korean adults. <i>Journal of Advanced Prosthodontics</i> , 2011, 3, 25.	1.1	32
25	Influence of abutment materials on the implant-abutment joint stability in internal conical connection type implant systems. <i>Journal of Advanced Prosthodontics</i> , 2014, 6, 491.	1.1	32
26	Enhanced osseointegration of dental implants with reduced graphene oxide coating. <i>Biomaterials Research</i> , 2022, 26, 11.	3.2	31
27	Retentive Properties of Two Stud Attachments with Polyetherketoneketone or Nylon Insert in Mandibular Implant Overdentures. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018, 33, 1079-1088.	0.6	28
28	The Effect of Thickness of Resorbable Bacterial Cellulose Membrane on Guided Bone Regeneration. <i>Materials</i> , 2017, 10, 320.	1.3	27
29	<i>In vitro</i> study of the fracture resistance of monolithic lithium disilicate, monolithic zirconia, and lithium disilicate pressed on zirconia for three-unit fixed dental prostheses. <i>Journal of Advanced Prosthodontics</i> , 2017, 9, 244.	1.1	27
30	Development and Assessment of a 3D-Printed Scaffold with rhBMP-2 for an Implant Surgical Guide Stent and Bone Graft Material: A Pilot Animal Study. <i>Materials</i> , 2017, 10, 1434.	1.3	26
31	A 5-year retrospective clinical study of the Dentium implants. <i>Journal of Advanced Prosthodontics</i> , 2011, 3, 229.	1.1	25
32	The effect of anodized implants coated with combined rhBMP-2 and recombinant human vascular endothelial growth factors on vertical bone regeneration in the marginal portion of the peri-implant. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013, 115, e24-e31.	0.2	25
33	Retention and wear behaviors of two implant overdenture stud-type attachments at different implant angulations. <i>Journal of Prosthetic Dentistry</i> , 2017, 117, 628-635.	1.1	25
34	Comparison of the Microtensile Bond Strength of a Polyetherketoneketone (PEKK) Tooth Post Cemented with Various Surface Treatments and Various Resin Cements. <i>Materials</i> , 2018, 11, 916.	1.3	25
35	Effect of rhBMP-2 Immobilized Anorganic Bovine Bone Matrix on Bone Regeneration. <i>International Journal of Molecular Sciences</i> , 2015, 16, 16034-16052.	1.8	24
36	A Clinical Retrospective Study of Distal Extension Removable Partial Denture with Implant Surveyed Bridge or Stud Type Attachment. <i>BioMed Research International</i> , 2017, 2017, 1-7.	0.9	24

#	ARTICLE	IF	CITATIONS
37	Effects of anodized implants coated with Escherichia coli-derived rhBMP-2 in beagle dogs. International Journal of Oral and Maxillofacial Surgery, 2012, 41, 1577-1584.	0.7	23
38	Effect of activation modes on the compressive strength, diametral tensile strength and microhardness of dual-cured self-adhesive resin cements. Dental Materials Journal, 2016, 35, 298-308.	0.8	23
39	The Efficacy of Electron Beam Irradiated Bacterial Cellulose Membranes as Compared with Collagen Membranes on Guided Bone Regeneration in Peri-Implant Bone Defects. Materials, 2017, 10, 1018.	1.3	23
40	Effect of denture cleansers on <i>Candida albicans</i> biofilm formation over resilient liners. Journal of Advanced Prosthodontics, 2014, 6, 109.	1.1	22
41	Comparison of changes in retentive force of three stud attachments for implant overdentures. Journal of Advanced Prosthodontics, 2015, 7, 303.	1.1	22
42	Influence of Non-Thermal Atmospheric Pressure Plasma Treatment on Shear Bond Strength between Y-TZP and Self-Adhesive Resin Cement. Materials, 2019, 12, 3321.	1.3	22
43	Clinical evaluation of mandibular implant overdentures via Locator implant attachment and Locator bar attachment. Journal of Advanced Prosthodontics, 2016, 8, 313.	1.1	21
44	The Effect of Bisphasic Calcium Phosphate Block Bone Graft Materials with Polysaccharides on Bone Regeneration. Materials, 2017, 10, 17.	1.3	21
45	Comparative Shear-Bond Strength of Six Dental Self-Adhesive Resin Cements to Zirconia. Materials, 2015, 8, 3306-3315.	1.3	20
46	Effect of Non-Thermal Atmospheric Pressure Plasma (NTP) and Zirconia Primer Treatment on Shear Bond Strength between Y-TZP and Resin Cement. Materials, 2020, 13, 3934.	1.3	20
47	In Vitro Investigation of Wear of CAD/CAM Polymeric Materials Against Primary Teeth. Materials, 2017, 10, 1410.	1.3	19
48	Comparison of the fit of cast gold crowns fabricated from the digital and the conventional impression techniques. Journal of Advanced Prosthodontics, 2017, 9, 1.	1.1	19
49	Alveolar ridge augmentation using anodized implants coated with Escherichia coli-derived recombinant human bone morphogenetic protein 2. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2011, 112, 42-49.	1.6	18
50	Effects of rhBMP-2 on Sandblasted and Acid Etched Titanium Implant Surfaces on Bone Regeneration and Osseointegration: Spilt-Mouth Designed Pilot Study. BioMed Research International, 2015, 2015, 1-11.	0.9	18
51	The effect of immobilization of heparin and bone morphogenic protein-2 to bovine bone substitute on osteoblast-like cell's function. Journal of Advanced Prosthodontics, 2011, 3, 145.	1.1	17
52	Comparison of Bone Regeneration between Porcine-Derived and Bovine-Derived Xenografts in Rat Calvarial Defects: A Non-Inferiority Study. Materials, 2019, 12, 3412.	1.3	17
53	Influence of Implant transmucosal design on early peri-implant tissue responses in beagle dogs. Clinical Oral Implants Research, 2014, 25, 962-968.	1.9	16
54	Wear Characteristics of Dental Ceramic CAD/CAM Materials Opposing Various Dental Composite Resins. Materials, 2019, 12, 1839.	1.3	16

#	ARTICLE	IF	CITATIONS
55	Effects of Different Implant Osteotomy Preparation Sizes on Implant Stability and Bone Response in the Minipig Mandible. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016, 31, 997-1006.	0.6	15
56	The Mechanical Properties and Biometrical Effect of 3D Preformed Titanium Membrane for Guided Bone Regeneration on Alveolar Bone Defect. <i>BioMed Research International</i> , 2017, 2017, 1-12.	0.9	15
57	Bone Fracture-Treatment Method: Fixing 3D-Printed Polycaprolactone Scaffolds with Hydrogel Type Bone-Derived Extracellular Matrix and I^2 -Tricalcium Phosphate as an Osteogenic Promoter. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9084.	1.8	15
58	Comparison of the accuracy of digitally fabricated polyurethane model and conventional gypsum model. <i>Journal of Advanced Prosthodontics</i> , 2014, 6, 1.	1.1	14
59	Effect of Titanium Implants Coated with Radiation-Crosslinked Collagen on Stability and Osseointegration in Rat Tibia. <i>Materials</i> , 2018, 11, 2520.	1.3	14
60	Effects of the immobilization of heparin and rhPDGF-BB to titanium surfaces for the enhancement of osteoblastic functions and anti-inflammation. <i>Journal of Advanced Prosthodontics</i> , 2011, 3, 152.	1.1	13
61	Comparison of the Masticatory Functions of Complete Dentures and Implant-Retained Overdentures. <i>International Journal of Prosthodontics</i> , 2015, 28, 345-347.	0.7	13
62	Load-Bearing Capacity and Retention of Newly Developed Micro-Locking Implant Prosthetic System: An In Vitro Pilot Study. <i>Materials</i> , 2018, 11, 564.	1.3	13
63	Marginal and Internal Fit of Conventional Metal-Ceramic and Lithium Disilicate CAD/CAM Crowns. <i>International Journal of Prosthodontics</i> , 2015, 28, 519-521.	0.7	11
64	Effects of BMP-2 Delivery in Calcium Phosphate Bone Graft Materials with Different Compositions on Bone Regeneration. <i>Materials</i> , 2016, 9, 954.	1.3	11
65	Evaluating the Wear of Resin Teeth by Different Opposing Restorative Materials. <i>Materials</i> , 2019, 12, 3684.	1.3	11
66	<i>In vitro</i> evaluation of the wear resistance of provisional resin materials fabricated by different methods. <i>The Journal of Korean Academy of Prosthodontics</i> , 2019, 57, 110.	0.0	11
67	Clinical evaluation of the fit of lithium disilicate crowns fabricated with three different CAD-CAM systems. <i>Journal of Prosthetic Dentistry</i> , 2022, 127, 239-247.	1.1	11
68	Retrospective clinical evaluation of implant-assisted removable partial dentures combined with implant surveyed prostheses. <i>Journal of Prosthetic Dentistry</i> , 2021, 126, 76-82.	1.1	11
69	Implant overdenture using a locator bar system by drill and tapping technique in a mandible edentulous patient: a case report. <i>Journal of Advanced Prosthodontics</i> , 2012, 4, 116.	1.1	11
70	Accuracy of several implant bite registration techniques: an <i>in-vitro</i> pilot study. <i>Journal of Advanced Prosthodontics</i> , 2017, 9, 341.	1.1	10
71	Physical stability of arginine-glycine-aspartic acid peptide coated on anodized implants after installation. <i>Journal of Advanced Prosthodontics</i> , 2013, 5, 84.	1.1	9
72	Marginal and internal fitness of three-unit zirconia cores fabricated using several CAD/CAM systems. <i>The Journal of Korean Academy of Prosthodontics</i> , 2011, 49, 236.	0.0	8

#	ARTICLE	IF	CITATIONS
73	Fracture Strength After Fatigue Loading of Lithium Disilicate Pressed Zirconia Crowns. <i>International Journal of Prosthodontics</i> , 2016, 29, 369-371.	0.7	8
74	Implant-supported fixed dental prosthesis with a microlocking implant prosthetic system: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2020, 123, 15-19.	1.1	8
75	Evaluation of 1-Ethyl-3-(3-Dimethylaminopropyl) Carbodiimide Cross-Linked Collagen Membranes for Guided Bone Regeneration in Beagle Dogs. <i>Materials</i> , 2020, 13, 4599.	1.3	8
76	InÂvitro assessment of cutting efficiency and durability of zirconia removal diamond rotary instruments. <i>Journal of Prosthetic Dentistry</i> , 2017, 117, 775-783.	1.1	7
77	Effects of Gamma Radiation-Induced Crosslinking of Collagen Type I Coated Dental Titanium Implants on Osseointegration and Bone Regeneration. <i>Materials</i> , 2021, 14, 3268.	1.3	7
78	Implant-Supported Fixed Dental Prostheses with New Retention Type Using Zirconia Ball and Nickel-Titanium Spring. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2019, 23, 16-24.	0.3	7
79	Immediate loading on mandibular edentulous patient with SFI BarÂ® overdenture. <i>Journal of Advanced Prosthodontics</i> , 2011, 3, 47.	1.1	6
80	Effects of anodized titanium implant coated with RGD peptides via chemical fixation on osseointegration and bone regeneration. <i>Tissue Engineering and Regenerative Medicine</i> , 2012, 9, 194-202.	1.6	6
81	Effects of implant collar design on marginal bone and soft tissue. <i>The Journal of Korean Academy of Prosthodontics</i> , 2012, 50, 21.	0.0	6
82	Effects of Immobilizations of rhBMP-2 and/or rhPDGF-BB on Titanium Implant Surfaces on Osseointegration and Bone Regeneration. <i>Coatings</i> , 2018, 8, 17.	1.2	6
83	Bone Regeneration Using a Three-Dimensional Hexahedron Channeled BCP Block Combined with Bone Morphogenic Protein-2 in Rat Calvarial Defects. <i>Materials</i> , 2019, 12, 2435.	1.3	6
84	Evaluation using Replica Technique on the marginal and internal fitness of zirconia cores by several CAD/CAM systems. <i>The Journal of Korean Academy of Prosthodontics</i> , 2010, 48, 135.	0.0	5
85	Effect of different concentrations of Escherichia Coli-derived rhBMP-2 coating on osseointegration of implants in dogs. <i>Tissue Engineering and Regenerative Medicine</i> , 2012, 9, 209-215.	1.6	5
86	Altered sensation caused by peri-implantitis: a case report. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013, 116, e9-e13.	0.2	5
87	Effects of PMMA and Cross-Linked Dextran Filler for Soft Tissue Augmentation in Rats. <i>International Journal of Molecular Sciences</i> , 2015, 16, 28523-28533.	1.8	5
88	Implant assisted removable partial denture with implant surveyed crown: A 20-month follow-up case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2018, 56, 323.	0.0	5
89	Review of the developmental trend of implant surface modification using organic biomaterials. <i>The Journal of Korean Academy of Prosthodontics</i> , 2011, 49, 254.	0.0	4
90	Cordless digital workflow for scanning implant-supported prostheses at the abutment level: A dental technique. <i>Journal of Prosthetic Dentistry</i> , 2020, 124, 428-430.	1.1	4

#	ARTICLE	IF	CITATIONS
91	Comparison of clinical fit of three-unit zirconia fixed prostheses fabricated using chairside and labside CAD/CAM systems. <i>Journal of Dental Sciences</i> , 2020, 15, 239-242.	1.2	4
92	Influence of Non-Thermal Atmospheric Pressure Plasma Treatment on Retentive Strength between Zirconia Crown and Titanium Implant Abutment. <i>Materials</i> , 2021, 14, 2352.	1.3	4
93	Preliminary Animal Study on Bone Formation Ability of Commercialized Particle-Type Bone Graft with Increased Operability by Hydrogel. <i>Materials</i> , 2021, 14, 4464.	1.3	4
94	The Effect of ZrO ₂ Slurry Application to the Pre-sintered Zirconia Surface on Bonding Strength. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2020, 24, 76-82.	0.3	4
95	Bone Reconstruction Using Two-Layer Porcine-Derived Bone Scaffold Composed of Cortical and Cancellous Bones in a Rabbit Calvarial Defect Model. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2647.	1.8	4
96	Effect of the use of a ready-made plastic stent on the peri-implant soft tissue. <i>Acta Odontologica Scandinavica</i> , 2013, 71, 841-847.	0.9	3
97	Effect of immobilization of the recombinant human bone morphogenetic protein 2 (rhBMP-2) on anodized implants coated with heparin for improving alveolar ridge augmentation in beagle dogs: Radiographic observations. <i>The Journal of Korean Academy of Prosthodontics</i> , 2013, 51, 307.	0.0	3
98	Effect of solution temperature on the mechanical properties of dual-cure resin cements. <i>Journal of Advanced Prosthodontics</i> , 2013, 5, 133.	1.1	3
99	A Two-Stage Surgical Approach to the Treatment of Severe Peri-Implant Defect: A 30-Month Clinical Follow-Up Report. <i>Journal of Oral Implantology</i> , 2014, 40, 299-305.	0.4	3
100	Influence of an Implant Fixture including a Freely Removable Micro-Locking Implant Prosthesis on Peri-Implant Tissues and Implant Prostheses: A Prospective Clinical Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3321.	1.0	3
101	Effects of different sizes of Hydroxyapatite/β ₂ -Tricalcium phosphate particles on vertical bone augmentation. <i>The Journal of Korean Academy of Prosthodontics</i> , 2010, 48, 259.	0.0	2
102	Retrievable SCP (screw-cement prosthesis) implant-supported fixed partial dentures in a fully edentulous patient: a case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2012, 50, 318.	0.0	2
103	Influence of transmucosal designs of dental implant on tissue regeneration in beagle dogs. <i>Tissue Engineering and Regenerative Medicine</i> , 2013, 10, 25-32.	1.6	2
104	Full mouth rehabilitation of the patient with crossed occlusion using implant fixed prosthesis: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2018, 56, 338.	0.0	2
105	Comparison of the retentive characteristics of two additional attachment used with an implant bar attachment. <i>The Journal of Korean Academy of Prosthodontics</i> , 2021, 59, 173.	0.0	2
106	Reconstruction of anterior guidance using duplication technique of CAD/CAM: a case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2014, 52, 121.	0.0	2
107	Clinical Evaluation of Lithium Disilicate Pressed Zirconia and Monolithic Zirconia in Posterior Implant-Supported Prostheses. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2019, 23, 2-14.	0.3	2
108	Effect of two-phase fabrication method for the optimum fit of light-polymerized record bases. <i>Journal of Advanced Prosthodontics</i> , 2010, 2, 102.	1.1	1

#	ARTICLE	IF	CITATIONS
109	Effect of location of glass fiber pre-impregnated with light-curing resin on the fracture strength and fracture modes of a maxillary complete denture. The Journal of Korean Academy of Prosthodontics, 2012, 50, 279.	0.0	1
110	Combined effects of rhBMP-2 and rhVEGF coated onto implants on osseointegration: pilot study. The Journal of Korean Academy of Prosthodontics, 2013, 51, 82.	0.0	1
111	The implant overdenture on the edentulous mandible using CAD/CAM system: A case report. The Journal of Korean Academy of Prosthodontics, 2015, 53, 66.	0.0	1
112	Esthetic removable partial denture with implants and resin clasp: Case report. The Journal of Korean Academy of Prosthodontics, 2015, 53, 58.	0.0	1
113	The effect of blasting and anodizing-combined treatment of implant surface on response of osteoblast-like cell. The Journal of Korean Academy of Prosthodontics, 2015, 53, 9.	0.0	1
114	A prospective clinical of lithium disilicate pressed zirconia and monolithic zirconia in posterior implant-supported prostheses: A 24-month follow-up. The Journal of Korean Academy of Prosthodontics, 2019, 57, 134.	0.0	1
115	The Effects of Atmospheric Pressure Argon Plasma Treated Bovine Bone Substitute on Bone Regeneration. Coatings, 2019, 9, 790.	1.2	1
116	Retrospective Clinical Study of a Freely Removable Implant-Supported Fixed Dental Prosthesis by a Microlocking System. BioMed Research International, 2020, 2020, 1-7.	0.9	1
117	Implant-assisted removable partial denture using freely removable abutment in a fully edentulous patient: A case report. The Journal of Korean Academy of Prosthodontics, 2020, 58, 58.	0.0	1
118	Comparison of shear bond strength according to various surface treatment methods of zirconia and resin cement types. The Journal of Korean Academy of Prosthodontics, 2021, 59, 153.	0.0	1
119	Clinical accuracy of impression technique using digital superimposition of customized abutment with subgingival margin: A case report. The Journal of Korean Academy of Prosthodontics, 2020, 58, 169.	0.0	1
120	Effect of Accelerated Aging on the Color Stability of Dual-Cured Self-Adhesive Resin Cements. Journal of Korean Dental Science, 2015, 8, 49-56.	0.1	1
121	A conversion to implant overdenture in failed fixed implant prosthesis of edentulous maxilla: A case report. The Journal of Korean Academy of Prosthodontics, 2016, 54, 393.	0.0	1
122	Effects of various zirconia surface treatments for roughness on shear bond strength with resin cement. Journal of Korean Academy of Dental Technology, 2020, 42, 326-333.	0.4	1
123	Fabrication of dentures for a patient with unstable mandibular movements: A case report. The Journal of Korean Academy of Prosthodontics, 2020, 58, 378.	0.0	1
124	Comparison of retentive force and wear pattern of Locator® and ADD-TOC attachments combined with CAD-CAM milled bar. Journal of Advanced Prosthodontics, 2022, 14, 12.	1.1	1
125	Current status of dental geriatric education in Korea. The Journal of Korean Academy of Prosthodontics, 2011, 49, 229.	0.0	0
126	Effect of RGD peptide coating of implant titanium surface on human mesenchymal stem cell response. The Journal of Korean Academy of Prosthodontics, 2011, 49, 245.	0.0	0

#	ARTICLE	IF	CITATIONS
127	Study of heat transfer to the implant-bone interface induced by grinding of occlusal surface of implant gold prosthesis. The Journal of Korean Academy of Prosthodontics, 2012, 50, 29.	0.0	0
128	Evaluation of the stress distribution in the external hexagon implant system with different hexagon height by FEM-3D. The Journal of Korean Academy of Prosthodontics, 2012, 50, 36.	0.0	0
129	Comparison of metal wire reinforcement and glass fiber reinforcement in repaired maxillary complete denture. The Journal of Korean Academy of Prosthodontics, 2013, 51, 284.	0.0	0
130	Effects of SLA surface treated with NaOH on surface characteristics and response of osteoblast-like cell. The Journal of Korean Academy of Prosthodontics, 2014, 52, 211.	0.0	0
131	Mandibular implant overdenture using milled bar attachment on implants with unfavorable fixture angulation: A case report. The Journal of Korean Academy of Prosthodontics, 2016, 54, 401.	0.0	0
132	Distal-extension removable partial denture with anterior implant supported fixed prostheses in a maxillary edentulous patient: Case report. The Journal of Korean Academy of Prosthodontics, 2018, 56, 375.	0.0	0
133	Full mouth rehabilitation with vertical dimension increase in patient with severely worn out dentition: A case report. The Journal of Korean Academy of Prosthodontics, 2021, 59, 210.	0.0	0
134	Implant-assisted removable partial denture using digital guide surgery in partially edentulous mandible: A case report. The Journal of Korean Academy of Prosthodontics, 2021, 59, 88.	0.0	0
135	Effect of rhPMP-2 coated implants on alveolar ridge augmentation in dogs. The Journal of Korean Academy of Prosthodontics, 2010, 48, 202.	0.0	0
136	Three-dimensional finite element analysis for influence of marginal bone resorption on stress distribution in internal conical joint type implant fixture. The Journal of Korean Academy of Prosthodontics, 2012, 50, 99.	0.0	0
137	Effects of Coronal Thread Pitch in Scalloped Implant with 2 Different Connections on Loading Stress using 3 Dimensional Finite Element Analysis. Journal of Dental Rehabilitation and Applied Science, 2013, 29, 111-118.	0.1	0
138	Clinical Evaluation of Implant-Supported Fixed Prostheses. Journal of Dental Rehabilitation and Applied Science, 2013, 29, 317-326.	0.1	0
139	Influence of bearing surface angle of abutment screw on mechanical stability of joint in the conical seal design implant system. Journal of Dental Rehabilitation and Applied Science, 2014, 30, 206-214.	0.1	0
140	Efficacy of rhBMP-2 on Heparin Immobilized Bacterial Cellulose Scaffolds for Bone Tissue Engineering in Rat Calvarial Defect Model. Porrim, 2017, 41, 339.	0.0	0
141	Implant overdenture of mandible with severe unilateral atrophy: Report of two cases. The Journal of Korean Academy of Prosthodontics, 2019, 57, 271.	0.0	0
142	Implant-assisted removable partial denture using milled bar and Locator in partially edentulous maxilla: A case report. The Journal of Korean Academy of Prosthodontics, 2020, 58, 137.	0.0	0
143	Implant-Fixed Prostheses Restoration with New Retention Type Using Spread Fit Ti-Base System: A Case Report. The Korean Academy of Oral and Maxillofacial Implantology, 2020, 24, 203-211.	0.3	0
144	A conversion to implant assisted removable partial denture in failed fixed implant prosthesis of mandible: A case report. The Journal of Korean Academy of Prosthodontics, 2020, 58, 161.	0.0	0

#	ARTICLE	IF	CITATIONS
145	Development Of Novel Implant Prosthesis System With New Concept For Easy Maintenance. Journal of Indian Prosthodontic Society, The, 2018, 18, S4-S5.	0.3	0
146	CRNC6: Prosthetic Rehabilitation with Orthognathic Surgery after Dental Implant for the Patient with Mandibular Prognathism and Loss of Posterior Teeth: A Case Report. Journal of Indian Prosthodontic Society, The, 2018, 18, S47.	0.3	0
147	Fundamental understandings of mesh process and various formats of digital data in digital dentistry. Daehan Chi'gwa I'sig, 2021, 40, 13-16.	0.1	0
148	Mini-implant with additional retentive structure by using digital method. The Journal of Korean Academy of Prosthodontics, 2022, 60, 119.	0.0	0
149	Rehabilitation of a patient by converting poorly maintained fixed implant prosthesis into implant overdenture: a case report. The Journal of Korean Academy of Prosthodontics, 2022, 60, 127.	0.0	0
150	Implant overdenture using milled bar and attachment in partially edentulous mandible: a case report. The Journal of Korean Academy of Prosthodontics, 2022, 60, 71.	0.0	0
151	Retreatment of implant overdenture using Milled Bar and Attachment in a patient using a unilateral prosthetic arm: A case report. The Journal of Korean Academy of Prosthodontics, 2022, 60, 187.	0.0	0
152	Implant-assisted overdenture using milled bar and ADD-TOC in edentulous maxilla: A case report. The Journal of Korean Academy of Prosthodontics, 2022, 60, 160.	0.0	0