

Jean Theberge

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1234471/jean-theberge-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

5,111
citations

38
h-index

70
g-index

136
ext. papers

6,120
ext. citations

4.3
avg, IF

5.59
L-index

#	Paper	IF	Citations
110	Moral wounds run deep: exaggerated midbrain functional network connectivity across the default mode network in posttraumatic stress disorder.. <i>Journal of Psychiatry and Neuroscience</i> , 2022 , 47, E56-E66	4.5	0
109	The trajectory of putative astroglial dysfunction in first episode schizophrenia: a longitudinal 7-Tesla MRS study. <i>Scientific Reports</i> , 2021 , 11, 22333	4.9	3
108	Is There a Glutathione Centered Redox Dysregulation Subtype of Schizophrenia?. <i>Antioxidants</i> , 2021 , 10,	7.1	3
107	Improved PET/MRI accuracy by use of static transmission source in empirically derived hardware attenuation correction. <i>EJNMMI Physics</i> , 2021 , 8, 24	4.4	1
106	Acute conceptual disorganization in untreated first-episode psychosis: a combined magnetic resonance spectroscopy and diffusion imaging study of the cingulum. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E337-E346	4.5	7
105	Association of Age, Antipsychotic Medication, and Symptom Severity in Schizophrenia With Proton Magnetic Resonance Spectroscopy Brain Glutamate Level: A Mega-analysis of Individual Participant-Level Data. <i>JAMA Psychiatry</i> , 2021 , 78, 667-681	14.5	21
104	49-OR: Changes in Regional Cerebral Blood Flow during Hypoglycemia in T1DM. <i>Diabetes</i> , 2021 , 70, 49-OR9		
103	Glutathione as a Molecular Marker of Functional Impairment in Patients with At-Risk Mental State: 7-Tesla H-MRS Study. <i>Brain Sciences</i> , 2021 , 11,	3.4	3
102	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021 , 26, 4315-4330	15.1	33
101	Emotion regulation in emerging adults with major depressive disorder and frequent cannabis use. <i>NeuroImage: Clinical</i> , 2021 , 30, 102575	5.3	1
100	Progressive Changes in Glutamate Concentration in Early Stages of Schizophrenia: A Longitudinal 7-Tesla MRS Study. <i>Schizophrenia Bulletin Open</i> , 2021 , 2, sgaa072	2.2	6
99	Hippocampal neuroanatomy in first episode psychosis: A putative role for glutamate and serotonin receptors. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110297	5.5	7
98	Blood-brain barrier permeability in survivors of immune-mediated thrombotic thrombocytopenic purpura: a pilot study. <i>Blood Advances</i> , 2021 , 5, 4211-4218	7.8	1
97	Counteracting Effects of Glutathione on the Glutamate-Driven Excitation/Inhibition Imbalance in First-Episode Schizophrenia: A 7T MRS and Dynamic Causal Modeling Study. <i>Antioxidants</i> , 2021 , 10,	7.1	11
96	Shame on the brain: Neural correlates of moral injury event recall in posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2021 , 38, 596-605	8.4	6
95	Assessment of brain age in posttraumatic stress disorder: Findings from the ENIGMA PTSD and brain age working groups.. <i>Brain and Behavior</i> , 2021 , e2413	3.4	3
94	Differential mechanisms of posterior cingulate cortex downregulation and symptom decreases in posttraumatic stress disorder and healthy individuals using real-time fMRI neurofeedback.. <i>Brain and Behavior</i> , 2021 , e2441	3.4	2

93	Classifying heterogeneous presentations of PTSD via the default mode, central executive, and salience networks with machine learning. <i>NeuroImage: Clinical</i> , 2020 , 27, 102262	5.3	20
92	Early treatment response in first episode psychosis: a 7-T magnetic resonance spectroscopic study of glutathione and glutamate. <i>Molecular Psychiatry</i> , 2020 , 25, 1640-1650	15.1	30
91	Glutamate and Dysconnection in the Salience Network: Neurochemical, Effective Connectivity, and Computational Evidence in Schizophrenia. <i>Biological Psychiatry</i> , 2020 , 88, 273-281	7.9	28
90	Evaluation of 511 keV photon attenuation by a novel 32-channel phased array prospectively designed for cardiovascular hybrid PET/MRI imaging. <i>European Journal of Hybrid Imaging</i> , 2020 , 4, 7	1.7	2
89	PTSD and its dissociative subtype through the lens of the insula: Anterior and posterior insula resting-state functional connectivity and its predictive validity using machine learning. <i>Psychophysiology</i> , 2020 , 57, e13472	4.1	18
88	A randomized, controlled trial of alpha-rhythm EEG neurofeedback in posttraumatic stress disorder: A preliminary investigation showing evidence of decreased PTSD symptoms and restored default mode and salience network connectivity using fMRI. <i>NeuroImage: Clinical</i> , 2020 , 28, 102490	5.3	12
87	The hijacked self: Disrupted functional connectivity between the periaqueductal gray and the default mode network in posttraumatic stress disorder using dynamic causal modeling. <i>NeuroImage: Clinical</i> , 2020 , 27, 102345	5.3	8
86	T52. ABERRANT SENSORY PRECISION IN FIRST-EPISODE PSYCHOSIS: A 7-TESLA RESTING-STATE FMRI AND STROOP-TASK STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S223-S224	1.3	78
85	The Threatful Self: Midbrain Functional Connectivity to Cortical Midline and Parietal Regions During Subliminal Trauma-Related Processing in PTSD. <i>Chronic Stress</i> , 2019 , 3, 2470547019871369	3	7
84	30.4 IDENTIFYING THE REDOX SUBTYPE OF SCHIZOPHRENIA USING ULTRA-HIGH FIELD 7T IMAGING. <i>Schizophrenia Bulletin</i> , 2019 , 45, S139-S139	1.3	78
83	Overlapping frontoparietal networks in response to oculomotion and traumatic autobiographical memory retrieval: implications for eye movement desensitization and reprocessing. <i>Hogre Utbildning</i> , 2019 , 10, 1586265	5	6
82	Antioxidant defense in schizophrenia and bipolar disorder: A meta-analysis of MRS studies of anterior cingulate glutathione. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 91, 94-102	5.5	47
81	Sahaj Samadhi meditation vs a Health Enhancement Program in improving late-life depression severity and executive function: study protocol for a two-site, randomized controlled trial. <i>Trials</i> , 2019 , 20, 605	2.8	2
80	Back to the Basics: Resting State Functional Connectivity of the Reticular Activation System in PTSD and its Dissociative Subtype. <i>Chronic Stress</i> , 2019 , 3, 2470547019873663	3	3
79	Assessment of a novel 32-channel phased array for cardiovascular hybrid PET/MRI imaging: MRI performance. <i>European Journal of Hybrid Imaging</i> , 2019 , 3, 13	1.7	4
78	Machine learning multivariate pattern analysis predicts classification of posttraumatic stress disorder and its dissociative subtype: a multimodal neuroimaging approach. <i>Psychological Medicine</i> , 2019 , 49, 2049-2059	6.9	29
77	The cerebellum after trauma: Resting-state functional connectivity of the cerebellum in posttraumatic stress disorder and its dissociative subtype. <i>Human Brain Mapping</i> , 2018 , 39, 3354-3374	5.9	45
76	Resting-state functional connectivity of the bed nucleus of the stria terminalis in post-traumatic stress disorder and its dissociative subtype. <i>Human Brain Mapping</i> , 2018 , 39, 1367-1379	5.9	33

75	Intrinsic connectivity network dynamics in PTSD during amygdala downregulation using real-time fMRI neurofeedback: A preliminary analysis. <i>Human Brain Mapping</i> , 2018 , 39, 4258-4275	5.9	29
74	Resting-state pulvinar-posterior parietal decoupling in PTSD and its dissociative subtype. <i>Human Brain Mapping</i> , 2018 , 39, 4228-4240	5.9	19
73	Complexity in mood disorder diagnosis: fMRI connectivity networks predicted medication-class of response in complex patients. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 472-482	6.5	20
72	Higher order thalamic nuclei resting network connectivity in early schizophrenia and major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 272, 7-16	2.9	9
71	Superior colliculus resting state networks in post-traumatic stress disorder and its dissociative subtype. <i>Human Brain Mapping</i> , 2018 , 39, 563-574	5.9	19
70	Temporoparietal Junction Functional Connectivity in Early Schizophrenia and Major Depressive Disorder. <i>Chronic Stress</i> , 2018 , 2, 2470547018815232	3	6
69	T164. STRUCTURAL COVARIANCE IN DRUG-NAÏVE FIRST EPISODE PSYCHOSIS: AN ULTRA-HIGH FIELD MRI STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S179-S179	1.3	78
68	S10. ASTROGLIAL PATHOLOGY IN SCHIZOPHRENIA: A META-ANALYSIS OF MRS STUDIES OF ANTERIOR CINGULATE MYOINOSITOL. <i>Schizophrenia Bulletin</i> , 2018 , 44, S327-S327	1.3	78
67	T165. ULTRA-HIGH FIELD MORPHOMETRY IN DRUG-NAÏVE FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S179-S180	1.3	78
66	F8. SEARCHING FOR A STRATIFICATION MARKER FOR ANTIOXIDANT USE IN SCHIZOPHRENIA AND BIPOLAR DISORDER: A META-ANALYSIS OF MRS STUDIES OF ANTERIOR CINGULATE GLUTATHIONE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S221-S221	1.3	78
65	Putative Astroglial Dysfunction in Schizophrenia: A Meta-Analysis of H-MRS Studies of Medial Prefrontal Myo-Inositol. <i>Frontiers in Psychiatry</i> , 2018 , 9, 438	5	20
64	Neurometabolic abnormalities in schizophrenia and depression observed with magnetic resonance spectroscopy at 7 T. <i>BJPsych Open</i> , 2017 , 3, 6-11	5	22
63	Cognitive performance is associated with gray matter decline in first-episode psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 264, 46-51	2.9	12
62	Neurofeedback Tunes Scale-Free Dynamics in Spontaneous Brain Activity. <i>Cerebral Cortex</i> , 2017 , 27, 4911-4923	5.4	30
61	Sensory overload and imbalance: Resting-state vestibular connectivity in PTSD and its dissociative subtype. <i>Neuropsychologia</i> , 2017 , 106, 169-178	3.2	20
60	Neural correlates of heart rate variability in PTSD during sub- and supraliminal processing of trauma-related cues. <i>Human Brain Mapping</i> , 2017 , 38, 4898-4907	5.9	17
59	Desynchronization of autonomic response and central autonomic network connectivity in posttraumatic stress disorder. <i>Human Brain Mapping</i> , 2017 , 38, 27-40	5.9	51
58	The neurobiology of emotion regulation in posttraumatic stress disorder: Amygdala downregulation via real-time fMRI neurofeedback. <i>Human Brain Mapping</i> , 2017 , 38, 541-560	5.9	130

57	Discriminating bipolar disorder from major depression based on kernel SVM using functional independent components 2017 ,		8
56	Dynamic causal modeling in PTSD and its dissociative subtype: Bottom-up versus top-down processing within fear and emotion regulation circuitry. <i>Human Brain Mapping</i> , 2017 , 38, 5551-5561	5.9	65
55	Systems-Factorial-Technology-Disclosed Stochastic Dynamics of Stroop Processing in the Cognitive Neuroscience of Schizophrenia 2017 , 351-380		3
54	Depression, marijuana use and early-onset marijuana use conferred unique effects on neural connectivity and cognition. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 399-409	6.5	12
53	Structural brain aberrations associated with the dissociative subtype of post-traumatic stress disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 232-40	6.5	28
52	The innate alarm circuit in post-traumatic stress disorder: Conscious and subconscious processing of fear- and trauma-related cues. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 248, 142-50	2.9	44
51	Medial Prefrontal and Anterior Insular Connectivity in Early Schizophrenia and Major Depressive Disorder: A Resting Functional MRI Evaluation of Large-Scale Brain Network Models. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 132	3.3	31
50	Aberrant Functional Connectivity of the Amygdala Complexes in PTSD during Conscious and Subconscious Processing of Trauma-Related Stimuli. <i>PLoS ONE</i> , 2016 , 11, e0163097	3.7	21
49	ACC Neuro-over-Connectivity Is Associated with Mathematically Modeled Additional Encoding Operations of Schizophrenia Stroop-Task Performance. <i>Frontiers in Psychology</i> , 2016 , 7, 1295	3.4	10
48	fMRI functional connectivity of the periaqueductal gray in PTSD and its dissociative subtype. <i>Brain and Behavior</i> , 2016 , 6, e00579	3.4	67
47	Unique insula subregion resting-state functional connectivity with amygdala complexes in posttraumatic stress disorder and its dissociative subtype. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 250, 61-72	2.9	70
46	Alpha oscillation neurofeedback modulates amygdala complex connectivity and arousal in posttraumatic stress disorder. <i>NeuroImage: Clinical</i> , 2016 , 12, 506-516	5.3	45
45	Glutamatergic metabolite correlations with neuropsychological tests in first episode schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 180-5	2.9	16
44	Effect of direct eye contact in women with PTSD related to interpersonal trauma: Psychophysiological interaction analysis of connectivity of an innate alarm system. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 162-7	2.9	27
43	The Dissociative Subtype of Posttraumatic Stress Disorder: Unique Resting-State Functional Connectivity of Basolateral and Centromedial Amygdala Complexes. <i>Neuropsychopharmacology</i> , 2015 , 40, 2317-26	8.7	108
42	Increased glutamate levels observed upon functional activation in the anterior cingulate cortex using the Stroop Task and functional spectroscopy. <i>NeuroReport</i> , 2015 , 26, 107-12	1.7	28
41	Intrinsic Connectivity Networks in post-traumatic stress disorder during sub- and supraliminal processing of threat-related stimuli. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 365-78	6.5	47
40	Functional magnetic resonance spectroscopy of glutamate in schizophrenia and major depressive disorder: anterior cingulate activity during a color-word Stroop task. <i>NPJ Schizophrenia</i> , 2015 , 1, 15028	5.5	43

39	Discriminating Bipolar Disorder From Major Depression Based on SVM-FoBa: Efficient Feature Selection With Multimodal Brain Imaging Data. <i>IEEE Transactions on Autonomous Mental Development</i> , 2015 , 7, 320-331		61
38	Plastic modulation of PTSD resting-state networks and subjective wellbeing by EEG neurofeedback. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 123-36	6.5	107
37	Unique functional abnormalities in youth with combined marijuana use and depression: an fMRI study. <i>Frontiers in Psychiatry</i> , 2014 , 5, 130	5	6
36	Correlation of brain default mode network activation with bipolarity index in youth with mood disorders. <i>Journal of Affective Disorders</i> , 2013 , 150, 1174-8	6.6	38
35	Description and assessment of a registration-based approach to include bones for attenuation correction of whole-body PET/MRI. <i>Medical Physics</i> , 2013 , 40, 082509	4.4	32
34	Mind over chatter: plastic up-regulation of the fMRI salience network directly after EEG neurofeedback. <i>NeuroImage</i> , 2013 , 65, 324-35	7.9	146
33	Neuroimaging self-esteem: a fMRI study of individual differences in women. <i>Social Cognitive and Affective Neuroscience</i> , 2013 , 8, 546-55	4	33
32	Variable lung density consideration in attenuation correction of whole-body PET/MRI. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 977-84	8.9	44
31	Sci-Fri AM: Imaging - 06: The role of body mass and gender in atlas construction for attenuation correction in PET/MRI. <i>Medical Physics</i> , 2012 , 39, 4641	4.4	
30	Grey matter and social functioning correlates of glutamatergic metabolite loss in schizophrenia. <i>British Journal of Psychiatry</i> , 2011 , 198, 448-56	5.4	80
29	Longitudinal MRI study of cortical thickness, perfusion, and metabolite levels in major depressive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 435-46	6.5	101
28	Hybrid brain imaging with MRI/PET 2011 ,		1
27	A comparison of MR-based attenuation correction in PET versus SPECT. <i>Physics in Medicine and Biology</i> , 2011 , 56, 4613-29	3.8	11
26	Default mode network connectivity as a predictor of post-traumatic stress disorder symptom severity in acutely traumatized subjects. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 33-40	6.5	206
25	Low-frequency pulsed electromagnetic field exposure can alter neuroprocessing in humans. <i>Journal of the Royal Society Interface</i> , 2010 , 7, 467-73	4.1	40
24	Evidence for a dose-dependent effect of pulsed magnetic fields on pain processing. <i>Neuroscience Letters</i> , 2010 , 482, 160-2	3.3	17
23	Assessing In Vivo Neurodegeneration in Schizophrenia Using Magnetic Resonance 2010 , 67-104		
22	Retrosplenial cortex connectivity in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 174, 17-23	2.9	62

21	Resting state default-mode network connectivity in early depression using a seed region-of-interest analysis: decreased connectivity with caudate nucleus. <i>Psychiatry and Clinical Neurosciences</i> , 2009 , 63, 754-61	6.2	222
20	Brain activation to favorite music in healthy controls and depressed patients. <i>NeuroReport</i> , 2009 , 20, 1204-8	1.7	71
19	Alterations in default network connectivity in posttraumatic stress disorder related to early-life trauma. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 187-94	4.5	257
18	Regional brain activation during hypoglycemia in type 1 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1450-7	5.6	32
17	Default mode network connectivity: effects of age, sex, and analytic approach. <i>NeuroReport</i> , 2008 , 19, 887-91	1.7	165
16	Perfusion magnetic resonance imaging in psychiatry. <i>Topics in Magnetic Resonance Imaging</i> , 2008 , 19, 111-30	2.3	39
15	Regarding "Increased prefrontal and hippocampal glutamate concentration in schizophrenia: evidence from a magnetic resonance spectroscopy study". <i>Biological Psychiatry</i> , 2007 , 61, 1218-9; author reply 1219-20	7.9	10
14	Spontaneous low-frequency fluctuations in the BOLD signal in schizophrenic patients: anomalies in the default network. <i>Schizophrenia Bulletin</i> , 2007 , 33, 1004-12	1.3	456
13	Longitudinal grey-matter and glutamatergic losses in first-episode schizophrenia. <i>British Journal of Psychiatry</i> , 2007 , 191, 325-34	5.4	156
12	Comment on "N-acetylaspartate reductions in the mediodorsal and anterior thalamus in men with schizophrenia verified by tissue volume corrected proton MRSI" (Schizophr Res 76, 173-185, 2005). <i>Schizophrenia Research</i> , 2006 , 81, 119-20	3.6	1
11	A 4.0-T fMRI study of brain connectivity during word fluency in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2005 , 75, 247-63	3.6	117
10	Implementation issues of multivoxel STEAM-localized 1H spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 713-8	4.4	11
9	Duration of untreated psychosis vs. N-acetylaspartate and choline in first episode schizophrenia: a 1H magnetic resonance spectroscopy study at 4.0 Tesla. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 131, 107-14	2.9	40
8	Comparative study of proton and phosphorus magnetic resonance spectroscopy in schizophrenia at 4 Tesla. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 132, 33-9	2.9	20
7	Glutamate and glutamine in the anterior cingulate and thalamus of medicated patients with chronic schizophrenia and healthy comparison subjects measured with 4.0-T proton MRS. <i>American Journal of Psychiatry</i> , 2003 , 160, 2231-3	11.9	231
6	Glutamate and glutamine measured with 4.0 T proton MRS in never-treated patients with schizophrenia and healthy volunteers. <i>American Journal of Psychiatry</i> , 2002 , 159, 1944-6	11.9	338
5	Early Treatment Response in First Episode Psychosis: A 7-Tesla Magnetic Resonance Spectroscopic Study of Glutathione and Glutamate		1
4	Glutathione as a molecular marker of functional impairment in patients with at-risk mental state: 7-Tesla 1H-MRS study		1

3	Altered White Matter Microstructural Organization in Post-Traumatic Stress Disorder across 3,049 Adults: Results from the PGC-ENIGMA PTSD Consortium	4
2	Hippocampal subfield volumes are uniquely affected in PTSD and depression: International analysis of 31 cohorts from the PGC-ENIGMA PTSD Working Group	2
1	Central oxidative stress and early vocational outcomes in first episode psychosis: A 7-Tesla Magnetic Resonance Spectroscopy study of glutathione	1