
Roberto Salvioni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1235959/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association Between Human Papillomavirus Infection and Outcome of Perioperative Nodal Radiotherapy for Penile Carcinoma. European Urology Oncology, 2021, 4, 802-810.	5.4	22
2	Radiotherapy after testis-sparing surgery for seminoma in monorchid patients: safety and efficacy. Tumori, 2021, , 030089162199242.	1.1	2
3	The role of individual characteristics in predicting decisional conflict for patients with prostate cancer (PCa): preliminary results. Current Psychology, 2020, 39, 354-363.	2.8	0
4	Identifying an optimal lymph node yield for penile squamous cell carcinoma: prognostic impact of surgical dissection. BJU International, 2020, 125, 82-88.	2.5	20
5	A risk calculator predicting recurrence in lymph node metastatic penile cancer. BJU International, 2020, 126, 577-585.	2.5	12
6	Nomogram-based prediction of overall survival after regional lymph node dissection and the role of perioperative chemotherapy in penile squamous cell carcinoma: A retrospective multicenter study. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 531.e7-531.e15.	1.6	27
7	Firstâ€line therapy with dacomitinib, an orally available panâ€HER tyrosine kinase inhibitor, for locally advanced or metastatic penile squamous cell carcinoma: results of an openâ€label, singleâ€arm, singleâ€centre, phase 2 study. BJU International, 2018, 121, 348-356.	2.5	70
8	Neoadjuvant sorafenib, gemcitabine, and cisplatin administration preceding cystectomy in patients with muscle-invasive urothelial bladder carcinoma: An open-label, single-arm, single-center, phase 2 study. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 8.e1-8.e8.	1.6	8
9	Laparoscopic Retroperitoneal Lymph Node Dissection for Clinical Stage I Nonseminomatous Germ Cell Tumors of the Testis: Safety and Efficacy Analyses at a High Volume Center. Journal of Urology, 2018, 199, 741-747.	0.4	21
10	Italian cultural adaptation of the Memorial Anxiety for Prostate Cancer scale for the population of men on active surveillance. Tumori, 2018, 104, 172-178.	1.1	5
11	Etoposide, Methotrexate, and Dactinomycin Alternating With Cyclophosphamide and Vincristine (EMACO) for Male Patients With HCC-expressing, Chemoresistant Germ Cell Tumors. American Journal of Clinical Oncology: Cancer Clinical Trials, 2017, 40, 60-65.	1.3	4
12	Treatment of Carcinoma In Situ of the Glans Penis With Topical Imiquimod Followed by Carbon Dioxide Laser Excision. Clinical Genitourinary Cancer, 2017, 15, e483-e487.	1.9	7
13	Pazopanib in advanced germ cell tumors after chemotherapy failure: results of the open-label, single-arm, phase 2 Pazotest trial. Annals of Oncology, 2017, 28, 1346-1351.	1.2	34
14	Clinical Outcomes of Perioperative Chemotherapy in Patients With Locally Advanced Penile Squamous-Cell Carcinoma: Results of a Multicenter Analysis. Clinical Genitourinary Cancer, 2017, 15, 548-555.e3.	1.9	37
15	Effect of Bleomycin Administration on the Development of Pulmonary Toxicity in Patients With Metastatic Germ Cell Tumors Receiving First-Line Chemotherapy: A Meta-Analysis of Randomized Studies. Clinical Genitourinary Cancer, 2017, 15, 213-220.e5.	1.9	27
16	A Suggested Prognostic Reclassification of Intermediate and Poor-Risk Nonseminomatous Germ Cell Tumors. Clinical Genitourinary Cancer, 2017, 15, 306-312.e3.	1.9	25
17	Eleven-year Management of Prostate Cancer Patients on Active Surveillance: What have We Learned?. Tumori, 2017, 103, 464-474.	1.1	20

18 Multidisciplinary Approach of Prostate Cancer Patients. , 2017, , 281-293.

#	Article	IF	CITATIONS
19	Immunotherapy advances in uro-genital malignancies. Critical Reviews in Oncology/Hematology, 2016, 105, 52-64.	4.4	19
20	Interim 18F-Fluorodeoxyglucose Positron Emission Tomography for Early Metabolic Assessment of Response to Cisplatin, Etoposide, and Bleomycin Chemotherapy for Metastatic Seminoma: Clinical Value and Future Directions. Clinical Genitourinary Cancer, 2016, 14, 249-254.	1.9	12
21	Brentuximab Vedotin in CD30-Expressing Germ Cell Tumors After Chemotherapy Failure. Clinical Genitourinary Cancer, 2016, 14, 261-264.e4.	1.9	22
22	Prognostic Factors of Adjuvant Taxane, Cisplatin, and 5-Fluorouracil Chemotherapy for Patients With Penile Squamous Cell Carcinoma After Regional Lymphadenectomy. Clinical Genitourinary Cancer, 2016, 14, 518-523.	1.9	28
23	Tumors of the Penis and Scrotum. , 2016, , 229-273.		0
24	Laparoscopic Postchemotherapy Retroperitoneal Lymph-Node Dissection Can Be a Standard Option in Defined Nonseminomatous Germ Cell Tumor Patients. Journal of Endourology, 2016, 30, 1112-1119.	2.1	20
25	Lifestyle interventions to improve the quality of life of men with prostate cancer: A systematic review of randomized controlled trials. Critical Reviews in Oncology/Hematology, 2016, 108, 13-22.	4.4	30
26	"What if…― Decisional Regret in Patients who Discontinued Active Surveillance. Tumori, 2016, 102, 562-568.	1.1	6
27	Treatment and Clinical Outcomes of Patients with Teratoma with Somatic-Type Malignant Transformation: An International Collaboration. Journal of Urology, 2016, 196, 95-100.	0.4	70
28	An open-label, single-arm, phase 2 study of the Aurora kinase A inhibitor alisertib in patients with advanced urothelial cancer. Investigational New Drugs, 2016, 34, 236-242.	2.6	21
29	A Combination of Cisplatin and 5-Fluorouracil With a Taxane in Patients Who Underwent Lymph Node Dissection for Nodal Metastases From Squamous Cell Carcinoma of the Penis: Treatment Outcome and Survival Analyses in Neoadjuvant and Adjuvant Settings. Clinical Genitourinary Cancer, 2016, 14, 323-330.	1.9	59
30	Panitumumab Treatment for Advanced Penile Squamous Cell Carcinoma When Surgery and Chemotherapy Have Failed. Clinical Genitourinary Cancer, 2016, 14, 231-236.	1.9	38
31	The Changing Landscape of Intermediate- and Poor-Risk Germ Cell Tumors: Do We Need to Reclassify Patients With Metastatic Germ Cell Tumors?. Clinical Genitourinary Cancer, 2016, 14, 1-4.	1.9	6
32	Quality of Life and Pain Control following Laparoscopic Retroperitoneal Lymph Node Dissection in Early-stage Nonseminoma. Tumori, 2015, 101, 650-656.	1.1	6
33	Safety of Abiraterone Acetate in Castration-resistant Prostate Cancer Patients With Concomitant Cardiovascular Risk Factors. American Journal of Clinical Oncology: Cancer Clinical Trials, 2015, 38, 479-482.	1.3	26
34	Relationship between lymph node ratio and cancer-specific survival in a contemporary series of patients with penile cancer and lymph node metastases. BJU International, 2015, 116, 727-733.	2.5	23
35	Postchemotherapy Lymphadenectomy in Patients With Metastatic Urothelial Carcinoma: Long-Term Efficacy and Implications for Trial Design. Clinical Genitourinary Cancer, 2015, 13, 80-86.e1.	1.9	17
36	Clinical Outcome in Testicular Sex Cord Stromal Tumors: Testis Sparing vs Radical Orchiectomy and Management of Advanced Disease. Urology, 2015, 85, 402-406.	1.0	47

#	Article	IF	CITATIONS
37	Prognostic reclassification of patients with intermediate-risk metastatic germ cell tumors: Implications for clinical practice, trial design, and molecular interrogation. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 332.e19-332.e24.	1.6	12
38	Time from Nephrectomy as a Prognostic Factor in Metastatic Renal Cell Carcinoma Patients Receiving Targeted Therapies: Overall Results from a Large Cohort of Patients. Oncology, 2015, 88, 133-138.	1.9	4
39	Clinical Outcomes of Metastatic Poor Prognosis Germ Cell Tumors: Current Perspective From a Referral Center. Clinical Genitourinary Cancer, 2015, 13, 385-391.e1.	1.9	4
40	Radiotherapy or chemotherapy for clinical stage IIA and IIB seminoma: a systematic review and meta-analysis of patient outcomes. Annals of Oncology, 2015, 26, 657-668.	1.2	71
41	Immunohistochemistry to Enhance Prognostic Allocation and Guide Decision-Making of Patients With Advanced Urothelial Cancer Receiving First-Line Chemotherapy. Clinical Genitourinary Cancer, 2015, 13, 171-177.e1.	1.9	9
42	High-dose sequential chemotherapy (HDS) versus PEB chemotherapy as first-line treatment of patients with poor prognosis germ-cell tumors: mature results of an Italian randomized phase II study. Annals of Oncology, 2015, 26, 167-172.	1.2	17
43	A Prognostic Model Including Pre- and Postsurgical Variables to Enhance Risk Stratification of Primary Mediastinal Nonseminomatous Germ Cell Tumors: The 27-Year Experience of a Referral Center. Clinical Genitourinary Cancer, 2015, 13, 87-93.e1.	1.9	27
44	Analysis of plasma cytokines and angiogenic factors in patients with pretreated urothelial cancer receiving Pazopanib: the role of circulating interleukin-8 to enhance the prognostic accuracy. British Journal of Cancer, 2014, 110, 26-33.	6.4	16
45	Long-Term Efficacy and Safety Outcomes of Modified (Simplified) MVAC (Methotrexate/Vinblastine/Doxorubicin/Cisplatin) as Frontline Therapy for Unresectable or Metastatic Urothelial Cancer. Clinical Genitourinary Cancer, 2014, 12, 203-209.e1.	1.9	15
46	Predictors of CD34+ Cell Mobilization and Collection in Adult Men With Germ Cell Tumors: Implications for the Salvage Treatment Strategy. Clinical Genitourinary Cancer, 2014, 12, 196-202.e1.	1.9	3
47	PF-03446962, a fully-human monoclonal antibody against transforming growth-factor β (TGFβ) receptor ALK1, in pre-treated patients with urothelial cancer: an open label, single-group, phase 2 trial. Investigational New Drugs, 2014, 32, 555-560.	2.6	50
48	Interim Fluorine-18 Fluorodeoxyglucose Positron Emission Tomography for Early Metabolic Assessment of Therapeutic Response to Chemotherapy for Metastatic Transitional Cell Carcinoma. Clinical Genitourinary Cancer, 2014, 12, 433-439.	1.9	24
49	Combination of Paclitaxel, Cisplatin, and Gemcitabine (TPG) for Multiple Relapses or Platinum-Resistant Germ Cell Tumors: Long-Term Outcomes. Clinical Genitourinary Cancer, 2014, 12, 63-69.e1.	1.9	27
50	The Relationship between Characteristics of Inguinal Lymph Nodes and Pelvic Lymph Node Involvement in Penile Squamous Cell Carcinoma: A Single Institution Experience. Journal of Urology, 2014, 191, 977-982.	0.4	75
51	Activity of pazopanib in chemo-resistant patients with germ cell tumors (GCT): First results of the open-label, single-group, phase II PAZOTEST-01 trial Journal of Clinical Oncology, 2014, 32, 376-376.	1.6	5
52	Modified cisplatin, etoposide, and ifosfamide (PEI) salvage therapy for male germ cell tumors: long-term efficacy and safety outcomes. Annals of Oncology, 2013, 24, 2887-2892.	1.2	14
53	Persistent CD30 Expression by Embryonal Carcinoma in the Treatment Time Course: Prognostic Significance of a Worthwhile Target for Personalized Treatment. Journal of Urology, 2013, 190, 1919-1924.	0.4	36
54	Predictors of Health-related Quality of Life and Adjustment to Prostate Cancer During Active Surveillance. European Urology, 2013, 64, 30-36.	1.9	81

#	Article	IF	CITATIONS
55	Prostatic metastases from testicular nonseminomatous germ cell cancer: two case reports and a review of the literature. Tumori, 2013, 99, e203-7.	1.1	1
56	Adherence to Guidelines among Italian Urologists on Imaging Preoperative Staging of Low-Risk Prostate Cancer: Results from the MIRROR (Multicenter Italian Report on Radical Prostatectomy) Tj ETQq0 0 0 rg	BT1/Qverloo	cha đư 0 Tf 50 6
57	Experience with sorafenib in the treatment of advanced renal cell carcinoma. Therapeutic Advances in Urology, 2012, 4, 303-313.	2.0	17
58	New Directions for Biologic Targets in Urothelial Carcinoma – Letter. Molecular Cancer Therapeutics, 2012, 11, 2306-2306.	4.1	0
59	Pazopanib in advanced and platinum-resistant urothelial cancer: an open-label, single group, phase 2 trial. Lancet Oncology, The, 2012, 13, 810-816.	10.7	130
60	CT-guided percutaneous cryoablation of renal masses in selected patients. Radiologia Medica, 2012, 117, 593-605.	7.7	7
61	The 6â€year attendance of a multidisciplinary prostate cancer clinic in Italy: incidence of management changes. BJU International, 2012, 110, 998-1003.	2.5	47
62	973 LAPAROSCOPIC RETROPERITONEAL LYMPH-NODE DISSECTION (L-RPLND): EVOLUTION TOWARDS A SINGLE-STATEGY MANAGEMENT IN CLINICAL STAGE I (CS I) NON-SEMINOMATOUS GERM-CELL TUMORS OF THE TESTIS (NSGCTT). Journal of Urology, 2011, 185, .	0.4	1
63	Long-term outcome of salvage high-dose chemotherapy in patients with germ cell tumor with poor prognostic features. Urologic Oncology: Seminars and Original Investigations, 2011, 29, 284-290.	1.6	10
64	Concordance and Prediction Ability of Original and Reviewed Vascular Invasion and Other Prognostic Parameters of Clinical Stage I Nonseminomatous Germ Cell Testicular Tumors After Retroperitoneal Lymph Node Dissection. Journal of Urology, 2011, 186, 1298-1302.	0.4	21
65	Expectations of survivors, caregivers and healthcare providers for testicular cancer survivorship and quality of life. Tumori, 2011, 97, 367-373.	1.1	14
66	Towards the definition of the best management and prognostic factors of teratoma with malignant transformation: a singleâ€institution case series and new proposal. BJU International, 2011, 107, 1088-1094.	2.5	54
67	Low dose of ketoconazole in patients with prostate adenocarcinoma resistant to pharmacological castration. BJU International, 2011, 108, 223-227.	2.5	10
68	Teratoma With Somatic-Type Malignant Components in Germ Cell Tumors of the Testis: A Clinicopathologic Analysis of 40 Cases With Outcome Correlation. International Journal of Surgical Pathology, 2011, 19, 321-327.	0.8	66
69	Proof of Activity of Anti–Epidermal Growth Factor Receptor–Targeted Therapy for Relapsed Squamous Cell Carcinoma of the Penis. Journal of Clinical Oncology, 2011, 29, e650-e652.	1.6	74
70	Expectations of survivors, caregivers and healthcare providers for testicular cancer survivorship and quality of life. Tumori, 2011, 97, 367-73.	1.1	11
71	Re: Roisin M. Connolly, John A. McCaffrey. High-Dose Chemotherapy plus Stem Cell Transplantation in Advanced Germ Cell Cancer: A Review. Eur Urol 2009;56:57–64. European Urology, 2010, 57, e5-e6.	1.9	1

Retroperitoneal Lymph Node Dissection with No Adjuvant Chemotherapy in Clinical Stage I72Nonseminomatous Germ Cell Tumours: Long-Term Outcome and Analysis of Risk Factors of1.947Recurrence. European Urology, 2010, 58, 912-918.

#	Article	IF	CITATIONS
73	miR-21: an oncomir on strike in prostate cancer. Molecular Cancer, 2010, 9, 12.	19.2	189
74	miR-205 Exerts Tumor-Suppressive Functions in Human Prostate through Down-regulation of Protein Kinase Clµ. Cancer Research, 2009, 69, 2287-2295.	0.9	334
75	Longâ€ŧerm results of a combination of paclitaxel, cisplatin and gemcitabine for salvage therapy in male germâ€cell tumours. BJU International, 2009, 104, 340-346.	2.5	34
76	Understanding the somatic-type malignant differentiation in male germ-cell cancer: A work in progress. Response to the article by Spiess et al., Malignant transformation of testicular teratoma: A chemoresistant phenotype. Urol Oncol 2008;26:595–9. Urologic Oncology: Seminars and Original Investigations, 2009, 27, 218.	1.6	0
77	Penile cancer. Urologic Oncology: Seminars and Original Investigations, 2009, 27, 677-685.	1.6	20
78	Case report: renal cell carcinoma presenting as hypertension in pregnancy. Archives of Gynecology and Obstetrics, 2008, 277, 263-265.	1.7	8
79	European Consensus Conference on Diagnosis and Treatment of Germ Cell Cancer: A Report of the Second Meeting of the European Germ Cell Cancer Consensus group (EGCCCG): Part I. European Urology, 2008, 53, 478-496.	1.9	488
80	European Consensus Conference on Diagnosis and Treatment of Germ Cell Cancer: A Report of the Second Meeting of the European Germ Cell Cancer Consensus Group (EGCCCG): Part II. European Urology, 2008, 53, 497-513.	1.9	243
81	Peniscopically Controlled CO2 Laser Excision for Conservative Treatment of In Situ and T1 Penile Carcinoma: Report on 224 Patients. European Urology, 2008, 54, 875-884.	1.9	115
82	Does oxaliplatin and paclitaxel combination show an activity of some extent in pretreated patients with germ-cell tumors?. Annals of Oncology, 2008, 19, 1509.	1.2	5
83	Assessing prognosis and optimizing treatment in patients with postchemotherapy viable nonseminomatous germ-cell tumors (NSGCT): results of the sCR2 international study. Annals of Oncology, 2008, 19, 259-264.	1.2	86
84	IGG* Practice Guidelines on Germ Cell Tumor in Adult Male Patients. Tumori, 2008, 94, 96-109.	1.1	12
85	Conservative Surgical Therapy for Leydig Cell Tumor. Journal of Urology, 2007, 178, 507-511.	0.4	69
86	Re: Peter Albers. Management of Stage I Testis Cancer. Eur Urol 2007;51:34–44. European Urology, 2007, 52, 295-296.	1.9	1
87	Vaccination therapy in prostate cancer. Cancer Immunology, Immunotherapy, 2007, 56, 429-445.	4.2	21
88	Long-Term Followup and Clinical Characteristics of Testicular Leydig Cell Tumor: Experience With 24 Cases. Journal of Urology, 2006, 176, 2040-2043.	0.4	47
89	In regard to Kagan: "The multidisciplinary clinic―(Int J Radiat Oncol Biol Phys 2005;61:967–968). International Journal of Radiation Oncology Biology Physics, 2005, 63, 309-310.	0.8	13
90	A randomised trial of high-dose chemotherapy in the salvage treatment of patients failing first-line platinum chemotherapy for advanced germ cell tumours. Annals of Oncology, 2005, 16, 1152-1159.	1.2	246

#	Article	IF	CITATIONS
91	Treatment Options in Hormone-refractory Metastatic Prostate Carcinoma. Tumori, 2004, 90, 535-546.	1.1	34
92	A Simple Model for Predicting Nodal Metastasis in Patients With Clinical Stage I Nonseminomatous Germ Cell Testicular Tumors Undergoing Retroperitoneal Lymph Node Dissection Only. Journal of Urology, 2004, 171, 172-176.	0.4	69
93	Clinical Stage I Nonseminomatous Germ Cell Tumors of the Testis in Childhood and Adolescence: An Analysis of 31 Cases. Journal of Pediatric Hematology/Oncology, 2002, 24, 454-458.	0.6	14
94	Salvage high-dose chemotherapy in patients with germ cell tumors. Cancer, 2002, 95, 309-315.	4.1	27
95	Viable Malignant Cells After Primary Chemotherapy for Disseminated Nonseminomatous Germ Cell Tumors: Prognostic Factors and Role of Postsurgery Chemotherapy—Results From an International Study Group. Journal of Clinical Oncology, 2001, 19, 2647-2657.	1.6	264
96	The Role of Adjuvant Treatment in Low-Stage Germ Cell TesticularTumors. European Urology, 1995, 28, 267-272.	1.9	5
97	Evolution and controversies in the management of low-stage nonseminomatous germ-cell tumors of the testis. World Journal of Urology, 1994, 12, 113-9.	2.2	17
98	Surgery in Non-Seminomatous Germ Cell Tumours of the Testis. , 1994, , 311-317.		1
99	Dexamethasone plus Ondansetron versus Dexamethasone plus Alizapride in the Prevention of Emesis Induced by Cisplatin- Containing Chemotherapies for Urological Cancers. European Urology, 1993, 23, 450-456.	1.9	17
100	An Italian Experience of High-Dose Chemotherapy and Autologous Bone Marrow Transplantation (ABMT) in Germ Cell Tumours. Suggestions for Future Direction. Leukemia and Lymphoma, 1992, 7, 59-63.	1.3	0
101	Comparison between Clinical and Pathological Staging in Low Stage Nonseminomatous Germ Cell Testicular Tumors. Journal of Urology, 1992, 148, 76-79.	0.4	37
102	Modified cisplatin, etoposide (or vinblastine) and ifosfamide salvage therapy for male germ-cell tumors. Long-term results. Annals of Oncology, 1992, 3, 211-216.	1.2	24
103	Relation of in vitro Drug Activity to Clinical Response in a Prospective Trial for Advanced Germ Cell Testicular Tumors. European Urology, 1989, 16, 450-455.	1.9	6
104	Difficulties of a Surveillance Study Omitting Retroperitoneal Lymphadenectomy in Clinical Stage I Nonseminomatous Germ Cell Tumors of the Testis. Journal of Urology, 1987, 138, 1393-1395.	0.4	75
105	Adjuvant Medroxyprogesterone Acetate and Steroid Hormone Receptors in Category M0 Renal Cell Carcinoma. An Interim Report of a Prospective Randomized Study. Journal of Urology, 1986, 135, 18-21.	0.4	22
106	Successful treatment of good-risk disseminated testicular cancer with cisplatin, bleomycin, and reduced-dose vinblastine. Cancer, 1986, 57, 2114-2118.	4.1	12
107	Cisplatin combination chemotherapy in advanced seminoma. Cancer, 1986, 58, 1625-1629.	4.1	42
108	Unilateral Lymphadenectomy in Intraoperative Stage I Nonseminomatous Germinal Testis Cancer. Journal of Urology, 1985, 134, 485-488.	0.4	106

#	Article	IF	CITATIONS
109	Surveillance or Lymph Node Dissection in Clinical Stage I Nonâ€seminomatous Germinal Testis Cancer?. British Journal of Urology, 1985, 57, 759-762.	0.1	29
110	Early resection of residual tumor during cisplatin, vinblastine, bleomycin combination chemotherapy in stage III and bulky stage II nonseminomatous testicular cancer. Cancer, 1985, 56, 249-255.	4.1	56
111	Cisplatin and etoposide salvage therapy and resection of the residual tumor in pretreated germ cell testicular cancer. Cancer, 1985, 56, 2399-2403.	4.1	24
112	Cisplatin, etoposide, bleomycin first-line therapy and early resection of residual tumor in far-advanced germinal testis cancer. Cancer, 1985, 56, 2411-2415.	4.1	76
113	Retroperitoneal lymphadenectomy and aggressive chemotherapy in nonbulky clinical stage II nonseminomatous germinal testis tumors. Cancer, 1984, 53, 1363-1368.	4.1	21
114	Steroid hormone receptors in normal and malignant human renal tissue: Relationship with progestin therapy. The Journal of Steroid Biochemistry, 1984, 21, 329-335.	1.1	40
115	Hormone Treatment and Sex Steroid Receptors in Metastatic Renal Cell Carcinoma: Report of a Multicentric Prospective Study. Tumori, 1983, 69, 215-220.	1.1	16