Yuchi Han

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1236264/yuchi-han-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,096 115 20 53 g-index h-index citations papers 5.2 125 4,252 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
115	Magnetic susceptibility and R2* of myocardial reperfusion injury at 3T and 7T. <i>Magnetic Resonance in Medicine</i> , 2022 , 87, 323-336	4.4	1
114	Cardiovascular magnetic resonance characterization of rheumatic mitral stenosis: findings from three worldwide endemic zones <i>Journal of Cardiovascular Magnetic Resonance</i> , 2022 , 24, 24	6.9	1
113	Left Atrial Function Predicts Outcome in Dilated Cardiomyopathy: Fast Long-Axis Strain Analysis Derived from MRI. <i>Radiology</i> , 2021 , 210801	20.5	2
112	Endogenous T1Icardiovascular magnetic resonance in hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 120	6.9	3
111	Prognostic value of left ventricular remodelling index in idiopathic dilated cardiomyopathy. European Heart Journal Cardiovascular Imaging, 2021 , 22, 1197-1207	4.1	4
110	Cardiovascular Magnetic Resonance Imaging and Heart Failure. <i>Current Cardiology Reports</i> , 2021 , 23, 35	4.2	2
109	Comparing cardiovascular magnetic resonance strain software packages by their abilities to discriminate outcomes in patients with heart failure with preserved ejection fraction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 55	6.9	1
108	Elevated Extracellular Volume Fraction and Reduced Global Longitudinal Strains in Participants Recovered from COVID-19 without Clinical Cardiac Findings. <i>Radiology</i> , 2021 , 299, E230-E240	20.5	17
107	Noninvasive rapid cardiac magnetic resonance for the assessment of cardiomyopathies in low-middle income countries. <i>Expert Review of Cardiovascular Therapy</i> , 2021 , 19, 387-398	2.5	1
106	Right Ventricular Global Longitudinal Strain as a Predictor of Acute and Early Right Heart Failure Post Left Ventricular Assist Device Implantation. <i>ASAIO Journal</i> , 2021 ,	3.6	1
105	Cardiac Magnetic Resonance in Cardio-Oncology: Advantages, Importance of Expediency, and Considerations to Navigate Pre-Authorization. <i>JACC: CardioOncology</i> , 2021 , 3, 191-200	3.8	1
104	Myocarditis and Other Cardiovascular Complications of the mRNA-Based COVID-19 Vaccines. <i>Cureus</i> , 2021 , 13, e15576	1.2	15
103	Diverse Right Ventricular Remodeling Evaluated by MRI and Prognosis in Eisenmenger Syndrome With Different Shunt Locations. <i>Journal of Magnetic Resonance Imaging</i> , 2021 ,	5.6	2
102	Classification of Myocardial F-FDG PET Uptake Patterns Using Deep Learning. <i>Radiology: Artificial Intelligence</i> , 2021 , 3, e200148	8.7	
101	Fractal Analysis: Prognostic Value of Left Ventricular Trabecular Complexity Cardiovascular MRI in Participants with Hypertrophic Cardiomyopathy. <i>Radiology</i> , 2021 , 298, 71-79	20.5	3
100	Myocardial Tissue Reverse Remodeling After Guideline-Directed Medical Therapy in Idiopathic Dilated Cardiomyopathy. <i>Circulation: Heart Failure</i> , 2021 , 14, e007944	7.6	9
99	Ranolazine Improves Right Ventricular Function in Patients With Precapillary Pulmonary Hypertension: Results From a Double-Blind, Randomized, Placebo-Controlled Trial. <i>Journal of Cardiac Failure</i> , 2021 , 27, 253-257	3.3	8

(2020-2021)

98	Left ventricular mural thrombus appearing as a photopenic defect on myocardial viability PET imaging. <i>Journal of Nuclear Cardiology</i> , 2021 , 1	2.1	O
97	Prognostic value of myocardial extracellular volume fraction evaluation based on cardiac magnetic resonance T1 mapping with T1 long and short in hypertrophic cardiomyopathy. <i>European Radiology</i> , 2021 , 31, 4557-4567	8	2
96	Prognostic value of fast semi-automated left atrial long-axis strain analysis in hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 36	6.9	1
95	The Prognostic Value of Left Ventricular Mechanical Dyssynchrony Derived from Cardiac MRI in Patients with Idiopathic Dilated Cardiomyopathy. <i>Radiology: Cardiothoracic Imaging</i> , 2021 , 3, e200536	8.3	1
94	SCMR level II/independent practitioner training guidelines for cardiovascular magnetic resonance: integration of a virtual training environment <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 139	6.9	0
93	Radiomics Analysis Derived From LGE-MRI Predict Sudden Cardiac Death in Participants With Hypertrophic Cardiomyopathy <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 766287	5.4	1
92	Electrocardiogram Characteristics and Prognostic Value in Light-Chain Amyloidosis: A Comparison With Cardiac Magnetic Resonance Imaging <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 751422	5.4	1
91	Cardiovascular manifestations and treatment considerations in COVID-19. <i>Heart</i> , 2020 , 106, 1132-1141	5.1	194
90	Radiomic Analysis of Native T Mapping Images Discriminates Between MYH7 and MYBPC3-Related Hypertrophic Cardiomyopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 52, 1714-1721	5.6	10
89	Diagnostic and prognostic value of right ventricular eccentricity index in pulmonary artery hypertension. <i>Pulmonary Circulation</i> , 2020 , 10, 2045894019899778	2.7	5
88	Iron imaging in myocardial infarction reperfusion injury. Nature Communications, 2020, 11, 3273	17.4	5
87	Left ventricular midwall fibrosis as a predictor of sudden cardiac death in non-ischaemic dilated cardiomyopathy: a meta-analysis. <i>ESC Heart Failure</i> , 2020 , 7, 2184-2192	3.7	11
86	Association of Left Atrial High-Resolution Late Gadolinium Enhancement on Cardiac Magnetic Resonance With Electrogram Abnormalities Beyond Voltage in Patients With Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e007586	6.4	4
85	Contemporary Application of Cardiovascular Magnetic Resonance Imaging. <i>Annual Review of Medicine</i> , 2020 , 71, 221-234	17.4	1
84	Society for Cardiovascular Magnetic Resonance (SCMR) guidance for the practice of cardiovascular magnetic resonance during the COVID-19 pandemic. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020 , 22, 26	6.9	37
83	Detection of pulmonary artery atherosclerosis by FDG-PET/CT: a new observation. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 10, 127-134	2.2	2
82	Closed-loop control of k-space sampling via physiologic feedback for cine MRI. <i>PLoS ONE</i> , 2020 , 15, e02	4 4.7 86	O
81	Prognostic Value of Right Ventricular Dysfunction in Patients With AL Amyloidosis: Comparison of Different Techniques by Cardiac Magnetic Resonance. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 52, 1441-1448	5.6	2

80	Left Ventricular Dysfunction in Arrhythmogenic Right Ventricular Cardiomyopathy (ARVC): Can We Separate ARVC From Other Arrhythmogenic Cardiomyopathies?. <i>Journal of the American Heart Association</i> , 2020 , 9, e018866	6	4
79	SCUBE1 Controls BMPR2-Relevant Pulmonary Endothelial Function: Implications for Diagnostic Marker Development in Pulmonary Arterial Hypertension. <i>JACC Basic To Translational Science</i> , 2020 , 5, 1073-1092	8.7	1
78	Association of septal late gadolinium enhancement on cardiac magnetic resonance with ventricular tachycardia ablation targets in nonischemic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 3262-3276	2.7	1
77	Gadobutrol-Enhanced Cardiac Magnetic Resonance Imaging for Detection of Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 1536-1547	15.1	13
76	Society for Cardiovascular Magnetic Resonance (SCMR) guidance for re-activation of cardiovascular magnetic resonance practice after peak phase of the COVID-19 pandemic. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020 , 22, 58	6.9	7
75	Recent Trends and Potential Drivers of Non-invasive Cardiovascular Imaging Use in the United States of America and England. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 617771	5.4	2
74	Accelerated free-breathing 3D T1lcardiovascular magnetic resonance using multicoil compressed sensing. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019 , 21, 5	6.9	8
73	Papillary muscle ventricular arrhythmias in patients with arrhythmic mitral valve prolapse: Electrophysiologic substrate and catheter ablation outcomes. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 827-835	2.7	23
72	Distinct plasma gradients of microRNA-204 in the pulmonary circulation of patients suffering from WHO Groups I and II pulmonary hypertension. <i>Pulmonary Circulation</i> , 2019 , 9, 2045894019840646	2.7	12
71	Regional amyloid distribution and impact on mortality in light-chain amyloidosis: a T1 mapping cardiac magnetic resonance study. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019 , 26, 45-51	2.7	16
70	Different Clinical Presentation and Tissue Characterization in a Monozygotic Twin Pair with MYH7 Mutation-Related Hypertrophic Cardiomyopathy. <i>International Heart Journal</i> , 2019 , 60, 477-481	1.8	4
69	Tricuspid annular plane systolic excursion is dependent on right ventricular volume in addition to function. <i>Echocardiography</i> , 2019 , 36, 1459-1466	1.5	9
68	The prognostic value of biventricular long axis strain using standard cardiovascular magnetic resonance imaging in patients with hypertrophic cardiomyopathy. <i>International Journal of Cardiology</i> , 2019 , 294, 43-49	3.2	12
67	Metabolomics of exercise pulmonary hypertension are intermediate between controls and patients with pulmonary arterial hypertension. <i>Pulmonary Circulation</i> , 2019 , 9, 2045894019882623	2.7	8
66	Epicardial Conduction Speed, Electrogram Abnormality, and Computed Tomography Attenuation Associations in Arrhythmogenic Right Ventricular Cardiomyopathy. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 1158-1167	4.6	6
65	Atypical presentation of lipomatous hypertrophy of the interatrial septum: a case report. <i>European Heart Journal - Case Reports</i> , 2019 , 3, 1-4	0.9	1
64	Cardiac Sarcoidosis. <i>American Journal of Cardiology</i> , 2019 , 123, 513-522	3	28
63	Papillary Imuscle ventricular arrhythmias among patients with mitral valve prolapse. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, E6	2.7	

(2018-2018)

62	Left Ventricular Myocardial Deformation on Cine MR Images: Relationship to Severity of Disease and Prognosis in Light-Chain Amyloidosis. <i>Radiology</i> , 2018 , 288, 73-80	20.5	18
61	Phenotypic diversity identified by cardiac magnetic resonance in a large hypertrophic cardiomyopathy family with a single MYH7 mutation. <i>Scientific Reports</i> , 2018 , 8, 973	4.9	13
60	Improved segmental myocardial strain reproducibility using deformable registration algorithms compared with feature tracking cardiac MRI and speckle tracking echocardiography. <i>Journal of Magnetic Resonance Imaging</i> , 2018 , 48, 404-414	5.6	12
59	Early detection of myocardial involvement by T mapping of cardiac MRI in idiopathic inflammatory myopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2018 , 48, 415-422	5.6	13
58	A rare phenotype of heterozygous Danon disease mimicking apical hypertrophic cardiomyopathy. <i>European Heart Journal</i> , 2018 , 39, 3263-3264	9.5	4
57	Right ventricular septomarginal trabeculation hypertrophy is associated with disease severity in patients with pulmonary arterial hypertension. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 1439-1449	2.5	6
56	Rationale and design of the ranolazine PH-RV study: a multicentred randomised and placebo-controlled study of ranolazine to improve RV function in patients with non-group 2 pulmonary hypertension. <i>Open Heart</i> , 2018 , 5, e000736	3	10
55	Imaging characteristics of papillary muscle site of origin of ventricular arrhythmias in patients with mitral valve prolapse. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 146-153	2.7	24
54	Contrast-Enhanced Echocardiography Has the Greatest Impact in Patients with Reduced Ejection Fractions. <i>Journal of the American Society of Echocardiography</i> , 2018 , 31, 289-296	5.8	9
53	Right ventricular involvement evaluated by cardiac magnetic resonance imaging predicts mortality in patients with light chain amyloidosis. <i>Heart and Vessels</i> , 2018 , 33, 170-179	2.1	18
52	Age and Gender Impact the Measurement of Myocardial Interstitial Fibrosis in a Healthy Adult Chinese Population: A Cardiac Magnetic Resonance Study. <i>Frontiers in Physiology</i> , 2018 , 9, 140	4.6	13
51	The growth and evolution of cardiovascular magnetic resonance: a 20-year history of the Society for Cardiovascular Magnetic Resonance (SCMR) annual scientific sessions. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 8	6.9	8
50	Increased Prognostic Value of Query Amyloid Late Enhancement Score in Light-Chain Cardiac Amyloidosis. <i>Circulation Journal</i> , 2018 , 82, 739-746	2.9	8
49	Using all-cause mortality to define severe RV dilation with RV/LV volume ratio. <i>Scientific Reports</i> , 2018 , 8, 7200	4.9	8
48	Hydroxychloroquine-induced cardiomyopathy and heart failure in twins. <i>Journal of Thoracic Disease</i> , 2018 , 10, E70-E73	2.6	17
47	Native T1 and T2 mapping by cardiovascular magnetic resonance imaging in pressure overloaded left and right heart diseases. <i>Journal of Thoracic Disease</i> , 2018 , 10, 2968-2975	2.6	13
46	Cardiovascular magnetic resonance evidence of myocardial fibrosis and its clinical significance in adolescent and adult patients with Ebstein's anomaly. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 69	6.9	13
45	Determinants of Normal Left Atrial Volume in Heart Failure with Moderate-to-Severely Reduced Ejection Fraction. <i>Cardiology Research and Practice</i> , 2018 , 2018, 7512758	1.9	5

44	Cardiac magnetic resonance imaging and electroanatomic voltage discordance in non-ischemic left ventricle ventricular tachycardia and premature ventricular depolarizations. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017 , 49, 11-19	2.4	7
43	Text mining applied to electronic cardiovascular procedure reports to identify patients with trileaflet aortic stenosis and coronary artery disease. <i>Journal of Biomedical Informatics</i> , 2017 , 72, 77-84	10.2	18
42	Recommendations for Noninvasive Evaluation of Native Valvular Regurgitation: A Report from the American Society of Echocardiography Developed in Collaboration with the Society for Cardiovascular Magnetic Resonance. <i>Journal of the American Society of Echocardiography</i> , 2017 , 30, 303	5.8 - 371	1331
41	Reference values of cardiac ventricular structure and function by steady-state free-procession MRI at 3.0T in healthy adult chinese volunteers. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 45, 1684-1692	₂ 5.6	10
40	Reference value of left and right atrial size and phasic function by SSFP CMR at 3.0 T in healthy Chinese adults. <i>Scientific Reports</i> , 2017 , 7, 3196	4.9	15
39	Self-gated MRI of multiple beat morphologies in the presence of arrhythmias. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 678-688	4.4	7
38	Comparison of Non-Contrast Cardiovascular Magnetic Resonance Imaging to Computed Tomography Angiography for Aortic Annular Sizing Before Transcatheter Aortic Valve Replacement. <i>Journal of Invasive Cardiology</i> , 2017 , 29, 239-245	0.7	8
37	The impact of gender on cardiovascular system calcification in very elderly patients with severe aortic stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2016 , 32, 173-9	2.5	14
36	Impact of end-diastolic and end-systolic phase selection in the volumetric evaluation of cardiac MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 43, 585-93	5.6	3
35	Right heart size in orthotopic heart transplant population: Influence of donor and recipient gender, race, and body surface area. <i>International Journal of Cardiology</i> , 2016 , 203, 105-6	3.2	1
34	Evaluation of cardiac masses by CMR-strengths and pitfalls: a tertiary center experience. <i>International Journal of Cardiovascular Imaging</i> , 2016 , 32, 913-20	2.5	18
33	Four-dimensional flow magnetic resonance imaging visualizes drastic changes in the blood flow in a patient with chronic thromboembolic pulmonary hypertension after pulmonary thromboendarterectomy. <i>European Heart Journal</i> , 2016 , 37, 2802	9.5	5
32	Measurement of Myocardial T1Iwith a Motion Corrected, Parametric Mapping Sequence in Humans. <i>PLoS ONE</i> , 2016 , 11, e0151144	3.7	10
31	Cardiac MRI right ventricle / left ventricle (RV/LV) volume ratio improves detection of RV enlargement. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 43, 1379-85	5.6	12
30	Echocardiographic determinants of LV functional improvement after transcatheter aortic valve replacement. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 1164-72	2.7	7
29	Quantification of Left Ventricular Function With Premature Ventricular Complexes Reveals Variable Hemodynamics. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9, e003520	6.4	12
28	Clinical echocardiographic indices of left ventricular diastolic function correlate poorly with pulmonary capillary wedge pressure at 1 year following heart transplantation. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 783-94	2.5	8
27	Metabolic effects of pulmonary obstruction on myocardial functioning: a pilot study using multiple time-point 18F-FDG-PET imaging. <i>Nuclear Medicine Communications</i> , 2015 , 36, 78-83	1.6	6

(2010-2015)

26	The Influence of Mitral Annuloplasty on Left Ventricular Flow Dynamics. <i>Annals of Thoracic Surgery</i> , 2015 , 100, 114-121	2.7	27
25	RV mass measurement at end-systole: Improved accuracy, Reproducibility, and reduced segmentation time. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 42, 1291-6	5.6	6
24	Echocardiographic diastolic function assessment is of modest utility in patients with persistent and longstanding persistent atrial fibrillation. <i>IJC Heart and Vasculature</i> , 2015 , 9, 89-94	2.4	4
23	User-initialized active contour segmentation and golden-angle real-time cardiovascular magnetic resonance enable accurate assessment of LV function in patients with sinus rhythm and arrhythmias. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015 , 17, 37	6.9	14
22	Impact of age, sex, and indexation method on MR left ventricular reference values in the Framingham Heart Study offspring cohort. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 41, 1038-45	5.6	43
21	Effects of Age-Related Aortic Root Anatomic Changes on Left Ventricular Outflow Tract Pace-Mapping Morphologies: A Cardiac Magnetic Resonance Imaging Validation Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 994-999	2.7	9
20	Adherence to thresholds: overdiagnosis of left ventricular noncompaction cardiomyopathy. <i>Academic Radiology</i> , 2015 , 22, 1016-9	4.3	6
19	Altered Right Ventricular Kinetic Energy Work Density and Viscous Energy Dissipation in Patients with Pulmonary Arterial Hypertension: A Pilot Study Using 4D Flow MRI. <i>PLoS ONE</i> , 2015 , 10, e0138365	3.7	29
18	Right Ventricular Metabolism: A Brief Review. Advances in Pulmonary Hypertension, 2015, 13, 185-187	0.5	
17	Assessing Myocardial Disease Using T MRI. Current Cardiovascular Imaging Reports, 2014 , 7, 9248	0.7	17
16	Assessment of right ventricular function by transthoracic echocardiography following aortic valve replacement. <i>Echocardiography</i> , 2014 , 31, 552-7	1.5	23
15	Left atrial volume best predicts recurrence after catheter ablation in patients with persistent and longstanding persistent atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 422-9	1.6	21
14	Comparison of cardiac MRI tissue tracking and myocardial tagging for assessment of regional ventricular strain. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 2009-18	2.5	49
13	Resveratrol preserves myocardial function and perfusion in remote nonischemic myocardium in a swine model of metabolic syndrome. <i>Journal of the American College of Surgeons</i> , 2012 , 215, 681-9	4.4	19
12	Predictors of recovery of left ventricular dysfunction after ablation of frequent ventricular premature depolarizations. <i>Heart Rhythm</i> , 2012 , 9, 1465-72	6.7	91
11	Cardiac Magnetic Resonance Imaging in Ischemic Heart Disease. <i>PET Clinics</i> , 2011 , 6, 453-73	2.2	
10	CMR predictors of mitral regurgitation in mitral valve prolapse. <i>JACC: Cardiovascular Imaging</i> , 2010 , 3, 1037-45	8.4	23
9	Evaluation of papillary muscle function using cardiovascular magnetic resonance imaging in mitral valve prolapse. <i>American Journal of Cardiology</i> , 2010 , 106, 243-8	3	22

8	Circumferential myocardial strain in cardiomyopathy with and without left bundle branch block. Journal of Cardiovascular Magnetic Resonance, 2010 , 12, 2	6.9	17
7	Shorter difference between myocardium and blood optimal inversion time suggests diffuse fibrosis in dilated cardiomyopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 30, 967-72	5.6	27
6	The relationship between body mass index and mortality in patients with acute decompensated heart failure. <i>International Journal of Cardiology</i> , 2009 , 134, 132-5	3.2	9
5	Recurrence of atrial fibrillation correlates with the extent of post-procedural late gadolinium enhancement: a pilot study. <i>JACC: Cardiovascular Imaging</i> , 2009 , 2, 308-16	8.4	133
4	Cardiovascular magnetic resonance characterization of mitral valve prolapse. <i>JACC: Cardiovascular Imaging</i> , 2008 , 1, 294-303	8.4	139
3	Targeting TGF-beta and the extracellular matrix in MarfanS syndrome. <i>Developmental Cell</i> , 2008 , 15, 1-2	10.2	27
2	Overexpression of HAX-1 protects cardiac myocytes from apoptosis through caspase-9 inhibition. <i>Circulation Research</i> , 2006 , 99, 415-23	15.7	110
1	Midventricular hypokinesis as a cardiac manifestation of anaphylaxis: a case report. <i>Journal of the American Society of Echocardiography</i> , 2006 , 19, 1529.e9-11	5.8	8