Christian Maurice

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1237728/christian-maurice-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,918 36 35 12 g-index h-index citations papers 36 4.81 2,117 5.1 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
35	Co-disposal of lignite fly ash and coal mine waste rock for neutralisation of AMD. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 48728-48741	5.1	
34	Innovative Circular Economy Models for the European Pulp and Paper Industry: A Reference Framework for a Resource Recovery Scenario. <i>Sustainability</i> , 2021 , 13, 10285	3.6	2
33	Effective Oxygen Diffusion Coefficient of Till and Green Liquor Dregs (GLD) Mixes Used in Sealing Layer in Mine Waste Covers. <i>Water, Air, and Soil Pollution</i> , 2020 , 231, 1	2.6	1
32	Variation of green liquor dregs from different pulp and paper mills for use in mine waste remediation. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 31284-31300	5.1	2
31	Effects of the co-disposal of lignite fly ash and coal mine waste rocks on AMD and leachate quality. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 4104-4115	5.1	7
30	The formation of unsaturated zones within cemented paste backfill mixtures-effects on the release of copper, nickel, and zinc. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 20809-20822	5.1	7
29	Elemental mobility in sulfidic mine tailings reclaimed with paper mill by-products as sealing materials. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 20372-20389	5.1	4
28	Water quality of stormwater generated from an airport in a cold climate, function of an infiltration pond, and sampling strategy with limited resources. <i>Environmental Monitoring and Assessment</i> , 2017 , 190, 4	3.1	5
27	Mobility of as, Cu, Cr, and Zn from tailings covered with sealing materials using alkaline industrial residues: a comparison between two leaching methods. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 648-60	5.1	6
26	Potential of fly ash for neutralisation of acid mine drainage. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 17083-94	5.1	21
25	Biodegradation of Biosolids Under Aerobic Conditions: Implications for Cover Materials for Sulfide Mine Tailings Remediation. <i>Mine Water and the Environment</i> , 2016 , 35, 273-282	2.4	6
24	An Evaluation of Using Various Admixtures of Green Liquor Dregs, a Residual Product, as a Sealing Layer on Reactive Mine Tailings. <i>Mine Water and the Environment</i> , 2016 , 35, 283-293	2.4	6
23	Potential of coal mine waste rock for generating acid mine drainage. <i>Journal of Geochemical Exploration</i> , 2016 , 160, 44-54	3.8	46
22	The use of low binder proportions in cemented paste backfill Effects on As-leaching. <i>Minerals Engineering</i> , 2015 , 78, 74-82	4.9	21
21	Investigation of biosolids degradation under flooded environments for use in underwater cover designs for mine tailing remediation. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 10047-57	5.1	5
20	Improving Properties of Sealing Layers Made of Till by Adding Green Liquor Dregs to Reduce Oxidation of Sulfidic Mine Waste. <i>Geotechnical and Geological Engineering</i> , 2015 , 33, 1047-1054	1.5	9
19	Metal Mobilization in Tailings Covered with Alkaline Residue Products: Results from a Leaching Test Using Fly Ash, Green Liquor Dregs, and Lime Mud. <i>Mine Water and the Environment</i> , 2015 , 34, 270-2	2 87 4	7

(2004-2014)

18	Degradation of digested sewage sludge residue under anaerobic conditions for mine tailings remediation. <i>Environmental Earth Sciences</i> , 2014 , 72, 3643-3654	2.9	3
17	Characterization of Green Liquor Dregs, Potentially Useful for Prevention of the Formation of Acid Rock Drainage. <i>Minerals (Basel, Switzerland)</i> , 2014 , 4, 330-344	2.4	28
16	Effect of the alkaline industrial residues fly ash, green liquor dregs, and lime mud on mine tailings oxidation when used as covering material. <i>Environmental Earth Sciences</i> , 2014 , 72, 319-334	2.9	24
15	Reporting data: managing sampling and analytical uncertainty 2014 , 88-101		
14	Use of Amended Tailings as Mine Waste Cover. Waste and Biomass Valorization, 2013, 4, 709-718	3.2	22
13	The influence of temperature, pH/molarity and extractant on the removal of arsenic, chromium and zinc from contaminated soil. <i>Journal of Soils and Sediments</i> , 2011 , 11, 1334-1344	3.4	6
12	Extraction of Arsenic from Soils Contaminated with Wood Preservation Chemicals. <i>Soil and Sediment Contamination</i> , 2010 , 19, 142-159	3.2	7
11	Green liquor dregs for the amendment of tailings 2010 ,		3
10	Impact of water saturation level on arsenic and metal mobility in the Fe-amended soil. <i>Chemosphere</i> , 2009 , 74, 206-15	8.4	42
9	Hydraulic conductivity of fly ash-sewage sludge mixes for use in landfill cover liners. <i>Water Research</i> , 2009 , 43, 3541-7	12.5	24
8	Stabilization of As, Cr, Cu, Pb and Zn in soil using amendmentsa review. <i>Waste Management</i> , 2008 , 28, 215-25	8.6	1163
7	Field trials to assess the use of iron-bearing industrial by-products for stabilisation of chromated copper arsenate-contaminated soil. <i>Science of the Total Environment</i> , 2007 , 387, 68-78	10.2	12
6	Techniques for the stabilization and assessment of treated copper-, chromium-, and arsenic-contaminated soil. <i>Ambio</i> , 2007 , 36, 430-6	6.5	9
5	Improving soil investigations at brownfield sites using a flexible work strategy and screening methods inspired by the US Environmental Protection Agency triad approach. <i>Ambio</i> , 2007 , 36, 502-11	6.5	2
4	Stabilization of Pb- and Cu-contaminated soil using coal fly ash and peat. <i>Environmental Pollution</i> , 2007 , 145, 365-73	9.3	195
3	Evaluation of the critical factors controlling stability of chromium, copper, arsenic and zinc in iron-treated soil. <i>Chemosphere</i> , 2007 , 67, 410-7	8.4	31
2	Assessment of zerovalent iron for stabilization of chromium, copper, and arsenic in soil. <i>Environmental Pollution</i> , 2006 , 144, 62-9	9.3	183
1	Assessment of the methane oxidation capacity of soil. <i>Waste Management and Research</i> , 2004 , 22, 42-8	4	9