

Henrik D Schröder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1239059/publications.pdf>

Version: 2024-02-01

142
papers

7,743
citations

41344

49
h-index

54911

84
g-index

146
all docs

146
docs citations

146
times ranked

10833
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomarkers of mitochondrial content in skeletal muscle of healthy young human subjects. <i>Journal of Physiology</i> , 2012, 590, 3349-3360.	2.9	920
2	Organization of the motoneurons innervating the pelvic muscles of the male rat. <i>Journal of Comparative Neurology</i> , 1980, 192, 567-587.	1.6	374
3	A RNA antagonist of hypoxia-inducible factor-1 α , EZN-2968, inhibits tumor cell growth. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 3598-3608.	4.1	237
4	GLUT4 Is Reduced in Slow Muscle Fibers of Type 2 Diabetic Patients. <i>Diabetes</i> , 2001, 50, 1324-1329.	0.6	231
5	Teratoma Formation by Human Embryonic Stem Cells Is Site Dependent and Enhanced by the Presence of Matrigel. <i>Stem Cells and Development</i> , 2009, 18, 47-54.	2.1	220
6	Modulation of Keratinocyte Gene Expression and Differentiation by PPAR-Selective Ligands and Tetradecylthioacetic Acid. <i>Journal of Investigative Dermatology</i> , 2001, 116, 702-712.	0.7	213
7	Changes in satellite cells in human skeletal muscle after a single bout of high intensity exercise. <i>Journal of Physiology</i> , 2004, 558, 333-340.	2.9	209
8	Radiation-induced brachial plexopathy: Neurological follow-up in 161 recurrence-free breast cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 1993, 26, 43-49.	0.8	191
9	Tumorigenic Heterogeneity in Cancer Stem Cells Evolved from Long-term Cultures of Telomerase-Immortalized Human Mesenchymal Stem Cells. <i>Cancer Research</i> , 2005, 65, 3126-3135.	0.9	161
10	The influence of anti-inflammatory medication on exercise-induced myogenic precursor cell responses in humans. <i>Journal of Applied Physiology</i> , 2007, 103, 425-431.	2.5	153
11	Long-Term Outcome and MGMT as a Predictive Marker in 24 Patients With Atypical Pituitary Adenomas and Pituitary Carcinomas Given Treatment With Temozolomide. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1689-1698.	3.6	142
12	Increased subsarcolemmal lipids in type 2 diabetes: effect of training on localization of lipids, mitochondria, and glycogen in sedentary human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 298, E706-E713.	3.5	135
13	Ageing is associated with diminished muscle re-growth and myogenic precursor cell expansion early after immobility-induced atrophy in human skeletal muscle. <i>Journal of Physiology</i> , 2013, 591, 3789-3804.	2.9	132
14	Ageing Affects the Transcriptional Regulation of Human Skeletal Muscle Disuse Atrophy. <i>PLoS ONE</i> , 2012, 7, e51238.	2.5	132
15	Depletion of Acyl-Coenzyme A-Binding Protein Affects Sphingolipid Synthesis and Causes Vesicle Accumulation and Membrane Defects in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2001, 12, 1147-1160.	2.1	128
16	Ectopic Expression of DLK1 Protein in Skeletal Muscle of Padumnal Heterozygotes Causes the Callipyge Phenotype. <i>Current Biology</i> , 2004, 14, 1858-1862.	3.9	114
17	A cellular model system of differentiated human myotubes. <i>Apmis</i> , 2001, 109, 735-744.	2.0	108
18	Temozolomide treatment of a pituitary carcinoma and two pituitary macroadenomas resistant to conventional therapy. <i>European Journal of Endocrinology</i> , 2009, 161, 631-637.	3.7	108

#	ARTICLE	IF	CITATIONS
19	Expression and Localization of Peroxisome Proliferator-Activated Receptors and Nuclear Factor κ B in Normal and Lesional Psoriatic Skin. <i>Journal of Investigative Dermatology</i> , 2003, 121, 1104-1117.	0.7	105
20	Enhanced differentiation of human embryonic stem cells to mesenchymal progenitors by inhibition of TGF- β 2/activin/nodal signaling using SB-431542. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1216-1233.	2.8	102
21	CD133 identifies perivascular niches in grade II-IV astrocytomas. <i>Journal of Neuro-Oncology</i> , 2008, 90, 157-170.	2.9	101
22	Lipid droplets interact with mitochondria using SNAP23. <i>Cell Biology International</i> , 2009, 33, 934-940.	3.0	100
23	Tissue distribution and engraftment of human mesenchymal stem cells immortalized by human telomerase reverse transcriptase gene. <i>Biochemical and Biophysical Research Communications</i> , 2005, 330, 633-640.	2.1	92
24	Human skeletal muscle glycogen utilization in exhaustive exercise: role of subcellular localization and fibre type. <i>Journal of Physiology</i> , 2011, 589, 2871-2885.	2.9	91
25	Loss of Function of Slc20a2 Associated with Familial Idiopathic Basal Ganglia Calcification in Humans Causes Brain Calcifications in Mice. <i>Journal of Molecular Neuroscience</i> , 2013, 51, 994-999.	2.3	90
26	Somatostatin in the caudal spinal cord: An immunohistochemical study of the spinal centers involved in the innervation of pelvic organs. <i>Journal of Comparative Neurology</i> , 1984, 223, 400-414.	1.6	88
27	Distinct effects of subcellular glycogen localization on tetanic relaxation time and endurance in mechanically skinned rat skeletal muscle fibres. <i>Journal of Physiology</i> , 2009, 587, 3679-3690.	2.9	78
28	A comparative clinical, pathological, biochemical and genetic study of fused in sarcoma proteinopathies. <i>Brain</i> , 2011, 134, 2548-2564.	7.6	76
29	Localization of cholecystokininlike immunoreactivity in the rat spinal cord, with particular reference to the autonomic innervation of the pelvic organs. <i>Journal of Comparative Neurology</i> , 1983, 217, 176-186.	1.6	75
30	Immunohistochemical Markers for Quantitative Studies of Neurons and Glia in Human Neocortex. <i>Journal of Histochemistry and Cytochemistry</i> , 2008, 56, 201-221.	2.5	75
31	Nerve fibre studies in skin biopsies in peripheral neuropathies. I. Immunohistochemical analysis of neuropeptides in diabetes mellitus. <i>Journal of the Neurological Sciences</i> , 1989, 93, 289-296.	0.6	73
32	Low expression of tissue inhibitor of metalloproteinases-1 (TIMP-1) in glioblastoma predicts longer patient survival. <i>Journal of Neuro-Oncology</i> , 2009, 95, 117-128.	2.9	72
33	Axotomy induces MHC class I antigen expression on rat nerve cells. <i>Neuroscience Letters</i> , 1988, 92, 8-13.	2.1	65
34	Secreted Protein Acidic and Rich in Cysteine (SPARC) in Human Skeletal Muscle. <i>Journal of Histochemistry and Cytochemistry</i> , 2009, 57, 29-39.	2.5	65
35	ADAM12 Alleviates the Skeletal Muscle Pathology in mdx Dystrophic Mice. <i>American Journal of Pathology</i> , 2002, 161, 1535-1540.	3.8	61
36	Skeletal Muscle Remodelling as a Function of Disease Progression in Amyotrophic Lateral Sclerosis. <i>BioMed Research International</i> , 2016, 2016, 1-12.	1.9	61

#	ARTICLE	IF	CITATIONS
37	Proliferation conditions for human satellite cells The fractional content of satellite cells. <i>Apmis</i> , 2001, 109, 726-734.	2.0	60
38	Compensation for dystrophin-deficiency: ADAM12 overexpression in skeletal muscle results in increased $\alpha 7$ integrin, utrophin and associated glycoproteins. <i>Human Molecular Genetics</i> , 2003, 12, 2467-2479.	2.9	59
39	Enhanced procollagen processing in skeletal muscle after a single bout of eccentric loading in humans. <i>Matrix Biology</i> , 2004, 23, 259-264.	3.6	57
40	Anatomical and pathoanatomical studies on the spinal efferent systems innervating pelvic structures. <i>Journal of the Autonomic Nervous System</i> , 1985, 14, 23-48.	1.9	55
41	Neurons in the monoaminergic nuclei of the rat and human central nervous system express FA1/dlk. <i>NeuroReport</i> , 2001, 12, 3959-3963.	1.2	55
42	<i>In vivo</i> secretory potential and the effect of combination therapy with octreotide and cabergoline in patients with clinically nonfunctioning pituitary adenomas. <i>Clinical Endocrinology</i> , 2001, 54, 23-30.	2.4	55
43	Inhibitory zinc-enriched terminals in mouse spinal cord. <i>Neuroscience</i> , 2001, 105, 941-947.	2.3	54
44	Characterization of the TNF and IL-1 systems in human brain and blood after ischemic stroke. <i>Acta Neuropathologica Communications</i> , 2020, 8, 81.	5.2	54
45	CD133+ niches and single cells in glioblastoma have different phenotypes. <i>Journal of Neuro-Oncology</i> , 2011, 104, 129-143.	2.9	53
46	Characterization of DLK1+ Cells Emerging During Skeletal Muscle Remodeling in Response to Myositis, Myopathies, and Acute Injury. <i>Stem Cells</i> , 2009, 27, 898-908.	3.2	52
47	Catecholamine innervation of the caudal spinal cord in the rat. <i>Journal of Comparative Neurology</i> , 1985, 242, 358-368.	1.6	50
48	Evaluation of Patients With Symptoms Suggestive of Chronic Polyneuropathy. <i>Journal of Clinical Neuromuscular Disease</i> , 2001, 3, 47-52.	0.7	49
49	Parameters in Three-Dimensional Osteospheroids of Telomerized Human Mesenchymal (Stromal) Stem Cells Grown on Osteoconductive Scaffolds That Predict <i>In Vivo</i> Bone-Forming Potential. <i>Tissue Engineering - Part A</i> , 2010, 16, 2331-2342.	3.1	49
50	Zinc-enriched (ZEN) terminals in mouse spinal cord: immunohistochemistry and autometallography. <i>Brain Research</i> , 2000, 870, 163-169.	2.2	48
51	An empirical analysis of the precision of estimating the numbers of neurons and glia in human neocortex using a fractionator-design with sub-sampling. <i>Journal of Neuroscience Methods</i> , 2009, 182, 143-156.	2.5	47
52	Subcellular localization-dependent decrements in skeletal muscle glycogen and mitochondria content following short-term disuse in young and old men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E1053-E1060.	3.5	46
53	Prognostic value of Musashi-1 in gliomas. <i>Journal of Neuro-Oncology</i> , 2013, 115, 453-461.	2.9	46
54	Peripheral nerve injury causes transient expression of MHC class I antigens in rat motor neurons and skeletal muscles. <i>Brain Research</i> , 1989, 481, 368-372.	2.2	44

#	ARTICLE	IF	CITATIONS
55	Use of statins and risk of glioma: a nationwide case-control study in Denmark. <i>British Journal of Cancer</i> , 2013, 108, 715-720.	6.4	44
56	A fine balance: epigenetic control of cellular quiescence by the tumor suppressor PRDM2/RIZ at a bivalent domain in the cyclin a gene. <i>Nucleic Acids Research</i> , 2015, 43, 6236-6256.	14.5	42
57	C57BL/6J substrain differences in response to high-fat diet intervention. <i>Scientific Reports</i> , 2020, 10, 14052.	3.3	41
58	Clinical value of CD133 and nestin in patients with glioma: a population-based study. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 3739-51.	0.5	39
59	Transgenic engineering of male-specific muscular hypertrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6413-6418.	7.1	38
60	Non-cultured adipose-derived CD45 ^{hi} side population cells are enriched for progenitors that give rise to myofibres in vivo. <i>Experimental Cell Research</i> , 2008, 314, 2951-2964.	2.6	35
61	Development of acromegaly in patients with prolactinomas. <i>European Journal of Endocrinology</i> , 2003, 149, 17-22.	3.7	34
62	Hormone replacement therapy increases the risk of cranial meningioma. <i>European Journal of Cancer</i> , 2013, 49, 3303-3310.	2.8	33
63	HLA-DR-expressing cells and T-lymphocytes in sural nerve biopsies. <i>Muscle and Nerve</i> , 1988, 11, 864-870.	2.2	32
64	Retrograde tracing of zinc-enriched (ZEN) neuronal somata in rat spinal cord. <i>Brain Research</i> , 2001, 900, 80-87.	2.2	31
65	Transgenic Overexpression of ADAM12 Suppresses Muscle Regeneration and Aggravates Dystrophy in Aged mdx Mice. <i>American Journal of Pathology</i> , 2007, 171, 1599-1607.	3.8	29
66	Long-Term Blocking of Calcium Channels in mdx Mice Results in Differential Effects on Heart and Skeletal Muscle. <i>American Journal of Pathology</i> , 2011, 178, 273-283.	3.8	29
67	SPARC Interacts with Actin in Skeletal Muscle in Vitro and in Vivo. <i>American Journal of Pathology</i> , 2017, 187, 457-474.	3.8	29
68	Duplication in the Microtubule-Actin Cross-linking Factor 1 gene causes a novel neuromuscular condition. <i>Scientific Reports</i> , 2014, 4, 5180.	3.3	28
69	CL-L1 and CL-K1 Exhibit Widespread Tissue Distribution With High and Co-Localized Expression in Secretory Epithelia and Mucosa. <i>Frontiers in Immunology</i> , 2018, 9, 1757.	4.8	27
70	SPARC is up-regulated during skeletal muscle regeneration and inhibits myoblast differentiation. <i>Histology and Histopathology</i> , 2013, 28, 1451-60.	0.7	27
71	The role of spinal pathways in dopamine mediated alteration in the tail-flick reflex in rats. <i>Neuropharmacology</i> , 1984, 23, 149-153.	4.1	26
72	Skeletal muscle glycogen content and particle size of distinct subcellular localizations in the recovery period after a high-level soccer match. <i>European Journal of Applied Physiology</i> , 2012, 112, 3559-3567.	2.5	26

#	ARTICLE	IF	CITATIONS
73	GLUT11, but not GLUT8 or GLUT12, is expressed in human skeletal muscle in a fibre type-specific pattern. Pflugers Archiv European Journal of Physiology, 2004, 448, 105-113.	2.8	25
74	Transcriptional and functional differences in stem cell populations isolated from extraocular and limb muscles. Physiological Genomics, 2009, 37, 35-42.	2.3	25
75	A Novel In Vitro Model for Studying Quiescence and Activation of Primary Isolated Human Myoblasts. PLoS ONE, 2013, 8, e64067.	2.5	24
76	Mice Knocked Out for the Primary Brain Calcification-Associated Gene Slc20a2 Show Unimpaired Prenatal Survival but Retarded Growth and Nodules in the Brain that Grow and Calcify Over Time. American Journal of Pathology, 2018, 188, 1865-1881.	3.8	24
77	Sulfide silver stainability of a type of bouton in spinal cord motoneuron neuropil: An electron microscopic study with Timm's method for demonstration of heavy metals. Journal of Comparative Neurology, 1979, 186, 439-450.	1.6	23
78	Simple Numerical Chromosome Aberrations Characterize Pituitary Adenomas. Cancer Genetics and Cytogenetics, 1999, 114, 144-149.	1.0	22
79	Zinc-enriched boutons in rat spinal cord. Brain Research, 2000, 868, 119-122.	2.2	22
80	Depletion of vesicular zinc in dorsal horn of spinal cord causes increased neuropathic pain in mice. BioMetals, 2008, 21, 151-158.	4.1	22
81	Fibrocyte measurement in peripheral blood correlates with number of cultured mature fibrocytes in vitro and is a potential biomarker for interstitial lung disease in Rheumatoid Arthritis. Respiratory Research, 2017, 18, 141.	3.6	22
82	Simple numerical chromosome aberrations in two pituitary adenomas. Cancer Genetics and Cytogenetics, 1993, 69, 118-121.	1.0	21
83	Glioma Spheroids Obtained via Ultrasonic Aspiration Are Viable and Express Stem Cell Markers. Neurosurgery, 2013, 73, 868-886.	1.1	21
84	Neonatal High Bone Mass With First Mutation of the NF- κ B Complex: Heterozygous De Novo Missense (p.Asp512Ser) <i>RELA</i> (<i>Rela/p65</i>). Journal of Bone and Mineral Research, 2016, 31, 163-172.	2.8	21
85	Sulfide silver architectonics of the rat, cat, and guinea pig spinal cord. Anatomy and Embryology, 1977, 150, 251-267.	1.5	19
86	Choline transporter-like 1 deficiency causes a new type of childhood-onset neurodegeneration. Brain, 2020, 143, 94-111.	7.6	18
87	The inflammatory response of the supraspinatus muscle in rotator cuff tear conditions. Journal of Shoulder and Elbow Surgery, 2021, 30, e261-e275.	2.6	18
88	Metabolic impairment of non-small cell lung cancers by mitochondrial HSPD1 targeting. Journal of Experimental and Clinical Cancer Research, 2021, 40, 248.	8.6	18
89	Idiopathic inflammatory myopathy. Neurology, 2019, 93, e889-e894.	1.1	17
90	POLYSACCHARIDE COATING OF HUMAN CORNEAL ENDOTHELIUM. Acta Ophthalmologica, 1977, 55, 819-826.	1.1	16

#	ARTICLE	IF	CITATIONS
91	Six-month prospective trial in early and long-standing rheumatoid arthritis: evaluating disease activity in the wrist through sequential synovial histopathological analysis, RAMRIS magnetic resonance score and EULAR-OMERACT ultrasound score. <i>RMD Open</i> , 2019, 5, e000951.	3.8	16
92	Muscle Biopsy in Fibromyalgia. <i>Journal of Musculoskeletal Pain</i> , 1993, 1, 165-169.	0.3	15
93	Quantification of Chronic Lymphedema in a Revised Mouse Model. <i>Annals of Plastic Surgery</i> , 2018, 81, 594-603.	0.9	15
94	GLUT4 expression in human muscle fibres is not correlated with intracellular triglyceride (TG) content. Is TG a maker or a marker of insulin resistance?. <i>Apmis</i> , 2003, 111, 338-348.	2.0	14
95	IgM monoclonal gammopathy and neuropathy in two siblings.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1988, 51, 1308-1315.	1.9	13
96	Congenital myopathy with fiber type disproportion: a family with a chromosomal translocation t(10;)(Tj ETQq0 0 0 regBT /Overlock 10 Tf	2.0	13
97	Sympathetic block by metal clips may be a reversible operation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 19, 908-913.	1.1	13
98	Autoimmunity Related to IgM Monoclonal Gammopathy of Undetermined Significance. <i>Acta Medica Scandinavica</i> , 1988, 223, 255-261.	0.0	12
99	Effects of Chemotherapeutics on Organotypic Corticostriatal Slice Cultures Identified by A Panel of Fluorescent and Immunohistochemical Markers. <i>Neurotoxicity Research</i> , 2012, 22, 43-58.	2.7	12
100	Regenerating human muscle fibres express GLUT3 protein. <i>Pflugers Archiv European Journal of Physiology</i> , 2002, 445, 105-114.	2.8	11
101	“The preadipocyte factor”DLK1 marks adult mouse adipose tissue residing vascular cells that lack in vitro adipogenic differentiation potential. <i>FEBS Letters</i> , 2009, 583, 2947-2953.	2.8	11
102	Influence of Resistance Training on Neuromuscular Function and Physical Capacity in ALS Patients. <i>Journal of Neurodegenerative Diseases</i> , 2017, 2017, 1-8.	1.1	11
103	BAG3 myopathy is not always associated with cardiomyopathy. <i>Neuromuscular Disorders</i> , 2018, 28, 798-801.	0.6	11
104	The immune system in sporadic inclusion body myositis patients is not compromised by blood-flow restricted exercise training. <i>Arthritis Research and Therapy</i> , 2019, 21, 293.	3.5	11
105	Injectable scaffold materials differ in their cell instructive effects on primary human myoblasts. <i>Journal of Tissue Engineering</i> , 2017, 8, 204173141771767.	5.5	10
106	Delta-Like 1 Homolog (Dlk1): A Marker for Rhabdomyosarcomas Implicated in Skeletal Muscle Regeneration. <i>PLoS ONE</i> , 2013, 8, e60692.	2.5	9
107	Effect of 4 weeks of octreotide treatment on prolactin, thyroid stimulating hormone and thyroid hormones in acromegalic patients. A double blind placebo-controlled cross-over study. <i>Journal of Endocrinological Investigation</i> , 1995, 18, 840-846.	3.3	8
108	Immunohistochemical assessment of oestrogen and progesterone receptors: correlations with the DCC method and clinical outcome in primary breast cancer patients. <i>Breast</i> , 2000, 9, 208-217.	2.2	8

#	ARTICLE	IF	CITATIONS
109	Immunohistochemical demonstration of glial markers in retinoblastomas. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1987, 411, 67-72.	1.4	7
110	Marker Expression of Interstitial Cells in Human Skeletal Muscle: An Immunohistochemical Study. <i>Journal of Histochemistry and Cytochemistry</i> , 2019, 67, 825-844.	2.5	7
111	Statin use and peripheral nerve function—A prospective follow-up study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 203-211.	2.5	7
112	Fetal Antigen 1 in Healthy Adults and Patients with Pituitary Disease: Relation to Physiological, Pathological, and Pharmacological GH Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5465-5470.	3.6	7
113	Efficacy of marine bioactive compound fucoidan for bone regeneration and implant fixation in sheep. <i>Journal of Biomedical Materials Research - Part A</i> , 2022, 110, 861-872.	4.0	7
114	Stereological estimation of nuclear mean volume in invasive meningiomas. <i>Apmis</i> , 1996, 104, 103-107.	2.0	6
115	Recessive Inheritance of a Rare Variant in the Nuclear Mitochondrial Gene for <i>AARS2</i> in Late-Onset Dilated Cardiomyopathy. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, 560-562.	3.6	6
116	Comparison between stromal vascular fraction and adipose derived stem cells in a mouse lymphedema model. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2020, 54, 302-311.	0.8	6
117	Spatial and phenotypic characterization of pancreatic cancer-associated fibroblasts after neoadjuvant treatment. <i>Histology and Histopathology</i> , 2020, 35, 811-825.	0.7	6
118	Early-stage inflammation changes in supraspinatus muscle after rotator cuff tear. <i>Journal of Shoulder and Elbow Surgery</i> , 2022, 31, 1344-1356.	2.6	6
119	IgD κ monoclonal gammaopathy and axonal neuropathy. <i>Journal of Internal Medicine</i> , 1989, 225, 289-290.	6.0	5
120	The GLUT4 density in slow fibres is not increased in athletes. How does training increase the GLUT4 pool originating from slow fibres?. <i>Pflügers Archiv European Journal of Physiology</i> , 2001, 443, 196-201.	2.8	5
121	Intramural Injection with Botulinum Toxin Type A in Piglet Esophagus. The Influencer on Maximum Load and Elongation: A Dose Response Study. <i>European Journal of Pediatric Surgery</i> , 2016, 26, 282-286.	1.3	5
122	The effect of low intensity shockwave treatment (Li-SWT) on human myoblasts and mouse skeletal muscle. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 557.	1.9	5
123	Congenital intracranial meningioma. <i>Apmis</i> , 1993, 101, 923-925.	2.0	4
124	Quantitative gene expression profiling of CD45 ⁺ and CD45 ⁺ skeletal muscle-derived side population cells. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2012, 81A, 72-80.	1.5	4
125	Low Oxygen Tension Enhances Expression of Myogenic Genes When Human Myoblasts Are Activated from G0 Arrest. <i>PLoS ONE</i> , 2016, 11, e0158860.	2.5	4
126	Intramural Injection of Botulinum Toxin A in Surgical Treatment of a Long Gap Esophageal Atresia—Rat Model. <i>European Journal of Pediatric Surgery</i> , 2020, 30, 517-523.	1.3	4

#	ARTICLE	IF	CITATIONS
127	The Effect of Botulinum Toxin Type A Injections on Stricture Formation, Leakage Rates, Esophageal Elongation, and Anastomotic Healing Following Primary Anastomosis in a Long- and Short-Gap Esophageal Atresia Model – A Protocol for a Randomized, Controlled, Blinded Trial in Pigs. <i>International Journal of Surgery Protocols</i> , 2021, 25, 171-177.	1.1	4
128	High-intensity strength training in patients with idiopathic inflammatory myopathies: a randomised controlled trial protocol. <i>BMJ Open</i> , 2021, 11, e043793.	1.9	4
129	Relation between bladder filling and anal sphincter reflexes. <i>Neurourology and Urodynamics</i> , 1988, 7, 113-117.	1.5	3
130	ANT-EGG CATARACT. <i>Acta Ophthalmologica</i> , 2009, 57, 14-19.	1.1	3
131	DOK7 congenital myasthenia may be associated with severe mitral valve insufficiency. <i>Journal of the Neurological Sciences</i> , 2017, 379, 217-218.	0.6	3
132	The Cytotoxicity of Metal Nanoparticles Depends on Their Synergistic Interactions. <i>Particle and Particle Systems Characterization</i> , 2020, 37, 2000135.	2.3	3
133	Stone heart syndrome after prolonged cardioplegia induced cardiac arrest in open-heart surgery – a pilot study on pigs. <i>Cardiovascular Pathology</i> , 2022, 60, 107427.	1.6	3
134	Stereological estimation of nuclear volume in benign and atypical meningiomas. <i>Apmis</i> , 1993, 101, 23-26.	2.0	2
135	Newly formed skeletal muscle fibers are prone to false positive immunostaining by rabbit antibodies. <i>Acta Histochemica</i> , 2011, 113, 68-71.	1.8	2
136	Fibrocytes in early and long-standing rheumatoid arthritis: a 6-month trial with repeated synovial biopsy, imaging and lung function test. <i>RMD Open</i> , 2021, 7, e001494.	3.8	2
137	Efficacy of bioreactor-activated bone substitute with bone marrow nuclear cells on fusion rate and fusion mass microarchitecture in sheep. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2022, 110, 1862-1875.	3.4	2
138	Endoscopic Injections of Botulinum Toxin Type A in the Piglet Esophagus Is Safe and Feasible but Did Not Result in any Significant Structural Changes 3 Days after Injection. <i>European Journal of Pediatric Surgery</i> , 2022, 32, 460-464.	1.3	2
139	Immunostaining of skin biopsy adds no diagnostic value in MGUS-associated peripheral neuropathy. <i>Journal of the Neurological Sciences</i> , 2015, 349, 60-64.	0.6	1
140	Treatment of Vesicovaginal Fistulas With Autologous Cell Injections – A Randomized Study in an Animal Model. <i>Technology in Cancer Research and Treatment</i> , 2017, 16, 793-800.	1.9	1
141	FRIO640 – COMPARING DISEASE ACTIVITY IN THE WRIST BY REPEAT SYNOVIAL BIOPSIES, RAMRIS MAGNETIC RESONANCE SCORE AND EULAR-OMERACT ULTRASOUND SCORE: A 6-MONTH PROSPECTIVE TRIAL IN EARLY AND LONGSTANDING RHEUMATOID ARTHRITIS. , 2019, , .		0
142	Validation of a new rat model of urethral sphincter injury and leak point pressure measurements. <i>Scandinavian Journal of Urology</i> , 2021, 55, 498-504.	1.0	0