

# Daniel BÃ©langer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1239637/publications.pdf>

Version: 2024-02-01

172  
papers

17,234  
citations

26567

56  
h-index

14156

128  
g-index

174  
all docs

174  
docs citations

174  
times ranked

16046  
citing authors

#	ARTICLE	IF	CITATIONS
1	Charge Storage Mechanism of MnO <sub>2</sub> Electrode Used in Aqueous Electrochemical Capacitor. Chemistry of Materials, 2004, 16, 3184-3190.	3.2	2,436
2	To Be or Not To Be Pseudocapacitive?. Journal of the Electrochemical Society, 2015, 162, A5185-A5189.	1.3	2,085
3	Influence of Microstructure on the Charge Storage Properties of Chemically Synthesized Manganese Dioxide. Chemistry of Materials, 2002, 14, 3946-3952.	3.2	913
4	Electrografting: a powerful method for surface modification. Chemical Society Reviews, 2011, 40, 3995.	18.7	841
5	Long-term cycling behavior of asymmetric activated carbon/MnO <sub>2</sub> aqueous electrochemical supercapacitor. Journal of Power Sources, 2007, 173, 633-641.	4.0	453
6	Electrochemical Modification of Glassy Carbon Electrode Using Aromatic Diazonium Salts. 1. Blocking Effect of 4-Nitrophenyl and 4-Carboxyphenyl Groups. Langmuir, 1997, 13, 6805-6813.	1.6	447
7	Asymmetric electrochemical capacitors—Stretching the limits of aqueous electrolytes. MRS Bulletin, 2011, 36, 513-522.	1.7	368
8	Synthesis and characterization of sulfophenyl-functionalized reduced graphene oxide sheets. RSC Advances, 2017, 7, 27224-27234.	1.7	363
9	Electrochemical Derivatization of Carbon Surface by Reduction of in Situ Generated Diazonium Cations. Journal of Physical Chemistry B, 2005, 109, 24401-24410.	1.2	339
10	Variation of the MnO <sub>2</sub> Birnessite Structure upon Charge/Discharge in an Electrochemical Supercapacitor Electrode in Aqueous Na <sub>2</sub> SO <sub>4</sub> Electrolyte. Journal of Physical Chemistry C, 2008, 112, 7270-7277.	1.5	332
11	Manganese Oxides: Battery Materials Make the Leap to Electrochemical Capacitors. Electrochemical Society Interface, 2008, 17, 49-52.	0.3	317
12	Characterization of the Deposition of Organic Molecules at the Surface of Gold by the Electrochemical Reduction of Aryldiazonium Cations. Langmuir, 2005, 21, 6855-6865.	1.6	286
13	Direct Modification of a Gold Electrode with Aminophenyl Groups by Electrochemical Reduction of in Situ Generated Aminophenyl Monodiazonium Cations. Chemistry of Materials, 2006, 18, 4755-4763.	3.2	250
14	Study of the electroreduction of nitrate on copper in alkaline solution. Electrochimica Acta, 2008, 53, 5977-5984.	2.6	233
15	Spontaneous Functionalization of Carbon Black by Reaction with 4-Nitrophenyldiazonium Cations. Langmuir, 2008, 24, 1910-1917.	1.6	185
16	Performance of experimental carbon blacks in aqueous supercapacitors. Journal of Power Sources, 2005, 140, 203-210.	4.0	184
17	Nitrate and nitrite electrocatalytic reduction on Rh-modified pyrolytic graphite electrodes. Electrochimica Acta, 2007, 52, 6237-6247.	2.6	184
18	Performance and stability of electrochemical capacitor based on anthraquinone modified activated carbon. Journal of Power Sources, 2011, 196, 4117-4122.	4.0	182

#	ARTICLE	IF	CITATIONS
19	Characterization and Transport Properties of Nafion/Polyaniline Composite Membranes. <i>Journal of Physical Chemistry B</i> , 2005, 109, 23480-23490.	1.2	170
20	Thermal Stability Study of Aryl Modified Carbon Black by in Situ Generated Diazonium Salt. <i>Journal of Physical Chemistry C</i> , 2007, 111, 5394-5401.	1.5	161
21	Stability of Substituted Phenyl Groups Electrochemically Grafted at Carbon Electrode Surface. <i>Journal of Physical Chemistry B</i> , 2003, 107, 4811-4817.	1.2	157
22	Effect of molecular grafting on the pore size distribution and the double layer capacitance of activated carbon for electrochemical double layer capacitors. <i>Carbon</i> , 2011, 49, 1340-1348.	5.4	147
23	Electrochemical Properties of Ruthenium-Based Nanocrystalline Materials as Electrodes for Supercapacitors. <i>Chemistry of Materials</i> , 2002, 14, 1210-1215.	3.2	142
24	Nitrate removal by a paired electrolysis on copper and Ti/IrO <sub>2</sub> coupled electrodes – Influence of the anode/cathode surface area ratio. <i>Water Research</i> , 2010, 44, 1918-1926.	5.3	140
25	Advances on the use of diazonium chemistry for functionalization of materials used in energy storage systems. <i>Carbon</i> , 2015, 92, 362-381.	5.4	132
26	Electropolymerization of Polypyrrole and Polyaniline – Polypyrrole from Organic Acidic Medium. <i>Journal of Physical Chemistry B</i> , 1999, 103, 9044-9054.	1.2	125
27	Chemical Coupling of Carbon Nanotubes and Silicon Nanoparticles for Improved Negative Electrode Performance in Lithium-Ion Batteries. <i>Advanced Functional Materials</i> , 2011, 21, 3524-3530.	7.8	124
28	Electrochemical Polymerization and Characterization of Poly(3-(4-fluorophenyl)thiophene) in Pure Ionic Liquids. <i>Journal of Physical Chemistry B</i> , 2002, 106, 10585-10593.	1.2	123
29	Graphite – Grafted Silicon Nanocomposite as a Negative Electrode for Lithium-Ion Batteries. <i>Advanced Materials</i> , 2009, 21, 4735-4741.	11.1	122
30	Electrocatalytic reduction of nitrate on copper electrodes prepared by high-energy ball milling. <i>Journal of Electroanalytical Chemistry</i> , 2006, 596, 13-24.	1.9	121
31	Catechol-Modified Activated Carbon Prepared by the Diazonium Chemistry for Application as Active Electrode Material in Electrochemical Capacitor. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 3788-3796.	4.0	110
32	Electrochemical behavior of platinum, gold and glassy carbon electrodes in water-in-salt electrolyte. <i>Electrochemistry Communications</i> , 2017, 77, 89-92.	2.3	103
33	Optimization of the cathode material for nitrate removal by a paired electrolysis process. <i>Journal of Hazardous Materials</i> , 2011, 192, 507-513.	6.5	102
34	In situ generation of diazonium cations in organic electrolyte for electrochemical modification of electrode surface. <i>Electrochimica Acta</i> , 2008, 53, 6961-6967.	2.6	98
35	Evaluation of nafion as media for glucose oxidase immobilization for the development of an amperometric glucose biosensor. <i>Electroanalysis</i> , 1992, 4, 275-283.	1.5	95
36	Physicochemical and Electrochemical Characterization of Polycyclopenta[2,1-b;3,4-b']dithiophen-4-one as an Active Electrode for Electrochemical Supercapacitors. <i>Chemistry of Materials</i> , 1999, 11, 2743-2753.	3.2	93

#	ARTICLE	IF	CITATIONS
37	Functionalization of graphene sheets by the diazonium chemistry during electrochemical exfoliation of graphite. <i>Carbon</i> , 2017, 111, 83-93.	5.4	91
38	Modification of Carbon Electrode with Aryl Groups Having an Aliphatic Amine by Electrochemical Reduction of In Situ Generated Diazonium Cations. <i>Langmuir</i> , 2008, 24, 8711-8718.	1.6	86
39	Expedient Synthesis of Symmetric Aryl Ketones and of Ambient-Temperature Molten Salts of Imidazole. <i>Synthesis</i> , 2000, 2000, 1253-1258.	1.2	84
40	Electrochemical characterization of MnO <sub>2</sub> -based composite in the presence of salt-in-water and water-in-salt electrolytes as electrode for electrochemical capacitors. <i>Journal of Power Sources</i> , 2016, 326, 595-603.	4.0	83
41	Cu-Ni materials prepared by mechanical milling: Their properties and electrocatalytic activity towards nitrate reduction in alkaline medium. <i>Journal of Alloys and Compounds</i> , 2007, 432, 323-332.	2.8	82
42	Characterization of the biochemical behavior of glucose oxidase entrapped in a polypyrrole film. <i>Biotechnology and Bioengineering</i> , 1991, 37, 854-858.	1.7	81
43	Elaboration of Cu-Pd Films by Coelectrodeposition: Application to Nitrate Electroreduction. <i>Journal of Physical Chemistry C</i> , 2009, 113, 290-297.	1.5	81
44	Functionalization of Glassy Carbon Electrodes with Metal-Based Species. <i>Chemistry of Materials</i> , 2005, 17, 2395-2403.	3.2	75
45	Poly(Cyano-Substituted Diheteroareneethylene) as Active Electrode Material for Electrochemical Supercapacitors. <i>Chemistry of Materials</i> , 2000, 12, 2581-2589.	3.2	74
46	Modification of ion-exchange membrane used for separation of protons and metallic cations and characterization of the membrane by current-voltage curves. <i>Journal of Colloid and Interface Science</i> , 2005, 281, 179-187.	5.0	74
47	Carbon/PbO <sub>2</sub> asymmetric electrochemical capacitor based on methanesulfonic acid electrolyte. <i>Electrochimica Acta</i> , 2011, 56, 8122-8128.	2.6	73
48	In Situ Formation of Diazonium Salts from Nitro Precursors for Scanning Electrochemical Microscopy Patterning of Surfaces. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 4006-4008.	7.2	72
49	Development of new nanocomposite based on nanosized-manganese oxide and carbon nanotubes for high performance electrochemical capacitors. <i>Electrochimica Acta</i> , 2010, 55, 3428-3433.	2.6	69
50	Spontaneous Derivatization of a Copper Electrode with in Situ Generated Diazonium Cations in Aprotic and Aqueous Media. <i>Journal of Physical Chemistry C</i> , 2007, 111, 7501-7507.	1.5	68
51	Thin films of pure vanadium nitride: Evidence for anomalous non-faradaic capacitance. <i>Journal of Power Sources</i> , 2016, 324, 439-446.	4.0	67
52	Synthesis, chemical polymerization and electrochemical properties of low band gap conducting polymers for use in supercapacitors. <i>Journal of Materials Chemistry</i> , 2001, 11, 773-782.	6.7	65
53	Electrochemical study of anthraquinone groups, grafted by the diazonium chemistry, in different aqueous media-relevance for the development of aqueous hybrid electrochemical capacitor. <i>Electrochimica Acta</i> , 2012, 82, 250-256.	2.6	65
54	Characterization of a Cation-Exchange/Polyaniline Composite Membrane. <i>Langmuir</i> , 2003, 19, 744-751.	1.6	64

#	ARTICLE	IF	CITATIONS
55	Suitable Conditions for the Use of Vanadium Nitride as an Electrode for Electrochemical Capacitor. Journal of the Electrochemical Society, 2016, 163, A1077-A1082.	1.3	64
56	Chemical Polymerization of Aniline on a Poly(styrene sulfonic acid) Membrane: Controlling the Polymerization Site Using Different Oxidants. Journal of Physical Chemistry B, 2005, 109, 14085-14092.	1.2	61
57	Beyond garnets, phosphates and phosphosulfides solid electrolytes: New ceramic perspectives for all solid lithium metal batteries. Journal of Power Sources, 2021, 482, 228949.	4.0	59
58	Chemical modification of carbon powders with aminophenyl and aryl-aliphatic amine groups by reduction of in situ generated diazonium cations: Applicability of the grafted powder towards CO <sub>2</sub> capture. Fuel, 2011, 90, 2684-2693.	3.4	57
59	Spectroscopic Investigation of a Polypyrrole/MoS <sub>4</sub> <sup>2-</sup> /MoS <sub>3</sub> Composite Film Electrode in Aqueous KOH Solution. Journal of the Electrochemical Society, 1995, 142, 2296-2301.	1.3	56
60	Development of Biosensors Based on Immobilization of Enzymes in Eastman AQ Polymer Coated with a Layer of Nafion. Analytical Letters, 1990, 23, 1607-1619.	1.0	55
61	Synthesis and electrochemical polymerization of poly [3-(1-naphthylthiophene)]. Synthetic Metals, 1997, 84, 207-208.	2.1	54
62	The electrochemical generation of ferrate at pressed iron powder electrodes: effect of various operating parameters. Electrochimica Acta, 2003, 48, 1425-1433.	2.6	50
63	The Electrochemical Grafting of a Mixture of Substituted Phenyl Groups at a Glassy Carbon Electrode Surface. ChemPhysChem, 2008, 9, 1164-1170.	1.0	50
64	Study of the Electroless Deposition of Pd on Cu-Modified Graphite Electrodes by Metal Exchange Reaction. Chemistry of Materials, 2008, 20, 3495-3504.	3.2	50
65	Synthesis of Pt-Ir catalysts by coelectrodeposition: Application to ammonia electrooxidation in alkaline media. Journal of Power Sources, 2013, 223, 221-231.	4.0	50
66	Simpler and greener grafting method for improving the stability of anthraquinone-modified carbon electrode in alkaline media. Electrochimica Acta, 2014, 137, 447-453.	2.6	50
67	Rhodium electrodeposition on pyrolytic graphite electrode: Analysis of chronoamperometric curves. Journal of Electroanalytical Chemistry, 2005, 581, 22-30.	1.9	49
68	Impedance study of polypyrrole films doped with tetrathiomolybdate anions and containing molybdenum trisulfide. The Journal of Physical Chemistry, 1993, 97, 12373-12378.	2.9	48
69	Self-discharge of electrochemical capacitors based on soluble or grafted quinone. Physical Chemistry Chemical Physics, 2016, 18, 19137-19145.	1.3	48
70	The electrodeposition of amorphous molybdenum sulfide. Journal of Electroanalytical Chemistry, 1993, 347, 165-183.	1.9	47
71	Electrochemical Modification of Poly(3-(4-Fluorophenyl)thiophene). Langmuir, 2000, 16, 4362-4366.	1.6	47
72	Microelectrochemical transistors based on electrostatic binding of electroactive metal complexes in protonated poly(4-vinylpyridine): devices that respond to two chemical stimuli. Analytical Chemistry, 1987, 59, 1426-1432.	3.2	46

#	ARTICLE	IF	CITATIONS
73	Polypyrrole film electrodes electrochemically doped with tetrathiomolybdate anions: preparation and characterization. <i>Journal of Electroanalytical Chemistry</i> , 1992, 334, 35-55.	1.9	46
74	Poly(3-arylthiophenes): Syntheses of Monomers and Spectroscopic and Electrochemical Characterization of the Corresponding Polymers. <i>Chemistry of Materials</i> , 2001, 13, 634-642.	3.2	46
75	Copper electrodeposition on pyrolytic graphite electrodes: Effect of the copper salt on the electrodeposition process. <i>Electrochimica Acta</i> , 2007, 52, 5843-5855.	2.6	46
76	A Comparison among Viscosity, Density, Conductivity, and Electrochemical Windows of <i>N</i> -Butyl- <i>N</i> -methylpyrrolidinium and Triethyl- <i>n</i> -pentylphosphonium Bis(fluorosulfonyl imide) Ionic Liquids and Their Analogues Containing Bis(trifluoromethylsulfonyl) Imide Anion. <i>Journal of Chemical &amp; Engineering Data</i> , 2017, 62, 3437-3444.	1.0	46
77	Rhodium deposits on pyrolytic graphite substrate: Physico-chemical properties and electrocatalytic activity towards nitrate reduction in neutral medium. <i>Applied Catalysis B: Environmental</i> , 2006, 64, 243-253.	10.8	45
78	New insight in the electrochemical behaviour of stainless steel electrode in water-in-salt electrolyte. <i>Journal of Power Sources</i> , 2018, 399, 299-303.	4.0	44
79	The electrochemical generation of ferrate at pressed iron powder electrode: comparison with a foil electrode. <i>Electrochimica Acta</i> , 2003, 48, 1435-1442.	2.6	43
80	Electrochemical Surface Nanopatterning Using Microspheres and Aryldiazonium. <i>Langmuir</i> , 2010, 26, 5991-5997.	1.6	43
81	Chemical Mapping and Electrochemical Performance of Manganese Dioxide/Activated Carbon Based Composite Electrode for Asymmetric Electrochemical Capacitor. <i>Journal of the Electrochemical Society</i> , 2015, 162, A5115-A5123.	1.3	43
82	Randomly oriented graphite electrode. Part 1. Effect of electrochemical pretreatment on the electrochemical behavior and chemical composition of the electrode. <i>Journal of Electroanalytical Chemistry</i> , 1996, 415, 47-54.	1.9	42
83	Physicochemical and Electrochemical Properties of Water-in-Salt Electrolytes. <i>ChemSusChem</i> , 2021, 14, 2487-2500.	3.6	41
84	Chemical reactivity of 4-bromophenyl modified glassy carbon electrode. <i>Electrochemistry Communications</i> , 2004, 6, 254-258.	2.3	40
85	Chemical Modification of the Surface of a Sulfonated Membrane by Formation of a Sulfonamide Bond. <i>Langmuir</i> , 2004, 20, 4989-4995.	1.6	40
86	Physicochemical characteristics of electrochemically deposited molybdenum sulfide and polypyrrole-tetrathiomolybdate/molybdenum trisulfide composite electrodes. <i>Chemistry of Materials</i> , 1993, 5, 861-868.	3.2	39
87	Electrodeposition of iridium onto glassy carbon and platinum electrodes. <i>Electrochimica Acta</i> , 2012, 59, 49-56.	2.6	39
88	Synthesis of binder-like molecules covalently linked to silicon nanoparticles and application as anode material for lithium-ion batteries without the use of electrolyte additives. <i>Journal of Power Sources</i> , 2017, 345, 190-201.	4.0	39
89	The Role of Surface Hydrogen Atoms in the Electrochemical Reduction of Pyridine and CO <sub>2</sub> in Aqueous Electrolyte. <i>ChemElectroChem</i> , 2014, 1, 1013-1017.	1.7	37
90	Chemical modifications of carbon powders with aminophenyl and cyanophenyl groups and a study of their reactivity. <i>Carbon</i> , 2010, 48, 1271-1278.	5.4	36

#	ARTICLE	IF	CITATIONS
91	Determination of the Quinone-loading of a Modified Carbon Powder-based Electrode for Electrochemical Capacitor. <i>Electrochemistry</i> , 2013, 81, 863-866.	0.6	36
92	EQCM study of electrodeposited PbO <sub>2</sub> : Investigation of the gel formation and discharge mechanisms. <i>Electrochimica Acta</i> , 2009, 54, 7382-7388.	2.6	32
93	Multifunctional Carbon for Electrochemical Double-Layer Capacitors. <i>Advanced Functional Materials</i> , 2015, 25, 6775-6785.	7.8	32
94	Electrochemical and Enzymatic Studies of Electron Transfer Mediation by Ferrocene Derivatives with Nafion-Glucose Oxidase Electrodes. <i>Electroanalysis</i> , 1999, 11, 23-31.	1.5	31
95	Electrochemical functionalization of glassy carbon electrode by reduction of diazonium cations in protic ionic liquid. <i>Electrochimica Acta</i> , 2013, 106, 378-385.	2.6	31
96	New generation of hybrid carbon/Ni(OH) <sub>2</sub> electrochemical capacitor using functionalized carbon electrode. <i>Journal of Power Sources</i> , 2016, 326, 702-710.	4.0	31
97	Electrochromic Behavior of Molybdenum Trioxide Thin Films, Prepared by Thermal Oxidation of Electrodeposited Molybdenum Trisulfide, in Mixtures of Nonaqueous and Aqueous Electrolytes. <i>Journal of the Electrochemical Society</i> , 1996, 143, 3109-3117.	1.3	30
98	Metallic and bimetallic Cu/Pt species supported on carbon surfaces by means of substituted phenyl groups. <i>Journal of Electroanalytical Chemistry</i> , 2007, 609, 85-93.	1.9	30
99	Producing high-performing silicon anodes by tailoring ionic liquids as electrolytes. <i>Energy Storage Materials</i> , 2020, 25, 477-486.	9.5	30
100	Fast and easy preparation of an amperometric glucose biosensor. <i>Biotechnology Letters</i> , 1988, 2, 177-182.	0.5	29
101	Chemical synthesis and characterization of polyaniline-molybdenum trisulfide composite. <i>Journal of Materials Research</i> , 1999, 14, 1805-1813.	1.2	29
102	Patterning of Surfaces by Oxidation of Amine-Containing Compounds Using Scanning Electrochemical Microscopy. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 7395-7397.	7.2	29
103	Formation and Reactivity of 3-Diazopyridinium Cations and Influence on Their Reductive Electrografting on Glassy Carbon. <i>Langmuir</i> , 2012, 28, 4889-4895.	1.6	29
104	Pyromellitic Diimide-Based Copolymers and Their Application as Stable Cathode Active Materials in Lithium and Sodium-Ion Batteries. <i>Chemistry of Materials</i> , 2018, 30, 6821-6830.	3.2	29
105	Electrochromic molybdenum trioxide thin film preparation and characterization. <i>Chemistry of Materials</i> , 1990, 2, 484-486.	3.2	28
106	Electrochemistry and Reactivity of Surface-Confined Catechol Groups Derived from Diazonium Reduction. Bias-Assisted Michael Addition at the Solid/Liquid Interface. <i>Langmuir</i> , 2009, 25, 3504-3508.	1.6	28
107	Characterization of LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> spinel electrode in the presence of 1,3,5-trihydroxybenzene as additive. <i>Journal of Materials Chemistry A</i> , 2015, 3, 2776-2783.	5.2	27
108	Poly(5-alkyl-thieno[3,4-c]pyrrole-4,6-dione): a study of $\pi$ -conjugated redox polymers as anode materials in lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18088-18094.	5.2	27



#	ARTICLE	IF	CITATIONS
109	Enhancing the electrocatalytic activity of Fe phthalocyanines for the oxygen reduction reaction by the presence of axial ligands: Pyridine-functionalized single-walled carbon nanotubes. <i>Electrochimica Acta</i> , 2021, 398, 139263.	2.6	27
110	Chemical Synthesis and Electrochemical Properties of Poly(cyano-substituted-diheteroareneethylene) as Conducting Polymers for Electrochemical Supercapacitors. <i>Journal of the Electrochemical Society</i> , 2001, 148, A775.	1.3	26
111	Carbon surface derivatization by electrochemical reduction of a diazonium salt in situ produced from the nitro precursor. <i>Journal of Electroanalytical Chemistry</i> , 2011, 661, 13-19.	1.9	26
112	Increasing the Affinity Between Carbon-Coated LiFePO <sub>4</sub> /C Electrodes and Conventional Organic Electrolyte by Spontaneous Grafting of a Benzene-Trifluoromethylsulfonimide Moiety. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 18519-18529.	4.0	25
113	Oxygen reduction on graphene sheets functionalised by anthraquinone diazonium compound during electrochemical exfoliation of graphite. <i>Electrochimica Acta</i> , 2018, 267, 246-254.	2.6	25
114	Enhancement of response by incorporation of platinum microparticles into a polypyrrole-glucose oxidase electrode. <i>Analytica Chimica Acta</i> , 1990, 228, 311-315.	2.6	24
115	Electrochemical characterization in nonaqueous electrolyte of polyaniline electrochemically prepared from aqueous media. <i>Canadian Journal of Chemistry</i> , 1997, 75, 1536-1541.	0.6	24
116	Silicon as anode for high-energy lithium ion batteries: From molten ingot to nanoparticles. <i>Journal of Power Sources</i> , 2015, 299, 529-536.	4.0	24
117	Electrochemical accessibility of porous submicron MnO <sub>2</sub> spheres as active electrode materials for electrochemical capacitors. <i>Electrochimica Acta</i> , 2016, 201, 20-29.	2.6	24
118	Electrochemical preparation and characterization of polypyrrole doped with bis(trifluoromethanesulfone) imide anions. <i>Synthetic Metals</i> , 1998, 98, 135-141.	2.1	23
119	Electrochemical and Spectroelectrochemical Evidence of Redox Transitions Involving Protons in Thin MnO <sub>2</sub> Electrodes in Protic Ionic Liquids. <i>Journal of Physical Chemistry C</i> , 2013, 117, 20397-20405.	1.5	23
120	Pyrene Diimide Based $\pi$ -Conjugated Copolymer and Single-Walled Carbon Nanotube Composites for Lithium-Ion Batteries. <i>Chemistry of Materials</i> , 2019, 31, 8764-8773.	3.2	22
121	Rotating ring-disk electrode studies of polypyrrole-glucose oxidase biosensors. <i>Electroanalysis</i> , 1992, 4, 933-940.	1.5	21
122	X-ray photoelectron spectroscopy studies of the electrochemically n-doped state of a conducting polymer. <i>Synthetic Metals</i> , 2002, 132, 71-79.	2.1	21
123	Mixtures of functionalized aromatic groups generated from diazonium chemistry as templates towards bimetallic species supported on carbon electrode surfaces. <i>Electrochimica Acta</i> , 2012, 85, 538-547.	2.6	21
124	Electrochemical Oxidation of NH <sub>3</sub> on Platinum Electrodeposited onto Graphite Electrode. <i>Journal of the Electrochemical Society</i> , 2012, 159, F91-F96.	1.3	21
125	Chemically grafted carbon-coated LiFePO <sub>4</sub> using diazonium chemistry. <i>Journal of Power Sources</i> , 2015, 280, 246-255.	4.0	21
126	Graphene nanosheets and polyacrylic acid grafted silicon composite anode for lithium ion batteries. <i>Journal of Power Sources</i> , 2018, 391, 41-50.	4.0	21



#	ARTICLE	IF	CITATIONS
127	Functionalization of the carbon additive of a high-voltage Li-ion cathode. <i>Journal of Materials Chemistry A</i> , 2019, 7, 1585-1597.	5.2	21
128	Electrochemical Formation of an Ultrathin Electroactive Film from 1,10-Phenanthroline on a Glassy Carbon Electrode in Acidic Electrolyte. <i>Langmuir</i> , 2014, 30, 6612-6621.	1.6	20
129	Electrochemical and In Situ Spectroelectrochemical Study on Polypyrrole/Disulfide Composite Electrode. <i>Journal of the Electrochemical Society</i> , 1994, 141, L49-L50.	1.3	19
130	Electrochemical preparation and characterization in non-aqueous electrolyte of polyaniline electrochemically prepared from an anilinium salt. <i>Journal of Electroanalytical Chemistry</i> , 1998, 459, 1-7.	1.9	19
131	Modification of Glassy Carbon Electrode by Electrografting of In Situ Generated 3-diazopyridinium Cations. <i>Journal of the Electrochemical Society</i> , 2012, 159, H758-H764.	1.3	19
132	Localized In situ Generation of Diazonium Cations by Electrocatalytic Formation of a Diazotization Reagent. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 1468-1473.	4.0	19
133	Electrochemical Capacitors: Fundamentals to Applications. <i>Journal of the Electrochemical Society</i> , 2015, 162, Y3-Y3.	1.3	19
134	A Redox-Active Binder for Electrochemical Capacitor Electrodes. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 5318-5321.	7.2	19
135	Electron Transfer Processes at Aryl-Modified Glassy Carbon Electrode. <i>Electroanalysis</i> , 2009, 21, 1499-1504.	1.5	18
136	Modification of glassy carbon electrodes by 4-chloromethylphenyl units and d-glucosaminic acid. <i>Electrochimica Acta</i> , 2009, 54, 6327-6334.	2.6	18
137	Polypyrrole Films Doped with Tetrathiomolybdate Anions: The First Step Toward a Polypyrrole-Amorphous Molybdenum Sulfide Electrode. <i>Journal of the Electrochemical Society</i> , 1990, 137, 365-366.	1.3	17
138	Covalent grafting of aminated compounds on Vulcan XC72R by melamine in situ diazotization. <i>Carbon</i> , 2012, 50, 4335-4342.	5.4	17
139	Electrochemical Behavior of Pyridinium and <i>N</i> -Methyl Pyridinium Cations in Aqueous Electrolytes for CO <sub>2</sub> Reduction. <i>ChemSusChem</i> , 2018, 11, 219-228.	3.6	17
140	Electrochemical characterization of glassy carbon electrode modified with 1,10-phenanthroline groups by two pathways: reduction of the corresponding diazonium ions and reduction of phenanthroline. <i>Electrochimica Acta</i> , 2015, 162, 146-155.	2.6	16
141	Effect of Manganese Hydroxide Layer on the Electrochemistry of Nickel Hydroxide Thin Films. <i>Journal of the Electrochemical Society</i> , 1990, 137, 2355-2361.	1.3	15
142	A New Polypyrrole/Disulfide Electrode Studied by Electrochemistry and the Electrochemical Quartz Crystal Microbalance. <i>The Journal of Physical Chemistry</i> , 1996, 100, 15848-15855.	2.9	15
143	Electrochemical characterization of polyaniline-molybdenum trisulfide electrode in non-aqueous media. <i>Electrochimica Acta</i> , 2000, 45, 3877-3883.	2.6	15
144	Electrochemical activity of platinum, gold and glassy carbon electrodes in water-in-salt electrolyte. <i>Journal of Electroanalytical Chemistry</i> , 2019, 854, 113538.	1.9	15

#	ARTICLE	IF	CITATIONS
145	Surface band structure of aryl-diazonium modified p-Si electrodes determined by X-ray photoelectron spectroscopy and electrochemical measurements. <i>RSC Advances</i> , 2013, 3, 23649.	1.7	14
146	In situ transmission electron microscopy observations of lithiation of spherical silicon nanopowder produced by induced plasma atomization. <i>Journal of Power Sources</i> , 2015, 279, 522-527.	4.0	14
147	Chloroanthraquinone as a grafted probe molecule to investigate grafting yield on carbon powder. <i>Electrochimica Acta</i> , 2016, 197, 139-145.	2.6	14
148	Electrochemical Behavior of Polypyrrole-Molybdenum Trisulfide-Tetrathiomolybdate Electrode in Nonaqueous Media. <i>Journal of the Electrochemical Society</i> , 1999, 146, 226-231.	1.3	13
149	Effects of the Formulations of Silicon-Based Composite Anodes on their Mechanical, Storage, and Electrochemical Properties. <i>ChemSusChem</i> , 2017, 10, 4080-4089.	3.6	12
150	Investigation of Electrochemical and Chemical Processes Occurring at Positive Potentials in Water-in-Salt Electrolytes. <i>Journal of the Electrochemical Society</i> , 2021, 168, 050550.	1.3	12
151	Influence of the electrolytic medium composition on the structural evolution of thin electrochromic molybdenum trioxide films probed by x-ray absorption spectroscopy. <i>The Journal of Physical Chemistry</i> , 1992, 96, 7718-7724.	2.9	11
152	Grafting of Quinones on Carbons as Active Electrode Materials in Electrochemical Capacitors. <i>Journal of the Brazilian Chemical Society</i> , 2018, , .	0.6	11
153	Crown Ether Functionalized Conductive Carbon for High-Voltage Spinel LiMn <sub>1.5</sub> Ni <sub>0.5</sub> O <sub>4</sub> /Graphite Cell. <i>ACS Applied Energy Materials</i> , 2020, 3, 647-657.	2.5	11
154	Physicochemical and electrochemical characterization of salt-in-water and water-in-salt potassium and lithium acetate electrolytes. <i>Journal of Materials Chemistry A</i> , 2021, 9, 24012-24023.	5.2	11
155	Electrochemical modification of carbon electrode with benzylphosphonic groups. <i>Electrochimica Acta</i> , 2014, 122, 210-217.	2.6	9
156	Protection of LiFePO <sub>4</sub> against Moisture. <i>Materials</i> , 2020, 13, 942.	1.3	8
157	Aqueous electrochemical energy storage system based on phenanthroline- and anthraquinone-modified carbon electrodes. <i>Electrochimica Acta</i> , 2021, 390, 138862.	2.6	8
158	Preparation and Characterization of Poly[2,3-dimethyl-1-(4-thien-3-ylbenzyl)-1H-imidazol-3-ium] Bis((trifluoromethyl)sulfonyl)imide. <i>Macromolecules</i> , 2002, 35, 4983-4987.	2.2	7
159	A Redox-Active Binder for Electrochemical Capacitor Electrodes. <i>Angewandte Chemie</i> , 2016, 128, 5404-5407.	1.6	7
160	Attachment of redox active molecules on the carbon additive and its effect on the cycling performance of LiFePO <sub>4</sub> electrodes. <i>Materials Chemistry and Physics</i> , 2019, 235, 121739.	2.0	7
161	Toward Biosourced Materials for Electrochemical Energy Storage: The Case of Tannins. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 6079-6086.	3.2	7
162	Zinc Electrodeposition in Acetate-Based Water-in-Salt Electrolyte: Experimental and Theoretical Studies. <i>ChemElectroChem</i> , 2021, 8, 2737-2745.	1.7	7

#	ARTICLE	IF	CITATIONS
163	In situ-formed nitrogen-doped carbon/silicon-based materials as negative electrodes for lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2021, 901, 115732.	1.9	6
164	In situ formation of bromobenzene diazonium ions and their spontaneous reaction with carbon-coated LiFePO <sub>4</sub> in organic media. <i>New Journal of Chemistry</i> , 2016, 40, 6135-6140.	1.4	5
165	Surface immobilized azomethine for multiple component exchange. <i>Soft Matter</i> , 2017, 13, 6639-6646.	1.2	5
166	Fabrication of Current Collectors and Binder-Free Electrodes on Separators Used in Lithium-Ion Batteries. <i>Batteries and Supercaps</i> , 2020, 3, 638-646.	2.4	5
167	Polythiophenes as Active Electrode Materials for Electrochemical Capacitors. , 0, , 577-594.		4
168	Four Phosphonium-based Ionic Liquids. Synthesis, Characterization and Electrochemical Performance as Electrolytes for Silicon Anodes. <i>ChemistrySelect</i> , 2022, 7, .	0.7	3
169	Synthesis and characterization of aryl substituted functionalized graphene sheets and their electrochemical behavior. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 149-158.	1.2	2
170	Diazonium Salts and Related Compounds in Electrochemical Energy Storage and Conversion. <i>Physical Chemistry in Action</i> , 2022, , 427-451.	0.1	2
171	MnO <sub>2</sub> /Carbon Nanocomposite Electrode Prepared Via Molecular Bridging. <i>ECS Meeting Abstracts</i> , 2012, , .	0.0	0
172	Functionalization of LiFePO <sub>4</sub> /C by Spontaneous Reduction of In-situ Generated Bromobenzene Diazonium Ions in Organic Media. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1773, 21-26.	0.1	0