

# Diane Godin-Ribuot

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1239877/publications.pdf>

Version: 2024-02-01

86  
papers

2,701  
citations

201385

27  
h-index

205818

48  
g-index

89  
all docs

89  
docs citations

89  
times ranked

3354  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pharmacokinetic study of intravenously administered artemisinin-loaded surface-decorated amphiphilic $\beta$ -cyclodextrin nanoparticles. <i>Materials Science and Engineering C</i> , 2020, 106, 110281.	3.8	12
2	Intermittent Hypoxia Triggers Early Cardiac Remodeling and Contractile Dysfunction in the Timeâ€Course of Ischemic Cardiomyopathy in Rats. <i>Journal of the American Heart Association</i> , 2020, 9, e016369.	1.6	17
3	Curcumin prevents chronic intermittent hypoxia-induced myocardial injury. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232092210.	1.1	22
4	Cooperation Between Hypoxia-Inducible Factor 1 $\alpha$ and Activating Transcription Factor 4 in Sleep Apneaâ€Mediated Myocardial Injury. <i>Canadian Journal of Cardiology</i> , 2020, 36, 936-940.	0.8	20
5	Lebetin 2, a Snake Venom-Derived B-Type Natriuretic Peptide, Provides Immediate and Prolonged Protection against Myocardial Ischemia-Reperfusion Injury via Modulation of Post-Ischemic Inflammatory Response. <i>Toxins</i> , 2019, 11, 524.	1.5	12
6	Zinc deficiency promotes endothelin secretion and endothelial cell migration through nuclear hypoxia-inducible factor-1 translocation. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 317, C270-C276.	2.1	13
7	Chronic neuromuscular electrical stimulation improves muscle mass and insulin sensitivity in a mouse model. <i>Scientific Reports</i> , 2019, 9, 7252.	1.6	5
8	Targeting intermittent hypoxia downstream pathways for biomarker discovery and new treatment perspectives in cutaneous melanoma. <i>European Respiratory Journal</i> , 2019, 53, 1802444.	3.1	2
9	Structural heterogeneity of the rat pulmonary vein myocardium: consequences on intracellular calcium dynamics and arrhythmogenic potential. <i>Scientific Reports</i> , 2018, 8, 3244.	1.6	12
10	Chronic intermittent hypoxia promotes myocardial ischemia-related ventricular arrhythmias and sudden cardiac death. <i>Scientific Reports</i> , 2018, 8, 2997.	1.6	62
11	Diseases of the retina and the optic nerve associated with obstructive sleep apnea. <i>Sleep Medicine Reviews</i> , 2018, 38, 113-130.	3.8	45
12	Chronic Intermittent Hypoxia Alters Rat Ophthalmic Artery Reactivity Through Oxidative Stress, Endothelin and Endothelium-Derived Hyperpolarizing Pathways. , 2018, 59, 5256.		7
13	Response to letter to editor â€Optical coherence tomography (OCT) findings in obstructive sleep apneaâ€by Piotr Kanclerz. <i>Sleep Medicine Reviews</i> , 2018, 42, 232-233.	3.8	1
14	Concerning â€Comments and question on â€Selective inhibition of endothelial NF-kB signaling attenuates chronic intermittent hypoxia-induced atherosclerosis in miceâ€. <i>Atherosclerosis</i> , 2018, 277, 227-228.	0.4	2
15	Intermittent hypoxia, the hallmark of sleep apnea, induces HIF-1-dependent mitochondrial dysfunction. , 2018, , .		1
16	Chronic Intermittent Hypoxia Impairs Insulin Sensitivity but Improves Whole-Body Glucose Tolerance by Activating Skeletal Muscle AMPK. <i>Diabetes</i> , 2017, 66, 2942-2951.	0.3	60
17	An innovative intermittent hypoxia model for cell cultures allowing fast Po <sub>2</sub> oscillations with minimal gas consumption. <i>American Journal of Physiology - Cell Physiology</i> , 2017, 313, C460-C468.	2.1	23
18	Lebetin 2, a Snake Venom-Derived Natriuretic Peptide, Attenuates Acute Myocardial Ischemic Injury through the Modulation of Mitochondrial Permeability Transition Pore at the Time of Reperfusion. <i>PLoS ONE</i> , 2016, 11, e0162632.	1.1	21

#	ARTICLE	IF	CITATIONS
19	Comparison of continuous positive airway pressure and bosentan effect in mildly hypertensive patients with obstructive sleep apnoea: A randomized controlled pilot study. <i>Respirology</i> , 2016, 21, 546-552.	1.3	9
20	Hypoxia-inducible factor prolyl hydroxylase 1 (PHD1) deficiency promotes hepatic steatosis and liver-specific insulin resistance in mice. <i>Scientific Reports</i> , 2016, 6, 24618.	1.6	28
21	Endothelin-1 mediates intermittent hypoxia-induced inflammatory vascular remodeling through HIF-1 activation. <i>Journal of Applied Physiology</i> , 2016, 120, 437-443.	1.2	40
22	Intermittent hypoxia in obese Zucker rats: cardiometabolic and inflammatory effects. <i>Experimental Physiology</i> , 2016, 101, 1432-1442.	0.9	18
23	Endothelin regulates intermittent hypoxia-induced lipolytic remodelling of adipose tissue and phosphorylation of hormone-sensitive lipase. <i>Journal of Physiology</i> , 2016, 594, 1727-1740.	1.3	28
24	Targeting the ROS-HIF-1-endothelin axis as a therapeutic approach for the treatment of obstructive sleep apnea-related cardiovascular complications. , 2016, 168, 1-11.		79
25	Endoplasmic reticulum stress as a novel inducer of hypoxia inducible factor-1 activity: its role in the susceptibility to myocardial ischemia-reperfusion induced by chronic intermittent hypoxia. <i>International Journal of Cardiology</i> , 2016, 210, 45-53.	0.8	48
26	Hypoxic Conditioning as a New Therapeutic Modality. <i>Frontiers in Pediatrics</i> , 2015, 3, 58.	0.9	97
27	Compact Laser Doppler Flowmeter (LDF) Fundus Camera for the Assessment of Retinal Blood Perfusion in Small Animals. <i>PLoS ONE</i> , 2015, 10, e0134378.	1.1	4
28	Erectile dysfunction and obstructive sleep apnea: From mechanisms to a distinct phenotype and combined therapeutic strategies. <i>Sleep Medicine Reviews</i> , 2015, 20, 1-4.	3.8	8
29	The impact of sleep disorders on glucose metabolism: endocrine and molecular mechanisms. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, 25.	1.2	164
30	Effect of continuous vs pulsed iontophoresis of treprostinil on skin blood flow. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 72, 21-26.	1.9	13
31	Endothelin regulates intermittent hypoxia-induced lipolytic remodelling of adipose tissue and phosphorylation of hormone-sensitive lipase. , 2015, , .		0
32	Sleep apnoea and cancer: the new challenge. <i>European Respiratory Journal</i> , 2014, 43, 1567-1570.	3.1	15
33	Role of hypoxia inducible factor-1 $\beta$ in remote limb ischemic preconditioning. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 65, 98-104.	0.9	55
34	Oxidative stress mediates cardiac infarction aggravation induced by intermittent hypoxia. <i>Fundamental and Clinical Pharmacology</i> , 2013, 27, 252-261.	1.0	100
35	Anodal Iontophoresis of a Soluble Guanylate Cyclase Stimulator Induces a Sustained Increase in Skin Blood Flow in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 346, 424-431.	1.3	5
36	Delayed myocardial preconditioning induced by cobalt chloride in the rat: HIF-1 $\beta$ and iNOS involvement. <i>Fundamental and Clinical Pharmacology</i> , 2012, 26, 454-462.	1.0	19

#	ARTICLE	IF	CITATIONS
37	Iontophoresis of Endothelin Receptor Antagonists in Rats and Men. PLoS ONE, 2012, 7, e40792.	1.1	5
38	Sleep deprivation, sleep apnea and cardiovascular diseases. Frontiers in Bioscience - Elite, 2012, E4, 2007.	0.9	47
39	Cardiovascular And Metabolic Consequences Of Chronic Intermittent Hypoxia In Lean Versus Obese Zucker Rats. , 2011, , .		0
40	Association of urinary 15-F2t-isoprostane level with oxygen desaturation and carotid intima-media thickness in nonobese sleep apnea patients. Free Radical Biology and Medicine, 2010, 48, 619-625.	1.3	45
41	Cardiovascular Consequences of Sleep-Disordered Breathing: Contribution of Animal Models to Understanding of the Human Disease. ILAR Journal, 2009, 50, 262-281.	1.8	109
42	Major Role for Hypoxia Inducible Factor-1 and the Endothelin System in Promoting Myocardial Infarction and Hypertension in an Animal Model of Obstructive Sleep Apnea. Journal of the American College of Cardiology, 2009, 53, 1309-1317.	1.2	153
43	Dual endothelin-1 receptor antagonism prevents chronic intermittent hypoxia-induced cardiovascular alterations in rats. Journal of Molecular and Cellular Cardiology, 2008, 44, 810.	0.9	1
44	Intermittent hypoxia and sleep-disordered breathing: current concepts and perspectives. European Respiratory Journal, 2008, 32, 1082-1095.	3.1	166
45	Prevention of HIF-1 activation and iNOS gene targeting by low-dose cadmium results in loss of myocardial hypoxic preconditioning in the rat. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H901-H908.	1.5	58
46	Intermittent hypoxia-induced delayed cardioprotection is mediated by PKC and triggered by p38 MAP kinase and Erk1/2. Journal of Molecular and Cellular Cardiology, 2007, 42, 343-351.	0.9	55
47	Cardiovascular alterations induced by chronic intermittent hypoxia in spontaneously hypertensive rats. Journal of Molecular and Cellular Cardiology, 2007, 42, S190.	0.9	1
48	Functional assessment of vascular reactivity after chronic intermittent hypoxia in the rat. Respiratory Physiology and Neurobiology, 2006, 150, 278-286.	0.7	43
49	Early pharmacological preconditioning by erythropoietin mediated by inducible NOS and mitochondrial ATP-dependent potassium channels in the rat heart. Fundamental and Clinical Pharmacology, 2006, 20, 51-56.	1.0	30
50	Erythropoietin and myocardial protection: what's new?. Fundamental and Clinical Pharmacology, 2005, 19, 439-446.	1.0	40
51	15-F2t-ISOPROSTANE and 5-F2t-ISOPROSTANE ARE NOT TRIGGERS OF MYOCARDIAL PRECONDITIONING. Clinical and Experimental Pharmacology and Physiology, 2005, 32, 350-354.	0.9	1
52	Chronic intermittent hypoxia increases infarction in the isolated rat heart. Journal of Applied Physiology, 2005, 98, 1691-1696.	1.2	90
53	Acute intermittent hypoxia improves rat myocardium tolerance to ischemia. Journal of Applied Physiology, 2005, 99, 1064-1069.	1.2	88
54	NEW INSIGHT INTO THE SIGNALLING PATHWAYS OF HEAT STRESS-INDUCED MYOCARDIAL PRECONDITIONING: PROTEIN KINASE Cepsilon TRANSLOCATION AND HEAT SHOCK PROTEIN 27 PHOSPHORYLATION. Clinical and Experimental Pharmacology and Physiology, 2004, 31, 129-133.	0.9	14

#	ARTICLE	IF	CITATIONS
55	iNOS is a mediator of the heat stress-induced preconditioning against myocardial infarction in vivo in the rat. <i>Cardiovascular Research</i> , 2003, 58, 118-125.	1.8	26
56	COX-2: an in vivo evidence of its participation in heat stress-induced myocardial preconditioning. <i>Cardiovascular Research</i> , 2003, 58, 582-588.	1.8	19
57	Heat stress preconditioning and delayed myocardial protection: what is new?. <i>Cardiovascular Research</i> , 2003, 60, 469-477.	1.8	33
58	Endocannabinoids are implicated in the infarct size-reducing effect conferred by heat stress preconditioning in isolated rat hearts. <i>Cardiovascular Research</i> , 2002, 55, 619-625.	1.8	76
59	Highly Protective Effects Of Chronic Oral Administration Of Nicorandil On The Heart Of Ageing Rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2002, 29, 441-448.	0.9	20
60	Free-radical production triggered by hyperthermia contributes to heat stress-induced cardioprotection in isolated rat hearts. <i>British Journal of Pharmacology</i> , 2002, 135, 1776-1782.	2.7	57
61	MAP-kinase dependent activation of kinin B1 receptor gene transcription after heat stress in rat vascular smooth muscle cells. <i>International Immunopharmacology</i> , 2001, 1, 533-538.	1.7	5
62	Heat stress protects against electrophysiological damages induced by acute doxorubicin exposure in isolated rat hearts. <i>Cardiovascular Drugs and Therapy</i> , 2001, 15, 219-224.	1.3	8
63	Role of nitric oxide synthases in the infarct size-reducing effect conferred by heat stress in isolated rat hearts. <i>British Journal of Pharmacology</i> , 2001, 132, 1845-1851.	2.7	31
64	Endothelial kinin B1 receptors are induced by myocardial ischaemia-reperfusion in the rabbit. <i>Journal of Physiology</i> , 2001, 530, 69-78.	1.3	26
65	Nitric oxide and its role in the induction of kinin B1-receptors after heat stress in the rat. <i>Immunopharmacology</i> , 2000, 48, 43-49.	2.0	5
66	Heat stress-induced protection of endothelial function against ischaemic injury is abolished by ATP-sensitive potassium channel blockade in the isolated rat heart. <i>British Journal of Pharmacology</i> , 2000, 130, 345-350.	2.7	20
67	Delayed myocardial protection induced by endotoxin does not involve kinin B1-receptors. <i>British Journal of Pharmacology</i> , 2000, 131, 740-744.	2.7	6
68	SB 203580, a mitogen-activated protein kinase inhibitor, abolishes resistance to myocardial infarction induced by heat stress. <i>Cardiovascular Drugs and Therapy</i> , 2000, 14, 337-343.	1.3	20
69	Protective effects of melatonin against ischemia-reperfusion injury in the isolated rat heart. <i>Life Sciences</i> , 2000, 66, 503-509.	2.0	97
70	Heat stress fails to protect myocardium of streptozotocin-induced diabetic rats against infarction. <i>Cardiovascular Research</i> , 1999, 43, 939-946.	1.8	26
71	Myocardial meta-[125I]iodobenzylguanidine uptake in awake genetically hypertensive rats at different ages: an autoradiographic study. <i>Canadian Journal of Physiology and Pharmacology</i> , 1999, 77, 398-406.	0.7	4
72	Monophosphoryl lipid A, a derivative of bacterial lipopolysaccharide, fails to induce B1-receptor-dependent responses to (des-Arg9)-bradykinin in the rabbit in vivo. <i>Immunopharmacology</i> , 1999, 41, 165-168.	2.0	3

#	ARTICLE	IF	CITATIONS
73	Histamine H <sub>3</sub> receptor stimulation is unable to modulate noradrenaline release by the isolated rat heart during ischaemia-reperfusion. <i>Fundamental and Clinical Pharmacology</i> , 1999, 13, 455-460.	1.0	5
74	Heat stress response and myocardial protection. <i>Fundamental and Clinical Pharmacology</i> , 1999, 13, 1-10.	1.0	17
75	In vivo demonstration of H <sub>3</sub> -histaminergic inhibition of cardiac sympathetic stimulation by R-1-methyl-histamine and its prodrug BP 2.94 in the dog. <i>British Journal of Pharmacology</i> , 1999, 126, 264-268.	2.7	18
76	Resistance to myocardial infarction induced by heat stress and the effect of ATP-sensitive potassium channel blockade in the rat isolated heart. <i>British Journal of Pharmacology</i> , 1998, 123, 1085-1088.	2.7	38
77	Infarct size-reducing effect of heat stress and $\beta_1$ adrenoceptors in rats. <i>British Journal of Pharmacology</i> , 1998, 125, 645-650.	2.7	21
78	Heat stress-induced $\beta_1$ receptor synthesis in the rat: an <i>in vivo</i> study. <i>British Journal of Pharmacology</i> , 1998, 125, 812-816.	2.7	11
79	Antiarrhythmic Effect of Prior Whole Body Hyperthermia: Implication of Catalase. <i>Journal of Molecular and Cellular Cardiology</i> , 1997, 29, 3285-3292.	0.9	18
80	Reflex adrenal medullary secretion during coronary occlusion mediated by cardiac receptors with afferent vagal fibres in the rat. <i>Pflügers Archiv European Journal of Physiology</i> , 1997, 434, 159-165.	1.3	4
81	Prolongation by captopril of action potential duration in the normal and hypertrophied rat ventricle: direct action or inhibition of the local angiotensin converting enzyme?. <i>Cardiovascular Research</i> , 1994, 28, 221-227.	1.8	12
82	Intracoronary administration of saralasin: effects on cardiac arrhythmias induced by ischaemia and reperfusion in the anaesthetised dog. <i>Cardiovascular Research</i> , 1992, 26, 968-972.	1.8	5
83	Atrioventricular Nodal Conduction and Refractoriness Following Abrupt Changes in Cycle Length. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1988, 11, 1281-1290.	0.5	8
84	Effects of sotalol, ( $\alpha$ )-propranolol and prazosin on reperfusion-induced arrhythmias and increased cardiac norepinephrine release. <i>European Journal of Pharmacology</i> , 1986, 123, 1-10.	1.7	18
85	Sinus node responses to perfusion pressure changes, ischaemia and hypothermia in the isolated blood-perfused dog atrium. <i>Cardiovascular Research</i> , 1985, 19, 20-26.	1.8	14
86	Electrophysiology of the chemically sympathectomised dog. <i>Cardiovascular Research</i> , 1982, 16, 524-529.	1.8	4