

Anthony J Avery

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1240576/anthony-j-avery-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

4,165
citations

34
h-index

60
g-index

166
ext. papers

4,992
ext. citations

3.9
avg, IF

5.27
L-index

#	Paper	IF	Citations
150	Medication-related clinical decision support in computerized provider order entry systems: a review. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2007 , 14, 29-40	8.6	518
149	A pharmacist-led information technology intervention for medication errors (PINCER): a multicentre, cluster randomised, controlled trial and cost-effectiveness analysis. <i>Lancet, The</i> , 2012 , 379, 1310-9	4.0	241
148	What evidence supports the use of computerized alerts and prompts to improve clinicians' prescribing behavior?. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2009 , 16, 531-8	8.6	194
147	A review of human factors principles for the design and implementation of medication safety alerts in clinical information systems. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2010 , 17, 493-501	8.6	157
146	Prevalence, severity, and nature of preventable patient harm across medical care settings: systematic review and meta-analysis. <i>BMJ, The</i> , 2019 , 366, l4185	5.9	135
145	Comparison of five antimicrobial regimens for treatment of mild to moderate inflammatory facial acne vulgaris in the community: randomised controlled trial. <i>Lancet, The</i> , 2004 , 364, 2188-95	4.0	130
144	Is polypharmacy always hazardous? A retrospective cohort analysis using linked electronic health records from primary and secondary care. <i>British Journal of Clinical Pharmacology</i> , 2014 , 77, 1073-82	3.8	113
143	A comparison of the performance of the EQ-5D and SF-6D for individuals aged ≥ 45 years. <i>Health Economics (United Kingdom)</i> , 2008 , 17, 815-32	2.4	80
142	Adverse drug reaction reporting in the UK: a retrospective observational comparison of yellow card reports submitted by patients and healthcare professionals. <i>Drug Safety</i> , 2010 , 33, 775-88	5.1	75
141	The prevalence and nature of prescribing and monitoring errors in English general practice: a retrospective case note review. <i>British Journal of General Practice</i> , 2013 , 63, e543-53	1.6	71
140	Polypharmacy: one of the greatest prescribing challenges in general practice. <i>British Journal of General Practice</i> , 2011 , 61, 83-4	1.6	68
139	The causes of prescribing errors in English general practices: a qualitative study. <i>British Journal of General Practice</i> , 2013 , 63, e713-20	1.6	66
138	How do patients contribute to signal detection? : A retrospective analysis of spontaneous reporting of adverse drug reactions in the UK's Yellow Card Scheme. <i>Drug Safety</i> , 2013 , 36, 199-206	5.1	65
137	Analysis of pharmacist-patient communication using the Calgary-Cambridge guide. <i>Patient Education and Counseling</i> , 2011 , 83, 423-31	3.1	63
136	Continuity of care in general practice: a survey of patients' views. <i>British Journal of General Practice</i> , 2002 , 52, 459-62	1.6	61
135	Incidence and possible causes of prescribing potentially hazardous/contraindicated drug combinations in general practice. <i>Drug Safety</i> , 2005 , 28, 67-80	5.1	60
134	The importance of direct patient reporting of suspected adverse drug reactions: a patient perspective. <i>British Journal of Clinical Pharmacology</i> , 2011 , 72, 806-22	3.8	59

133	Evaluation and certification of computerized provider order entry systems. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2007 , 14, 48-55	8.6	59
132	Supporting adherence for people starting a new medication for a long-term condition through community pharmacies: a pragmatic randomised controlled trial of the New Medicine Service. <i>BMJ Quality and Safety</i> , 2016 , 25, 747-58	5.4	57
131	Development of prescribing-safety indicators for GPs using the RAND Appropriateness Method. <i>British Journal of General Practice</i> , 2011 , 61, e526-36	1.6	54
130	Harms from discharge to primary care: mixed methods analysis of incident reports. <i>British Journal of General Practice</i> , 2015 , 65, e829-37	1.6	49
129	Multicentre, prospective, randomised, open-label, blinded end point trial of the efficacy of allopurinol therapy in improving cardiovascular outcomes in patients with ischaemic heart disease: protocol of the ALL-HEART study. <i>BMJ Open</i> , 2016 , 6, e013774	3	48
128	Examining variations in prescribing safety in UK general practice: cross sectional study using the Clinical Practice Research Datalink. <i>BMJ, The</i> , 2015 , 351, h5501	5.9	47
127	An assessment of the discriminative ability of the EQ-5Dindex, SF-6D, and EQ VAS, using sociodemographic factors and clinical conditions. <i>European Journal of Health Economics</i> , 2008 , 9, 237-49	3.6	45
126	An ethnographic study of knowledge sharing across the boundaries between care processes, services and organisations: the contributions to safe hospital discharge. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-160	1.5	44
125	Views of glaucoma patients on aspects of their treatment: an assessment of patient preference by conjoint analysis. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 2885-8		43
124	Prescribing safety features of general practice computer systems: evaluation using simulated test cases. <i>BMJ, The</i> , 2004 , 328, 1171-2	5.9	43
123	Relation of out of hours activity by general practice and accident and emergency services with deprivation in Nottingham: longitudinal survey. <i>BMJ: British Medical Journal</i> , 1998 , 316, 520-3		41
122	Identification of an updated set of prescribing-safety indicators for GPs. <i>British Journal of General Practice</i> , 2014 , 64, e181-90	1.6	37
121	Patient Safety Incidents Involving Sick Children in Primary Care in England and Wales: A Mixed Methods Analysis. <i>PLoS Medicine</i> , 2017 , 14, e1002217	11.6	37
120	Identifying and establishing consensus on the most important safety features of GP computer systems: e-Delphi study. <i>Journal of Innovation in Health Informatics</i> , 2005 , 13, 3-12		37
119	Sources of unsafe primary care for older adults: a mixed-methods analysis of patient safety incident reports. <i>Age and Ageing</i> , 2017 , 46, 833-839	3	36
118	Prescribing errors and other problems reported by community pharmacists. <i>Therapeutics and Clinical Risk Management</i> , 2005 , 1, 333-42	2.9	36
117	Clinical characteristics of persistent frequent attenders in primary care: case-control study. <i>Family Practice</i> , 2015 , 32, 624-30	1.9	35
116	Impact of a multimedia intervention "Skinsafe" on patients' knowledge and protective behaviors. <i>Preventive Medicine</i> , 2006 , 42, 449-54	4.3	34

115	A cross-sectional mixed methods study protocol to generate learning from patient safety incidents reported from general practice. <i>BMJ Open</i> , 2015 , 5, e009079	3	33
114	Protocol for the PINCER trial: a cluster randomised trial comparing the effectiveness of a pharmacist-led IT-based intervention with simple feedback in reducing rates of clinically important errors in medicines management in general practices. <i>Trials</i> , 2009 , 10, 28	2.8	32
113	Persistent frequent attenders in primary care: costs, reasons for attendance, organisation of care and potential for cognitive behavioural therapeutic intervention. <i>BMC Family Practice</i> , 2012 , 13, 39	2.6	31
112	Patient views and experiences of making adverse drug reaction reports to the Yellow Card Scheme in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 523-31	2.6	31
111	Age and proximity to death as predictors of GP care costs: results from a study of nursing home patients. <i>Health Economics (United Kingdom)</i> , 2000 , 9, 733-8	2.4	31
110	Measuring Patient Safety in Primary Care: The Development and Validation of the "Patient Reported Experiences and Outcomes of Safety in Primary Care" (PREOS-PC). <i>Annals of Family Medicine</i> , 2016 , 14, 253-61	2.9	31
109	Evaluation of fever in the immediate postoperative period in patients who underwent total joint arthroplasty. <i>Journal of Arthroplasty</i> , 2011 , 26, 1404-8	4.4	30
108	An embedded longitudinal multi-faceted qualitative evaluation of a complex cluster randomized controlled trial aiming to reduce clinically important errors in medicines management in general practice. <i>Trials</i> , 2012 , 13, 78	2.8	29
107	Health status and assessed need for a cohort of older people admitted to nursing and residential homes. <i>Age and Ageing</i> , 2003 , 32, 303-9	3	29
106	Improving general practice computer systems for patient safety: qualitative study of key stakeholders. <i>Quality and Safety in Health Care</i> , 2007 , 16, 28-33		28
105	Cost Effectiveness of Support for People Starting a New Medication for a Long-Term Condition Through Community Pharmacies: An Economic Evaluation of the New Medicine Service (NMS) Compared with Normal Practice. <i>Pharmacoeconomics</i> , 2017 , 35, 1237-1255	4.4	27
104	Characterising the nature of primary care patient safety incident reports in the England and Wales National Reporting and Learning System: a mixed-methods agenda-setting study for general practice. <i>Health Services and Delivery Research</i> , 2016 , 4, 1-76	1.5	27
103	Safer medicines management in primary care. <i>British Journal of General Practice</i> , 2002 , 52 Suppl, S17-22	1.6	26
102	Developing a measure of polypharmacy appropriateness in primary care: systematic review and expert consensus study. <i>BMC Medicine</i> , 2018 , 16, 91	11.4	25
101	Tools for measuring patient safety in primary care settings using the RAND/UCLA appropriateness method. <i>BMC Family Practice</i> , 2014 , 15, 110	2.6	25
100	Safety incidents in the primary care office setting. <i>Pediatrics</i> , 2015 , 135, 1027-35	7.4	25
99	Developing consensus on hospital prescribing indicators of potential harms amenable to decision support. <i>British Journal of Clinical Pharmacology</i> , 2013 , 76, 797-809	3.8	24
98	How patient reporters identify adverse drug reactions: a qualitative study of reporting via the UK Yellow Card Scheme. <i>Drug Safety</i> , 2011 , 34, 429-36	5.1	24

97	Community falls prevention for people who call an emergency ambulance after a fall: an economic evaluation alongside a randomised controlled trial. <i>Age and Ageing</i> , 2012 , 41, 635-41	3	24
96	Primary Care Medication Safety Surveillance with Integrated Primary and Secondary Care Electronic Health Records: A Cross-Sectional Study. <i>Drug Safety</i> , 2015 , 38, 671-82	5.1	21
95	Cost effectiveness of a pharmacist-led information technology intervention for reducing rates of clinically important errors in medicines management in general practices (PINCER). <i>Pharmacoeconomics</i> , 2014 , 32, 573-90	4.4	21
94	Safety climate in English general practices: workload pressures may compromise safety. <i>Journal of Evaluation in Clinical Practice</i> , 2016 , 22, 71-76	2.5	21
93	Antipsychotic Prescribing to Patients Diagnosed with Dementia Without a Diagnosis of Psychosis in the Context of National Guidance and Drug Safety Warnings: Longitudinal Study in UK General Practice. <i>Drug Safety</i> , 2017 , 40, 679-692	5.1	20
92	Open-label randomised pragmatic trial (CONTACT) comparing naproxen and low-dose colchicine for the treatment of gout flares in primary care. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 276-284	2.4	20
91	The effect of the electronic transmission of prescriptions on dispensing errors and prescription enhancements made in English community pharmacies: a naturalistic stepped wedge study. <i>BMJ Quality and Safety</i> , 2014 , 23, 629-38	5.4	20
90	Sustained User Engagement in Health Information Technology: The Long Road from Implementation to System Optimization of Computerized Physician Order Entry and Clinical Decision Support Systems for Prescribing in Hospitals in England. <i>Health Services Research</i> , 2017 , 52, 1928-1957	3.4	20
89	Exploring safety systems for dispensing in community pharmacies: focusing on how staff relate to organizational components. <i>Research in Social and Administrative Pharmacy</i> , 2015 , 11, 216-27	2.9	20
88	Professional, structural and organisational interventions in primary care for reducing medication errors. <i>The Cochrane Library</i> , 2017 , 10, CD003942	5.2	19
87	Protocol for the New Medicine Service Study: a randomized controlled trial and economic evaluation with qualitative appraisal comparing the effectiveness and cost effectiveness of the New Medicine Service in community pharmacies in England. <i>Trials</i> , 2013 , 14, 411	2.8	19
86	Developing a learning health system: Insights from a qualitative process evaluation of a pharmacist-led electronic audit and feedback intervention to improve medication safety in primary care. <i>PLoS ONE</i> , 2018 , 13, e0205419	3.7	18
85	The Helicobacter Eradication Aspirin Trial (HEAT): A Large Simple Randomised Controlled Trial Using Novel Methodology in Primary Care. <i>EBioMedicine</i> , 2015 , 2, 1200-4	8.8	17
84	Cognitive behaviour therapy for long-term frequent attenders in primary care: a feasibility case series and treatment development study. <i>British Journal of General Practice</i> , 2016 , 66, e729-36	1.6	17
83	Understanding the implementation and adoption of a technological intervention to improve medication safety in primary care: a realist evaluation. <i>BMC Health Services Research</i> , 2017 , 17, 196	2.9	16
82	Patients' evaluations of patient safety in English general practices: a cross-sectional study. <i>British Journal of General Practice</i> , 2017 , 67, e474-e482	1.6	15
81	A prescription for improvement? An observational study to identify how general practices vary in their growth in prescribing costs. <i>BMJ: British Medical Journal</i> , 2000 , 321, 276-81		15
80	Emergency care in general practice. <i>BMJ: British Medical Journal</i> , 1995 , 310, 6		15

79	SMASH! The Salford medication safety dashboard. <i>BMJ Health and Care Informatics</i> , 2018 , 25, 183-193	2.6	15
78	Assessing the impact of the introduction of an electronic hospital discharge system on the completeness and timeliness of discharge communication: a before and after study. <i>BMC Health Services Research</i> , 2017 , 17, 624	2.9	14
77	Planned implementations of ePrescribing systems in NHS hospitals in England: a questionnaire study. <i>JRSM Short Reports</i> , 2010 , 1, 33		14
76	What can students learn from studying medicine in literature?. <i>Medical Education</i> , 2001 , 35, 687-90	3.7	14
75	Preventable medication harm across health care settings: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2020 , 18, 313	11.4	13
74	'New Medicine Service': supporting adherence in people starting a new medication for a long-term condition: 26-week follow-up of a pragmatic randomised controlled trial. <i>BMJ Quality and Safety</i> , 2020 , 29, 286-295	5.4	13
73	Exploring community pharmacists' perceptions of their professional relationships with physicians, in Canada and the Netherlands. <i>International Journal of Pharmacy Practice</i> , 2011 , 7, 149-158	1.7	13
72	Use of over-the-counter medicines in children. <i>International Journal of Pharmacy Practice</i> , 2010 , 11, 209-215		11
71	Understanding the implementation and adoption of an information technology intervention to support medicine optimisation in primary care: qualitative study using strong structuration theory. <i>BMJ Open</i> , 2017 , 7, e014810	3	10
70	Assessing the usability of methods of public reporting of adverse drug reactions to the UK Yellow Card Scheme. <i>Health Expectations</i> , 2012 , 15, 433-40	3.7	10
69	Psychological interventions as vaccine adjuvants: A systematic review. <i>Vaccine</i> , 2019 , 37, 3255-3266	4.1	9
68	A qualitative study identifying the cost categories associated with electronic health record implementation in the UK. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2014 , 21, e226-31	8.6	9
67	Training pharmacists to deliver a complex information technology intervention (PINCER) using the principles of educational outreach and root cause analysis. <i>International Journal of Pharmacy Practice</i> , 2014 , 22, 47-58	1.7	8
66	A qualitative study of community pharmacy perceptions of the Electronic Prescriptions Service in England. <i>International Journal of Pharmacy Practice</i> , 2014 , 22, 440-4	1.7	7
65	Bayesian cohort and cross-sectional analyses of the PINCER trial: a pharmacist-led intervention to reduce medication errors in primary care. <i>PLoS ONE</i> , 2012 , 7, e38306	3.7	7
64	Risk factors for development of impaired renal function in Type 2 diabetes mellitus patients in primary care. <i>Diabetic Medicine</i> , 2004 , 21, 1096-101	3.5	7
63	The impact of nursing home patients on prescribing costs in general practice. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1999 , 24, 357-63	2.2	7
62	Clinical effectiveness and cost-effectiveness of issuing longer versus shorter duration (3-month vs. 28-day) prescriptions in patients with chronic conditions: systematic review and economic modelling. <i>Health Technology Assessment</i> , 2017 , 21, 1-128	4.4	7

61	Processing discharge summaries in general practice: a qualitative interview study with GPs and practice managers. <i>BJGP Open</i> , 2019 , 3, bjgpopen18X101625	3.1	7
60	Incidence, nature and causes of avoidable significant harm in primary care in England: retrospective case note review. <i>BMJ Quality and Safety</i> , 2021 , 30, 961-976	5.4	7
59	Do GPs working in practice with high or low prescribing costs have different views on prescribing cost issues?. <i>British Journal of General Practice</i> , 2000 , 50, 100-4	1.6	6
58	Description and process evaluation of pharmacists' interventions in a pharmacist-led information technology-enabled multicentre cluster randomised controlled trial for reducing medication errors in general practice (PINCER trial). <i>International Journal of Pharmacy Practice</i> , 2014 , 22, 59-68	1.7	5
57	The issue of territoriality between pharmacists and physicians in primary care. <i>International Journal of Pharmacy Practice</i> , 2011 , 10, 69-75	1.7	5
56	Prescribing errors in general practice and how to avoid them. <i>Clinical Risk</i> , 2011 , 17, 39-42		5
55	Prescribing cost savings by GP fundholders: long-term or short-term?. <i>Health Economics (United Kingdom)</i> , 1997 , 6, 209-11	2.4	5
54	Direct to Public Peer Support and e-Therapy Program Versus Information to Aid Self-Management of Depression and Anxiety: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2017 , 6, e231	2	5
53	Understanding the epidemiology of avoidable significant harm in primary care: protocol for a retrospective cross-sectional study. <i>BMJ Open</i> , 2017 , 7, e013786	3	4
52	Understanding the utilisation of a novel interactive electronic medication safety dashboard in general practice: a mixed methods study. <i>BMC Medical Informatics and Decision Making</i> , 2020 , 20, 69	3.6	4
51	Mindful organizing in patients' contributions to primary care medication safety. <i>Health Expectations</i> , 2018 , 21, 964-972	3.7	4
50	Undertaking effective medication reviews. <i>InnovAiT</i> , 2013 , 6, 524-533	0	4
49	Selecting the right dose. <i>InnovAiT</i> , 2013 , 6, 497-505	0	4
48	Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003286	11.6	4
47	A Patient Safety Toolkit for Family Practices. <i>Journal of Patient Safety</i> , 2020 , 16, e182-e186	1.9	4
46	Influences on the adoption of patient safety innovation in primary care: a qualitative exploration of staff perspectives. <i>BMC Family Practice</i> , 2018 , 19, 72	2.6	4
45	Over-The-Counter Codeine: Can Community Pharmacy Staff Nudge Customers into Its Safe and Appropriate Use?. <i>Pharmacy (Basel, Switzerland)</i> , 2020 , 8,	2	3
44	Identifying 'avoidable harm' in family practice: a RAND/UCLA Appropriateness Method consensus study. <i>BMC Family Practice</i> , 2019 , 20, 134	2.6	3

43	Research into practice: safe prescribing. <i>British Journal of General Practice</i> , 2014 , 64, 259-61	1.6	3
42	Selecting the right drug. <i>InnovAiT</i> , 2013 , 6, 478-487	0	3
41	Avoiding hazardous prescribing. <i>InnovAiT</i> , 2013 , 6, 488-496	0	3
40	Providing the right dose instructions. <i>InnovAiT</i> , 2013 , 6, 506-514	0	3
39	Providing the right medication monitoring. <i>InnovAiT</i> , 2013 , 6, 515-523	0	3
38	Complications of bone graft harvest from the anterior and posterior ilium and the proximal tibia. <i>Current Orthopaedic Practice</i> , 2011 , 22, 443-446	0.4	3
37	Description of a multifaceted strategy for recruiting general practitioners and community pharmacists to talk about medication errors. <i>International Journal of Pharmacy Practice</i> , 2010 , 14, 205-209 ¹⁷		3
36	Original Paper: Contraception trends in Dutch general practice: differences according to socioeconomic status. <i>European Journal of General Practice</i> , 1999 , 5, 54-58	2.8	3
35	Improving the safety features of general practice computer systems. <i>Journal of Innovation in Health Informatics</i> , 2003 , 11, 203-6		3
34	Assessing the safety features of electronic patient medication record systems used in community pharmacies in England. <i>British Journal of Clinical Pharmacology</i> , 2014 , 78, 401-9	3.8	2
33	Isolated popliteus tendon avulsion. <i>Current Orthopaedic Practice</i> , 2012 , 23, 72-74	0.4	2
32	General practitioner contacts with older residents in nursing and residential homes. <i>European Journal of General Practice</i> , 2003 , 9, 141-2	2.8	2
31	Managing medicines at the end of life: a position paper for health policy and practice. <i>Journal of Health Organization and Management</i> , 2021 , 35, 368-377	1.9	2
30	The evaluation of an e-learning prescribing course for general practice. <i>Education for Primary Care</i> , 2021 , 32, 219-225	0.9	2
29	Building a Patient Safety Toolkit for use in general practice. <i>InnovAiT</i> , 2016 , 9, 557-562	0	2
28	Medication safety in primary care-from measurement to action. <i>Drug and Therapeutics Bulletin</i> , 2021 , 59, 24-28	0.9	2
27	Family and health-care professionals managing medicines for patients with serious and terminal illness at home: a qualitative study. <i>Health Services and Delivery Research</i> , 2021 , 9, 1-162	1.5	2
26	Prescribing safety in primary care: comparing the United Kingdom and Saudi Arabia. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2008 , 29, 1703-10	1.1	2

25	Authors' reply to Upton. <i>BMJ, The</i> , 2015 , 351, h6730	5.9	1
24	Response to: assessing the harms of polypharmacy requires careful interpretation and consistent definitions. <i>British Journal of Clinical Pharmacology</i> , 2014 , 78, 672-3	3.8	1
23	Infant and pre-school child health promotion: what do health visitors and general practitioners think is important and what do they record?. <i>Ambulatory Child Health</i> , 2001 , 7, 191-201		1
22	Interventions in primary care for reducing preventable medication errors that lead to hospital admissions, mortality and emergency department visits 2002 ,		1
21	Research skills in departments of general practice. <i>European Journal of General Practice</i> , 1996 , 2, 62-64	2.8	1
20	Capturing Patients' Perspectives on Medication Safety: The Development of a Patient-Centered Medication Safety Framework. <i>Journal of Patient Safety</i> , 2020 , 16, e324-e339	1.9	1
19	Identifying anticholinergic burden in clinical practice. <i>The Prescriber</i> , 2021 , 32, 20-23	0.4	1
18	Effects of non-pharmacological interventions as vaccine adjuvants in humans: a systematic review and network meta-analysis. <i>Health Psychology Review</i> , 2021 , 15, 245-271	7.1	1
17	Safety features and alerts in electronic patient medication record systems used in community pharmacy in England: an exploratory study. <i>Studies in Health Technology and Informatics</i> , 2013 , 192, 1142	0.5	1
16	A comparative assessment of two tools designed to support patient safety culture in UK general practice. <i>BMC Family Practice</i> , 2021 , 22, 98	2.6	0
15	Anticholinergic drugs and risk of dementia: Time for action?. <i>Pharmacology Research and Perspectives</i> , 2021 , 9, e00793	3.1	0
14	The implementation, use and sustainability of a clinical decision support system for medication optimisation in primary care: A qualitative evaluation. <i>PLoS ONE</i> , 2021 , 16, e0250946	3.7	0
13	From policy to patient: Using a socio-ecological framework to explore the factors influencing safe practice in UK primary care. <i>Social Science and Medicine</i> , 2021 , 277, 113906	5.1	0
12	Development of 2 Short Patient-Report Questionnaires of Patient Safety in Primary Care.. <i>Journal of Patient Safety</i> , 2022 , 18, 161-170	1.9	0
11	Development of the prototype concise safe systems checklist tool for general practice. <i>BMC Health Services Research</i> , 2020 , 20, 544	2.9	
10	Essential prescribing tips for GP Associates-in-Training. <i>InnovAiT</i> , 2018 , 11, 69-73	0	
9	Recognising adverse drug reactions involving the respiratory system. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2001 , 10, 26-27		
8	Containing prescription costs -consider the whole picture and not just the short-term savings. <i>European Journal of General Practice</i> , 2001 , 7, 87-88	2.8	

- 7 Exploring factors associated with patients' satisfaction with medication change: a questionnaire survey. *British Journal of General Practice*, **2002**, 52, 655-7 1.6
- 6 Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis **2020**, 17, e1003286
- 5 Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis **2020**, 17, e1003286
- 4 Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis **2020**, 17, e1003286
- 3 Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis **2020**, 17, e1003286
- 2 Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis **2020**, 17, e1003286
- 1 Treatment of Common, Minor and Self-Limiting Conditions 16-35