

# Anthony J Avery

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1240576/anthony-j-avery-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150  
papers

4,165  
citations

34  
h-index

60  
g-index

166  
ext. papers

4,992  
ext. citations

3.9  
avg, IF

5.27  
L-index

#	Paper	IF	Citations
150	Development of 2 Short Patient-Report Questionnaires of Patient Safety in Primary Care.. <i>Journal of Patient Safety</i> , <b>2022</b> , 18, 161-170	1.9	0
149	Managing medicines at the end of life: a position paper for health policy and practice. <i>Journal of Health Organization and Management</i> , <b>2021</b> , 35, 368-377	1.9	2
148	Incidence, nature and causes of avoidable significant harm in primary care in England: retrospective case note review. <i>BMJ Quality and Safety</i> , <b>2021</b> , 30, 961-976	5.4	7
147	Identifying anticholinergic burden in clinical practice. <i>The Prescriber</i> , <b>2021</b> , 32, 20-23	0.4	1
146	The evaluation of an e-learning prescribing course for general practice. <i>Education for Primary Care</i> , <b>2021</b> , 32, 219-225	0.9	2
145	A comparative assessment of two tools designed to support patient safety culture in UK general practice. <i>BMC Family Practice</i> , <b>2021</b> , 22, 98	2.6	0
144	Anticholinergic drugs and risk of dementia: Time for action?. <i>Pharmacology Research and Perspectives</i> , <b>2021</b> , 9, e00793	3.1	0
143	The implementation, use and sustainability of a clinical decision support system for medication optimisation in primary care: A qualitative evaluation. <i>PLoS ONE</i> , <b>2021</b> , 16, e0250946	3.7	0
142	From policy to patient: Using a socio-ecological framework to explore the factors influencing safe practice in UK primary care. <i>Social Science and Medicine</i> , <b>2021</b> , 277, 113906	5.1	0
141	Effects of non-pharmacological interventions as vaccine adjuvants in humans: a systematic review and network meta-analysis. <i>Health Psychology Review</i> , <b>2021</b> , 15, 245-271	7.1	1
140	Medication safety in primary care-from measurement to action. <i>Drug and Therapeutics Bulletin</i> , <b>2021</b> , 59, 24-28	0.9	2
139	Family and health-care professionals managing medicines for patients with serious and terminal illness at home: a qualitative study. <i>Health Services and Delivery Research</i> , <b>2021</b> , 9, 1-162	1.5	2
138	Preventable medication harm across health care settings: a systematic review and meta-analysis. <i>BMC Medicine</i> , <b>2020</b> , 18, 313	11.4	13
137	Over-The-Counter Codeine: Can Community Pharmacy Staff Nudge Customers into Its Safe and Appropriate Use?. <i>Pharmacy (Basel, Switzerland)</i> , <b>2020</b> , 8,	2	3
136	Development of the prototype concise safe systems checklist tool for general practice. <i>BMC Health Services Research</i> , <b>2020</b> , 20, 544	2.9	
135	Open-label randomised pragmatic trial (CONTACT) comparing naproxen and low-dose colchicine for the treatment of gout flares in primary care. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 276-284	2.4	20
134	'New Medicine Service': supporting adherence in people starting a new medication for a long-term condition: 26-week follow-up of a pragmatic randomised controlled trial. <i>BMJ Quality and Safety</i> , <b>2020</b> , 29, 286-295	5.4	13

133	Understanding the utilisation of a novel interactive electronic medication safety dashboard in general practice: a mixed methods study. <i>BMC Medical Informatics and Decision Making</i> , <b>2020</b> , 20, 69	3.6	4
132	Capturing Patients' Perspectives on Medication Safety: The Development of a Patient-Centered Medication Safety Framework. <i>Journal of Patient Safety</i> , <b>2020</b> , 16, e324-e339	1.9	1
131	Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003286	11.6	4
130	A Patient Safety Toolkit for Family Practices. <i>Journal of Patient Safety</i> , <b>2020</b> , 16, e182-e186	1.9	4
129	Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis <b>2020</b> , 17, e1003286		
128	Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis <b>2020</b> , 17, e1003286		
127	Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis <b>2020</b> , 17, e1003286		
126	Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis <b>2020</b> , 17, e1003286		
125	Evaluation of a pharmacist-led actionable audit and feedback intervention for improving medication safety in UK primary care: An interrupted time series analysis <b>2020</b> , 17, e1003286		
124	Psychological interventions as vaccine adjuvants: A systematic review. <i>Vaccine</i> , <b>2019</b> , 37, 3255-3266	4.1	9
123	Prevalence, severity, and nature of preventable patient harm across medical care settings: systematic review and meta-analysis. <i>BMJ, The</i> , <b>2019</b> , 366, l4185	5.9	135
122	Identifying 'avoidable harm' in family practice: a RAND/UCLA Appropriateness Method consensus study. <i>BMC Family Practice</i> , <b>2019</b> , 20, 134	2.6	3
121	Processing discharge summaries in general practice: a qualitative interview study with GPs and practice managers. <i>BJGP Open</i> , <b>2019</b> , 3, bjgpopen18X101625	3.1	7
120	Essential prescribing tips for GP Associates-in-Training. <i>InnovAiT</i> , <b>2018</b> , 11, 69-73	0	
119	Mindful organizing in patients' contributions to primary care medication safety. <i>Health Expectations</i> , <b>2018</b> , 21, 964-972	3.7	4
118	Developing a measure of polypharmacy appropriateness in primary care: systematic review and expert consensus study. <i>BMC Medicine</i> , <b>2018</b> , 16, 91	11.4	25
117	SMASH! The Salford medication safety dashboard. <i>BMJ Health and Care Informatics</i> , <b>2018</b> , 25, 183-193	2.6	15
116	Developing a learning health system: Insights from a qualitative process evaluation of a pharmacist-led electronic audit and feedback intervention to improve medication safety in primary care. <i>PLoS ONE</i> , <b>2018</b> , 13, e0205419	3.7	18

115	Influences on the adoption of patient safety innovation in primary care: a qualitative exploration of staff perspectives. <i>BMC Family Practice</i> , <b>2018</b> , 19, 72	2.6	4
114	Understanding the epidemiology of avoidable significant harm in primary care: protocol for a retrospective cross-sectional study. <i>BMJ Open</i> , <b>2017</b> , 7, e013786	3	4
113	Antipsychotic Prescribing to Patients Diagnosed with Dementia Without a Diagnosis of Psychosis in the Context of National Guidance and Drug Safety Warnings: Longitudinal Study in UK General Practice. <i>Drug Safety</i> , <b>2017</b> , 40, 679-692	5.1	20
112	Understanding the implementation and adoption of an information technology intervention to support medicine optimisation in primary care: qualitative study using strong structuration theory. <i>BMJ Open</i> , <b>2017</b> , 7, e014810	3	10
111	Professional, structural and organisational interventions in primary care for reducing medication errors. <i>The Cochrane Library</i> , <b>2017</b> , 10, CD003942	5.2	19
110	Assessing the impact of the introduction of an electronic hospital discharge system on the completeness and timeliness of discharge communication: a before and after study. <i>BMC Health Services Research</i> , <b>2017</b> , 17, 624	2.9	14
109	Cost Effectiveness of Support for People Starting a New Medication for a Long-Term Condition Through Community Pharmacies: An Economic Evaluation of the New Medicine Service (NMS) Compared with Normal Practice. <i>Pharmacoeconomics</i> , <b>2017</b> , 35, 1237-1255	4.4	27
108	Sources of unsafe primary care for older adults: a mixed-methods analysis of patient safety incident reports. <i>Age and Ageing</i> , <b>2017</b> , 46, 833-839	3	36
107	Understanding the implementation and adoption of a technological intervention to improve medication safety in primary care: a realist evaluation. <i>BMC Health Services Research</i> , <b>2017</b> , 17, 196	2.9	16
106	Patients' evaluations of patient safety in English general practices: a cross-sectional study. <i>British Journal of General Practice</i> , <b>2017</b> , 67, e474-e482	1.6	15
105	Sustained User Engagement in Health Information Technology: The Long Road from Implementation to System Optimization of Computerized Physician Order Entry and Clinical Decision Support Systems for Prescribing in Hospitals in England. <i>Health Services Research</i> , <b>2017</b> , 52, 1928-1957	3.4	20
104	Patient Safety Incidents Involving Sick Children in Primary Care in England and Wales: A Mixed Methods Analysis. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002217	11.6	37
103	Direct to Public Peer Support and e-Therapy Program Versus Information to Aid Self-Management of Depression and Anxiety: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , <b>2017</b> , 6, e231	2	5
102	Clinical effectiveness and cost-effectiveness of issuing longer versus shorter duration (3-month vs. 28-day) prescriptions in patients with chronic conditions: systematic review and economic modelling. <i>Health Technology Assessment</i> , <b>2017</b> , 21, 1-128	4.4	7
101	Characterising the nature of primary care patient safety incident reports in the England and Wales National Reporting and Learning System: a mixed-methods agenda-setting study for general practice. <i>Health Services and Delivery Research</i> , <b>2016</b> , 4, 1-76	1.5	27
100	Building a Patient Safety Toolkit for use in general practice. <i>InnovAiT</i> , <b>2016</b> , 9, 557-562	0	2
99	Measuring Patient Safety in Primary Care: The Development and Validation of the "Patient Reported Experiences and Outcomes of Safety in Primary Care" (PREOS-PC). <i>Annals of Family Medicine</i> , <b>2016</b> , 14, 253-61	2.9	31
98	Supporting adherence for people starting a new medication for a long-term condition through community pharmacies: a pragmatic randomised controlled trial of the New Medicine Service. <i>BMJ Quality and Safety</i> , <b>2016</b> , 25, 747-58	5.4	57

97	Multicentre, prospective, randomised, open-label, blinded end point trial of the efficacy of allopurinol therapy in improving cardiovascular outcomes in patients with ischaemic heart disease: protocol of the ALL-HEART study. <i>BMJ Open</i> , <b>2016</b> , 6, e013774	3	48
96	Cognitive behaviour therapy for long-term frequent attenders in primary care: a feasibility case series and treatment development study. <i>British Journal of General Practice</i> , <b>2016</b> , 66, e729-36	1.6	17
95	Safety climate in English general practices: workload pressures may compromise safety. <i>Journal of Evaluation in Clinical Practice</i> , <b>2016</b> , 22, 71-76	2.5	21
94	Primary Care Medication Safety Surveillance with Integrated Primary and Secondary Care Electronic Health Records: A Cross-Sectional Study. <i>Drug Safety</i> , <b>2015</b> , 38, 671-82	5.1	21
93	The Helicobacter Eradication Aspirin Trial (HEAT): A Large Simple Randomised Controlled Trial Using Novel Methodology in Primary Care. <i>EBioMedicine</i> , <b>2015</b> , 2, 1200-4	8.8	17
92	Clinical characteristics of persistent frequent attenders in primary care: case-control study. <i>Family Practice</i> , <b>2015</b> , 32, 624-30	1.9	35
91	Harms from discharge to primary care: mixed methods analysis of incident reports. <i>British Journal of General Practice</i> , <b>2015</b> , 65, e829-37	1.6	49
90	Examining variations in prescribing safety in UK general practice: cross sectional study using the Clinical Practice Research Datalink. <i>BMJ, The</i> , <b>2015</b> , 351, h5501	5.9	47
89	Authors' reply to Upton. <i>BMJ, The</i> , <b>2015</b> , 351, h6730	5.9	1
88	Safety incidents in the primary care office setting. <i>Pediatrics</i> , <b>2015</b> , 135, 1027-35	7.4	25
87	A cross-sectional mixed methods study protocol to generate learning from patient safety incidents reported from general practice. <i>BMJ Open</i> , <b>2015</b> , 5, e009079	3	33
86	Exploring safety systems for dispensing in community pharmacies: focusing on how staff relate to organizational components. <i>Research in Social and Administrative Pharmacy</i> , <b>2015</b> , 11, 216-27	2.9	20
85	Training pharmacists to deliver a complex information technology intervention (PINCER) using the principles of educational outreach and root cause analysis. <i>International Journal of Pharmacy Practice</i> , <b>2014</b> , 22, 47-58	1.7	8
84	Tools for measuring patient safety in primary care settings using the RAND/UCLA appropriateness method. <i>BMC Family Practice</i> , <b>2014</b> , 15, 110	2.6	25
83	Is polypharmacy always hazardous? A retrospective cohort analysis using linked electronic health records from primary and secondary care. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 77, 1073-82	3.8	113
82	Cost effectiveness of a pharmacist-led information technology intervention for reducing rates of clinically important errors in medicines management in general practices (PINCER). <i>Pharmacoeconomics</i> , <b>2014</b> , 32, 573-90	4.4	21
81	The effect of the electronic transmission of prescriptions on dispensing errors and prescription enhancements made in English community pharmacies: a naturalistic stepped wedge study. <i>BMJ Quality and Safety</i> , <b>2014</b> , 23, 629-38	5.4	20
80	Research into practice: safe prescribing. <i>British Journal of General Practice</i> , <b>2014</b> , 64, 259-61	1.6	3

79	A qualitative study of community pharmacy perceptions of the Electronic Prescriptions Service in England. <i>International Journal of Pharmacy Practice</i> , <b>2014</b> , 22, 440-4	1.7	7
78	Identification of an updated set of prescribing--safety indicators for GPs. <i>British Journal of General Practice</i> , <b>2014</b> , 64, e181-90	1.6	37
77	A qualitative study identifying the cost categories associated with electronic health record implementation in the UK. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2014</b> , 21, e226-31	8.6	9
76	Assessing the safety features of electronic patient medication record systems used in community pharmacies in England. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 78, 401-9	3.8	2
75	Description and process evaluation of pharmacists' interventions in a pharmacist-led information technology-enabled multicentre cluster randomised controlled trial for reducing medication errors in general practice (PINCER trial). <i>International Journal of Pharmacy Practice</i> , <b>2014</b> , 22, 59-68	1.7	5
74	Response to: assessing the harms of polypharmacy requires careful interpretation and consistent definitions. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 78, 672-3	3.8	1
73	An ethnographic study of knowledge sharing across the boundaries between care processes, services and organisations: the contributions to safe hospital discharge. <i>Health Services and Delivery Research</i> , <b>2014</b> , 2, 1-160	1.5	44
72	How do patients contribute to signal detection? : A retrospective analysis of spontaneous reporting of adverse drug reactions in the UK's Yellow Card Scheme. <i>Drug Safety</i> , <b>2013</b> , 36, 199-206	5.1	65
71	Protocol for the New Medicine Service Study: a randomized controlled trial and economic evaluation with qualitative appraisal comparing the effectiveness and cost effectiveness of the New Medicine Service in community pharmacies in England. <i>Trials</i> , <b>2013</b> , 14, 411	2.8	19
70	Undertaking effective medication reviews. <i>InnovAiT</i> , <b>2013</b> , 6, 524-533	0	4
69	Selecting the right drug. <i>InnovAiT</i> , <b>2013</b> , 6, 478-487	0	3
68	Selecting the right dose. <i>InnovAiT</i> , <b>2013</b> , 6, 497-505	0	4
67	Avoiding hazardous prescribing. <i>InnovAiT</i> , <b>2013</b> , 6, 488-496	0	3
66	Providing the right dose instructions. <i>InnovAiT</i> , <b>2013</b> , 6, 506-514	0	3
65	Providing the right medication monitoring. <i>InnovAiT</i> , <b>2013</b> , 6, 515-523	0	3
64	Developing consensus on hospital prescribing indicators of potential harms amenable to decision support. <i>British Journal of Clinical Pharmacology</i> , <b>2013</b> , 76, 797-809	3.8	24
63	The prevalence and nature of prescribing and monitoring errors in English general practice: a retrospective case note review. <i>British Journal of General Practice</i> , <b>2013</b> , 63, e543-53	1.6	71
62	The causes of prescribing errors in English general practices: a qualitative study. <i>British Journal of General Practice</i> , <b>2013</b> , 63, e713-20	1.6	66

61	Safety features and alerts in electronic patient medication record systems used in community pharmacy in England: an exploratory study. <i>Studies in Health Technology and Informatics</i> , <b>2013</b> , 192, 1142-1149	0.5	1
60	Assessing the usability of methods of public reporting of adverse drug reactions to the UK Yellow Card Scheme. <i>Health Expectations</i> , <b>2012</b> , 15, 433-40	3.7	10
59	A pharmacist-led information technology intervention for medication errors (PINCER): a multicentre, cluster randomised, controlled trial and cost-effectiveness analysis. <i>Lancet, The</i> , <b>2012</b> , 379, 1310-9	4.0	241
58	Persistent frequent attenders in primary care: costs, reasons for attendance, organisation of care and potential for cognitive behavioural therapeutic intervention. <i>BMC Family Practice</i> , <b>2012</b> , 13, 39	2.6	31
57	An embedded longitudinal multi-faceted qualitative evaluation of a complex cluster randomized controlled trial aiming to reduce clinically important errors in medicines management in general practice. <i>Trials</i> , <b>2012</b> , 13, 78	2.8	29
56	Bayesian cohort and cross-sectional analyses of the PINCER trial: a pharmacist-led intervention to reduce medication errors in primary care. <i>PLoS ONE</i> , <b>2012</b> , 7, e38306	3.7	7
55	Isolated popliteus tendon avulsion. <i>Current Orthopaedic Practice</i> , <b>2012</b> , 23, 72-74	0.4	2
54	Community falls prevention for people who call an emergency ambulance after a fall: an economic evaluation alongside a randomised controlled trial. <i>Age and Ageing</i> , <b>2012</b> , 41, 635-41	3	24
53	How patient reporters identify adverse drug reactions: a qualitative study of reporting via the UK Yellow Card Scheme. <i>Drug Safety</i> , <b>2011</b> , 34, 429-36	5.1	24
52	Exploring community pharmacists' perceptions of their professional relationships with physicians, in Canada and the Netherlands. <i>International Journal of Pharmacy Practice</i> , <b>2011</b> , 7, 149-158	1.7	13
51	The issue of territoriality between pharmacists and physicians in primary care. <i>International Journal of Pharmacy Practice</i> , <b>2011</b> , 10, 69-75	1.7	5
50	Complications of bone graft harvest from the anterior and posterior ilium and the proximal tibia. <i>Current Orthopaedic Practice</i> , <b>2011</b> , 22, 443-446	0.4	3
49	Polypharmacy: one of the greatest prescribing challenges in general practice. <i>British Journal of General Practice</i> , <b>2011</b> , 61, 83-4	1.6	68
48	Development of prescribing-safety indicators for GPs using the RAND Appropriateness Method. <i>British Journal of General Practice</i> , <b>2011</b> , 61, e526-36	1.6	54
47	The importance of direct patient reporting of suspected adverse drug reactions: a patient perspective. <i>British Journal of Clinical Pharmacology</i> , <b>2011</b> , 72, 806-22	3.8	59
46	Evaluation of fever in the immediate postoperative period in patients who underwent total joint arthroplasty. <i>Journal of Arthroplasty</i> , <b>2011</b> , 26, 1404-8	4.4	30
45	Patient views and experiences of making adverse drug reaction reports to the Yellow Card Scheme in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2011</b> , 20, 523-31	2.6	31
44	Analysis of pharmacist-patient communication using the Calgary-Cambridge guide. <i>Patient Education and Counseling</i> , <b>2011</b> , 83, 423-31	3.1	63

43	Prescribing errors in general practice and how to avoid them. <i>Clinical Risk</i> , <b>2011</b> , 17, 39-42		5
42	Planned implementations of ePrescribing systems in NHS hospitals in England: a questionnaire study. <i>JRSM Short Reports</i> , <b>2010</b> , 1, 33		14
41	A review of human factors principles for the design and implementation of medication safety alerts in clinical information systems. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2010</b> , 17, 493-501	8.6	157
40	Adverse drug reaction reporting in the UK: a retrospective observational comparison of yellow card reports submitted by patients and healthcare professionals. <i>Drug Safety</i> , <b>2010</b> , 33, 775-88	5.1	75
39	Use of over-the-counter medicines in children. <i>International Journal of Pharmacy Practice</i> , <b>2010</b> , 11, 209-215		11
38	Description of a multifaceted strategy for recruiting general practitioners and community pharmacists to talk about medication errors. <i>International Journal of Pharmacy Practice</i> , <b>2010</b> , 14, 205-209	1.7	3
37	Protocol for the PINCER trial: a cluster randomised trial comparing the effectiveness of a pharmacist-led IT-based intervention with simple feedback in reducing rates of clinically important errors in medicines management in general practices. <i>Trials</i> , <b>2009</b> , 10, 28	2.8	32
36	What evidence supports the use of computerized alerts and prompts to improve clinicians' prescribing behavior?. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2009</b> , 16, 531-8	8.6	194
35	An assessment of the discriminative ability of the EQ-5Dindex, SF-6D, and EQ VAS, using sociodemographic factors and clinical conditions. <i>European Journal of Health Economics</i> , <b>2008</b> , 9, 237-49	3.6	45
34	A comparison of the performance of the EQ-5D and SF-6D for individuals aged >= 45 years. <i>Health Economics (United Kingdom)</i> , <b>2008</b> , 17, 815-32	2.4	80
33	Prescribing safety in primary care: comparing the United Kingdom and Saudi Arabia. <i>Journal of King Abdulaziz University, Islamic Economics</i> , <b>2008</b> , 29, 1703-10	1.1	2
32	Medication-related clinical decision support in computerized provider order entry systems: a review. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2007</b> , 14, 29-40	8.6	518
31	Evaluation and certification of computerized provider order entry systems. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2007</b> , 14, 48-55	8.6	59
30	Improving general practice computer systems for patient safety: qualitative study of key stakeholders. <i>Quality and Safety in Health Care</i> , <b>2007</b> , 16, 28-33		28
29	Views of glaucoma patients on aspects of their treatment: an assessment of patient preference by conjoint analysis. <i>Investigative Ophthalmology and Visual Science</i> , <b>2006</b> , 47, 2885-8		43
28	Impact of a multimedia intervention "Skinsafe" on patients' knowledge and protective behaviors. <i>Preventive Medicine</i> , <b>2006</b> , 42, 449-54	4.3	34
27	Incidence and possible causes of prescribing potentially hazardous/contraindicated drug combinations in general practice. <i>Drug Safety</i> , <b>2005</b> , 28, 67-80	5.1	60
26	Identifying and establishing consensus on the most important safety features of GP computer systems: e-Delphi study. <i>Journal of Innovation in Health Informatics</i> , <b>2005</b> , 13, 3-12		37

25	Prescribing errors and other problems reported by community pharmacists. <i>Therapeutics and Clinical Risk Management</i> , <b>2005</b> , 1, 333-42	2.9	36
24	Prescribing safety features of general practice computer systems: evaluation using simulated test cases. <i>BMJ, The</i> , <b>2004</b> , 328, 1171-2	5.9	43
23	Risk factors for development of impaired renal function in Type 2 diabetes mellitus patients in primary care. <i>Diabetic Medicine</i> , <b>2004</b> , 21, 1096-101	3.5	7
22	Comparison of five antimicrobial regimens for treatment of mild to moderate inflammatory facial acne vulgaris in the community: randomised controlled trial. <i>Lancet, The</i> , <b>2004</b> , 364, 2188-95	4.0	130
21	General practitioner contacts with older residents in nursing and residential homes. <i>European Journal of General Practice</i> , <b>2003</b> , 9, 141-2	2.8	2
20	Health status and assessed need for a cohort of older people admitted to nursing and residential homes. <i>Age and Ageing</i> , <b>2003</b> , 32, 303-9	3	29
19	Improving the safety features of general practice computer systems. <i>Journal of Innovation in Health Informatics</i> , <b>2003</b> , 11, 203-6		3
18	Interventions in primary care for reducing preventable medication errors that lead to hospital admissions, mortality and emergency department visits <b>2002</b> ,		1
17	Continuity of care in general practice: a survey of patients' views. <i>British Journal of General Practice</i> , <b>2002</b> , 52, 459-62	1.6	61
16	Exploring factors associated with patients' satisfaction with medication change: a questionnaire survey. <i>British Journal of General Practice</i> , <b>2002</b> , 52, 655-7	1.6	
15	Safer medicines management in primary care. <i>British Journal of General Practice</i> , <b>2002</b> , 52 Suppl, S17-22	1.6	26
14	Recognising adverse drug reactions involving the respiratory system. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , <b>2001</b> , 10, 26-27		
13	What can students learn from studying medicine in literature?. <i>Medical Education</i> , <b>2001</b> , 35, 687-90	3.7	14
12	Infant and pre-school child health promotion: what do health visitors and general practitioners think is important and what do they record?. <i>Ambulatory Child Health</i> , <b>2001</b> , 7, 191-201		1
11	Containing prescription costs -consider the whole picture and not just the short-term savings. <i>European Journal of General Practice</i> , <b>2001</b> , 7, 87-88	2.8	
10	A prescription for improvement? An observational study to identify how general practices vary in their growth in prescribing costs. <i>BMJ: British Medical Journal</i> , <b>2000</b> , 321, 276-81		15
9	Age and proximity to death as predictors of GP care costs: results from a study of nursing home patients. <i>Health Economics (United Kingdom)</i> , <b>2000</b> , 9, 733-8	2.4	31
8	Do GPs working in practice with high or low prescribing costs have different views on prescribing cost issues?. <i>British Journal of General Practice</i> , <b>2000</b> , 50, 100-4	1.6	6

7	The impact of nursing home patients on prescribing costs in general practice. <i>Journal of Clinical Pharmacy and Therapeutics</i> , <b>1999</b> , 24, 357-63	2.2	7
6	Original Paper: Contraception trends in Dutch general practice: differences according to socioeconomic status. <i>European Journal of General Practice</i> , <b>1999</b> , 5, 54-58	2.8	3
5	Relation of out of hours activity by general practice and accident and emergency services with deprivation in Nottingham: longitudinal survey. <i>BMJ: British Medical Journal</i> , <b>1998</b> , 316, 520-3		41
4	Prescribing cost savings by GP fundholders: long-term or short-term?. <i>Health Economics (United Kingdom)</i> , <b>1997</b> , 6, 209-11	2.4	5
3	Research skills in departments of general practice. <i>European Journal of General Practice</i> , <b>1996</b> , 2, 62-64	2.8	1
2	Emergency care in general practice. <i>BMJ: British Medical Journal</i> , <b>1995</b> , 310, 6		15
1	Treatment of Common, Minor and Self-Limiting Conditions 16-35		