

Gyorgy Csaba

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1240849/gyorgy-csaba-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168 papers	4,038 citations	31 h-index	58 g-index
186 ext. papers	4,673 ext. citations	3.1 avg, IF	5.49 L-index

#	Paper	IF	Citations
168	Nanomagnetic Logic: From Devices to Systems. <i>Computer Architecture and Design Methodologies</i> , 2023 , 107-143	0.2	
167	Nanoscale neural network using non-linear spin-wave interference. <i>Nature Communications</i> , 2021 , 12, 6422	17.4	18
166	Experimental demonstration of a concave grating for spin waves in the Rowland arrangement. <i>Scientific Reports</i> , 2021 , 11, 14239	4.9	6
165	The 2021 Magnonics Roadmap. <i>Journal of Physics Condensed Matter</i> , 2021 , 33,	1.8	69
164	Characterization of nonlinear spin-wave interference by reservoir-computing metrics. <i>Applied Physics Letters</i> , 2021 , 119, 112403	3.4	6
163	Efficient electromagnetic transducers for spin-wave devices. <i>Scientific Reports</i> , 2021 , 11, 18378	4.9	5
162	Nanomagnet Logic: Computing by magnetic ordering. <i>IEEE Nanotechnology Magazine</i> , 2020 , 14, 6-13	1.7	2
161	Noise Immunity of Oscillatory Computing Devices. <i>IEEE Journal on Exploratory Solid-State Computational Devices and Circuits</i> , 2020 , 6, 164-169	2.4	1
160	Coupled oscillators for computing: A review and perspective. <i>Applied Physics Reviews</i> , 2020 , 7, 011302	17.3	63
159	Distance Computation Based on Coupled Spin-Torque Oscillators: Application to Image Processing. <i>Physical Review Applied</i> , 2020 , 14,	4.3	4
158	Magnetization switching using topological surface states. <i>Science Advances</i> , 2019 , 5, eaaw3415	14.3	33
157	Roadmap on all-optical processing. <i>Journal of Optics (United Kingdom)</i> , 2019 , 21, 063001	1.7	63
156	. <i>Proceedings of the IEEE</i> , 2019 , 107, 73-89	14.3	30
155	Design of a 40-nm CMOS integrated on-chip oscilloscope for 5-50 GHz spin wave characterization. <i>AIP Advances</i> , 2018 , 8, 056001	1.5	3
154	Robustness of majority gates based on nanomagnet logic. <i>Journal of Magnetism and Magnetic Materials</i> , 2018 , 460, 432-437	2.8	5
153	Speeding up nanomagnetic logic by DMI enhanced Pt/Co/Ir films. <i>AIP Advances</i> , 2018 , 8, 056310	1.5	13
152	On the discrimination between nucleation and propagation in nanomagnetic logic devices. <i>AIP Advances</i> , 2018 , 8, 056003	1.5	3

151	Computing with Coupled Oscillators: Theory, Devices, and Applications 2018 ,		9
150	Waveguides as sources of short-wavelength spin waves for low-energy ICT applications. <i>European Physical Journal B</i> , 2018 , 91, 1	1.2	7
149	. <i>IEEE Magnetism Letters</i> , 2018 , 9, 1-5	1.6	7
148	Simulation of coupled spin torque oscillators for pattern recognition. <i>Journal of Applied Physics</i> , 2018 , 124, 152128	2.5	7
147	Experiment-based thermal micromagnetic simulations of the magnetization reversal for ns-range clocked nanomagnetic logic. <i>AIP Advances</i> , 2017 , 7, 056625	1.5	2
146	Perspectives of using spin waves for computing and signal processing. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2017 , 381, 1471-1476	2.3	104
145	Design of a CMOS integrated on-chip oscilloscope for spin wave characterization. <i>AIP Advances</i> , 2017 , 7, 056016	1.5	7
144	Study of switching behavior of exchange-coupled nanomagnets by transverse magnetization metrology. <i>AIP Advances</i> , 2017 , 7, 056321	1.5	3
143	Nanoscale spectrum analyzer based on spin-wave interference. <i>Scientific Reports</i> , 2017 , 7, 9245	4.9	31
142	Design of On-Chip Readout Circuitry for Spin-Wave Devices. <i>IEEE Magnetism Letters</i> , 2017 , 8, 1-4	1.6	8
141	Implementation of a Nanomagnet Full Adder Circuit 2017 , 765-777		
140	Exchange coupling between laterally adjacent nanomagnets. <i>Nanotechnology</i> , 2016 , 27, 395202	3.4	6
139	Spin-orbit torque-assisted switching in magnetic insulator thin films with perpendicular magnetic anisotropy. <i>Nature Communications</i> , 2016 , 7, 12688	17.4	71
138	A monolithic 3D integrated nanomagnetic co-processing unit. <i>Solid-State Electronics</i> , 2016 , 115, 74-80	1.7	16
137	Nanopatterning reconfigurable magnetic landscapes via thermally assisted scanning probe lithography. <i>Nature Nanotechnology</i> , 2016 , 11, 545-551	28.7	97
136	Shape-Dependent Switching Behavior of Exchange-Coupled Nanomagnet Stacks. <i>IEEE Transactions on Magnetism</i> , 2016 , 52, 1-5	2	2
135	Neural network based on parametrically-pumped oscillators 2016 ,		7
134	Design of an ultra-wideband low-noise amplifier for spin wave readout circuitry in 65 nm CMOS technology 2016 ,		1

133	Spin wave eigenmodes in single and coupled sub-150 nm rectangular permalloy dots. <i>Journal of Applied Physics</i> , 2015 , 117, 17A316	2.5	8
132	Fabrication of pseudo-spin-valve giant magnetoresistance arrays for nanomagnet logic by liftoff and the snow-jet process. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2015 , 33, 022801	1.3	1
131	Towards nonvolatile magnetic crossbar arrays: A three-dimensional-integrated field-coupled domain wall gate with perpendicular anisotropy. <i>Journal of Applied Physics</i> , 2015 , 117, 17D507	2.5	5
130	Error analysis for ultra dense nanomagnet logic circuits. <i>Journal of Applied Physics</i> , 2015 , 117, 17A906	2.5	8
129	Physical Implementation of Coherently Coupled Oscillator Networks. <i>IEEE Journal on Exploratory Solid-State Computational Devices and Circuits</i> , 2015 , 1, 76-84	2.4	30
128	Low-power 3D integrated ferromagnetic computing 2015 ,		4
127	Towards nanomagnetic logic systems: A programmable arithmetic logic unit for systolic array-based computing (Invited) 2015 ,		1
126	Coherent precession in arrays of dipolar-coupled soft magnetic nanodots. <i>Journal of Applied Physics</i> , 2015 , 117, 243905	2.5	7
125	Non-boolean computing based on linear waves and oscillators 2015 ,		8
124	Edge-Mode Resonance-Assisted Switching of Nanomagnet Logic Elements. <i>IEEE Transactions on Magnetics</i> , 2015 , 51, 1-4	2	9
123	Coupled-Oscillator Associative Memory Array Operation for Pattern Recognition. <i>IEEE Journal on Exploratory Solid-State Computational Devices and Circuits</i> , 2015 , 1, 85-93	2.4	88
122	Device-level compact modeling of perpendicular Nanomagnetic Logic for benchmarking purposes 2015 ,		3
121	Analog circuits based on the synchronization of field-line coupled spin-torque oscillators 2015 ,		1
120	Hybrid yttrium iron garnet-ferromagnet structures for spin-wave devices. <i>Journal of Applied Physics</i> , 2015 , 117, 17E101	2.5	12
119	Compensation of orange-peel coupling effect in magnetic tunnel junction free layer via shape engineering for nanomagnet logic applications. <i>Journal of Applied Physics</i> , 2014 , 115, 17B902	2.5	11
118	Cellular Automata designs for out of plane Nanomagnet Logic 2014 ,		1
117	Holographic algorithms for on-chip, non-boolean computing 2014 ,		1
116	Contiguous clock lines for pipelined nanomagnet logic. <i>Journal of Computational Electronics</i> , 2014 , 13, 763-768	1.8	1

115	Dynamic coupling of spin torque oscillators for associative memories 2014 ,		1
114	Towards on-chip clocking of perpendicular Nanomagnetic Logic. <i>Solid-State Electronics</i> , 2014 , 102, 46-51	1.7	21
113	Majority logic gate for 3D magnetic computing. <i>Nanotechnology</i> , 2014 , 25, 335202	3.4	51
112	Threshold Gate-Based Circuits From Nanomagnetic Logic. <i>IEEE Nanotechnology Magazine</i> , 2014 , 13, 990-996	2.6	11
111	Nanomagnet Logic: A Magnetic Implementation of Quantum-dot Cellular Automata 2014 , 417-442		0
110	1-Bit Full Adder in Perpendicular Nanomagnetic Logic using a Novel 5-Input Majority Gate. <i>EPJ Web of Conferences</i> , 2014 , 75, 05001	0.3	24
109	Spin-wave-based computing devices 2014 ,		3
108	Domain wall assisted ordering of coupled nanomagnets. <i>Journal of Applied Physics</i> , 2014 , 115, 17D510	2.5	1
107	Compact modeling of perpendicular nanomagnetic logic based on threshold gates. <i>Journal of Applied Physics</i> , 2014 , 115, 17D104	2.5	11
106	Signal crossing in perpendicular nanomagnetic logic. <i>Journal of Applied Physics</i> , 2014 , 115, 17E510	2.5	27
105	Controlled domain wall pinning in nanowires with perpendicular magnetic anisotropy by localized fringing fields. <i>Journal of Applied Physics</i> , 2014 , 115, 17D506	2.5	12
104	Spin-wave based realization of optical computing primitives. <i>Journal of Applied Physics</i> , 2014 , 115, 17C7415	4.5	53
103	Nanomagnet Logic Gate With Programmable-Electrical Input. <i>IEEE Transactions on Magnetics</i> , 2014 , 50, 1-4	2	3
102	Domain-Wall-Assisted Switching of Chains of Coupled Nanomagnets. <i>IEEE Transactions on Magnetics</i> , 2014 , 50, 1-4	2	2
101	Nanomagnet Logic (NML). <i>Lecture Notes in Computer Science</i> , 2014 , 21-32	0.9	2
100	Nanomagnet Logic (NML). <i>Lecture Notes in Computer Science</i> , 2014 , 21-32	0.9	9
99	Development of CAD tools for nanomagnetic logic devices. <i>International Journal of Circuit Theory and Applications</i> , 2013 , 41, 634-645	2	15
98	Physical unclonable functions based on crossbar arrays for cryptographic applications. <i>International Journal of Circuit Theory and Applications</i> , 2013 , 41, 619-633	2	15

97	Computational Study of Spin-Torque Oscillator Interactions for Non-Boolean Computing Applications. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 4447-4451	2	40
96	Experimental Realization of a Nanomagnet Full Adder Using Slanted-Edge Magnets. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 4452-4455	2	37
95	Experimental Demonstration of a 1-Bit Full Adder in Perpendicular Nanomagnetic Logic. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 4464-4467	2	54
94	Demonstration of Field-Coupled Input Scheme on Line of Nanomagnets. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 4460-4463	2	3
93	Towards a Signal Crossing in Double-Layer Nanomagnetic Logic. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 4468-4471	2	29
92	Switching Behavior of Sharply Pointed Nanomagnets for Logic Applications. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 3549-3552	2	12
91	Minimum-energy state guided physical design for nanomagnet logic 2013 ,		3
90	A Nanomagnet Logic Field-Coupled Electrical Input. <i>IEEE Nanotechnology Magazine</i> , 2013 , 12, 734-742	2.6	5
89	Nanomagnet Fabrication Using Nanoimprint Lithography and Electrodeposition. <i>IEEE Nanotechnology Magazine</i> , 2013 , 12, 547-552	2.6	6
88	Systolic Pattern Matching Hardware With Out-of-Plane Nanomagnet Logic Devices. <i>IEEE Nanotechnology Magazine</i> , 2013 , 12, 399-407	2.6	30
87	Nanomagnetic logic clocked in the MHz regime 2013 ,		18
86	Information transport in field-coupled nanomagnetic logic devices. <i>Journal of Applied Physics</i> , 2013 , 113, 17B902	2.5	25
85	Closely spaced nanomagnets by dual e-beam exposure for low-energy nanomagnet logic. <i>Journal of Applied Physics</i> , 2013 , 113, 17B904	2.5	4
84	Power reduction in nanomagnet logic using high-permeability dielectrics. <i>Journal of Applied Physics</i> , 2013 , 113, 17B906	2.5	6
83	Domain wall gate for magnetic logic and memory applications with perpendicular anisotropy 2013 ,		5
82	Exploring the Design of the Magnetic/Electrical Interface for Nanomagnet Logic. <i>IEEE Nanotechnology Magazine</i> , 2013 , 12, 203-214	2.6	8
81	Programmable Input for Nanomagnetic Logic Devices. <i>EPJ Web of Conferences</i> , 2013 , 40, 16007	0.3	8
80	Majority Gate for Nanomagnetic Logic With Perpendicular Magnetic Anisotropy. <i>IEEE Transactions on Magnetics</i> , 2012 , 48, 4336-4339	2	71

79	Simulation of Magnetization Reversal and Domain-Wall Trapping in Submicron Permalloy Wires With Different Wire Geometries. <i>IEEE Nanotechnology Magazine</i> , 2012 , 11, 682-686	2.6	14
78	Nanomagnet Logic from Partially Irradiated Co/Pt Nanomagnets. <i>IEEE Nanotechnology Magazine</i> , 2012 , 11, 97-104	2.6	21
77	An Associative Memory with oscillatory CNN arrays using spin torque oscillator cells and spin-wave interactions architecture and End-to-end Simulator 2012 ,		14
76	Design of a systolic pattern matcher for Nanomagnet Logic 2012 ,		3
75	Boolean and non-boolean nearest neighbor architectures for out-of-plane nanomagnet logic 2012 ,		8
74	Spin torque oscillator models for applications in associative memories 2012 ,		26
73	Synchronization in cellular spin torque oscillator arrays 2012 ,		12
72	Modeling of coupled spin torque oscillators for applications in associative memories 2012 ,		14
71	Making non-volatile nanomagnet logic non-volatile 2012 ,		6
70	Controlled reversal of Co/Pt Dots for nanomagnetic logic applications. <i>Journal of Applied Physics</i> , 2012 , 111, 07A715	2.5	39
69	Switching behavior of lithographically fabricated nanomagnets for logic applications. <i>Journal of Applied Physics</i> , 2012 , 111, 07B911	2.5	17
68	Clocking magnetic field-coupled devices by domain walls. <i>Journal of Applied Physics</i> , 2012 , 111, 07E337	2.5	10
67	Electrical input structures for nanomagnetic logic devices. <i>Journal of Applied Physics</i> , 2012 , 111, 07E341	2.5	15
66	Nanomagnetic Logic: Error-Free, Directed Signal Transmission by an Inverter Chain. <i>IEEE Transactions on Magnetics</i> , 2012 , 48, 4332-4335	2	40
65	. <i>IEEE Transactions on Magnetics</i> , 2012 , 48, 3292-3295	2	15
64	Domain-Wall Assisted Switching of Single-Domain Nanomagnets. <i>IEEE Transactions on Magnetics</i> , 2012 , 48, 3563-3566	2	12
63	Characterization of the bistable ring PUF 2012 ,		3
62	Direct Measurement of Magnetic Coupling Between Nanomagnets for Nanomagnetic Logic Applications. <i>IEEE Transactions on Magnetics</i> , 2012 , 48, 4402-4405	2	11

61	Power reduction in nanomagnetic logic clocking through high permeability dielectrics 2012 ,		1
60	Field-coupled computing: Investigating the properties of ferromagnetic nanodots. <i>Solid-State Electronics</i> , 2011 , 65-66, 240-245	1.7	9
59	Linear Circuit Models for On-Chip Quantum Electrodynamics. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2011 , 59, 65-71	4.1	10
58	Nanomagnet logic: progress toward system-level integration. <i>Journal of Physics Condensed Matter</i> , 2011 , 23, 493202	1.8	128
57	Nanomagnetic logic: compact modeling of field-coupled computing devices for system investigations. <i>Journal of Computational Electronics</i> , 2011 , 10, 352-359	1.8	17
56	Applications of High-Capacity Crossbar Memories in Cryptography. <i>IEEE Nanotechnology Magazine</i> , 2011 , 10, 489-498	2.6	48
55	The Bistable Ring PUF: A new architecture for strong Physical Unclonable Functions 2011 ,		119
54	Error analysis of Co/Pt multilayer based Nanomagnetic Logic 2011 ,		2
53	Nanomagnetic Logic: Demonstration of directed signal flow for field-coupled computing devices 2011 ,		27
52	Implementation of a nanomagnetic full adder circuit 2011 ,		28
51	Nanomagnetic logic: Investigations on field-coupled computing devices by experiment-based compact modeling 2011 ,		1
50	CIRCUIT-BASED APPROACHES TO SIMPL SYSTEMS. <i>Journal of Circuits, Systems and Computers</i> , 2011 , 20, 107-123	0.9	7
49	Behavior of Nanomagnet Logic in the presence of thermal noise 2010 ,		61
48	Random pn-junctions for physical cryptography. <i>Applied Physics Letters</i> , 2010 , 96, 172103	3.4	17
47	Development of a highly parallelized micromagnetic simulator on graphics processors 2010 ,		3
46	Computational model of partially irradiated nanodots for field-coupled computing devices 2010 ,		3
45	Ultra-low volume ferromagnetic nanodots for field-coupled computing devices 2010 ,		7
44	On-chip Extraordinary Hall-effect sensors for characterization of nanomagnetic logic devices. <i>Solid-State Electronics</i> , 2010 , 54, 1027-1032	1.7	24

43	Towards Electrical, Integrated Implementations of SIMPL Systems. <i>Lecture Notes in Computer Science</i> , 2010 , 277-292	0.9	15
42	Security Applications of Diodes with Unique Current-Voltage Characteristics. <i>Lecture Notes in Computer Science</i> , 2010 , 328-335	0.9	19
41	Molecular Electronics: Challenges and Perspectives. <i>Nanostructure Science and Technology</i> , 2010 , 1-40	0.9	1
40	Field-coupled nanomagnets for interconnect-free nonvolatile computing 2009 ,		29
39	Modeling of circuits and architectures for molecular electronics. <i>Journal of Computational Electronics</i> , 2009 , 8, 410-426	1.8	2
38	Clocking Schemes for Field Coupled Devices from Magnetic Multilayers 2009 ,		15
37	Conjugated 12 nm long oligomers as molecular wires in nanoelectronics. <i>Journal of Materials Chemistry</i> , 2009 , 19, 3899		25
36	Characterizing magnetic field-coupled computing devices by the Extraordinary Hall-effect 2009 ,		7
35	Read-Out Design Rules for Molecular Crossbar Architectures. <i>IEEE Nanotechnology Magazine</i> , 2009 , 8, 369-374	2.6	32
34	Low Temperature Rectifying Junctions for Crossbar Non-Volatile Memory Devices 2009 ,		19
33	Magnetic Ordering of Focused-Ion-Beam Structured Cobalt-Platinum Dots for Field-Coupled Computing. <i>IEEE Nanotechnology Magazine</i> , 2008 , 7, 316-320	2.6	38
32	Extraordinary Hall-effect sensor in split-current design for readout of magnetic field-coupled logic devices 2008 ,		6
31	Field-coupled computing in magnetic multilayers. <i>Journal of Computational Electronics</i> , 2008 , 7, 454-457	1.8	22
30	Simulation of ZnO diodes for application in non-volatile crossbar memories. <i>Journal of Computational Electronics</i> , 2008 , 7, 146-150	1.8	22
29	Analysis of the hysteretic behavior of silicon nanowire transistors. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008 , 5, 27-30		8
28	Magnetic Quantum-Dot Cellular Automata: Recent Developments and Prospects. <i>Journal of Nanoelectronics and Optoelectronics</i> , 2008 , 3, 55-68	1.3	90
27	Simulation of Coplanar Devices Accessing Nano Systems. <i>Springer Proceedings in Physics</i> , 2008 , 361-374	0.2	
26	Circuit modelling of coupling between nanosystems and microwave coplanar waveguides. <i>International Journal of Circuit Theory and Applications</i> , 2007 , 35, 315-324	2	7

25	Activity in field-coupled nanomagnet arrays. <i>International Journal of Circuit Theory and Applications</i> , 2007 , 35, 281-293	2	47
24	The simulation of molecular and organic devices: a critical review and look at future developments. <i>Applied Physics A: Materials Science and Processing</i> , 2007 , 87, 593-598	2.6	6
23	Micromagnetic simulation of current-driven domain wall propagation. <i>Journal of Computational Electronics</i> , 2007 , 6, 121-124	1.8	2
22	Circuit modeling of flux qubits interacting with superconducting waveguides. <i>Journal of Computational Electronics</i> , 2007 , 6, 105-108	1.8	1
21	Design and Simulation of Novel Architectures for Nanodevices 2007 ,		1
20	Focused ion beam structured Co/Pt multilayers for field-coupled magnetic computing. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 998, 1		6
19	Flux-Closure Magnetic States in Triangular Cobalt Ring Elements. <i>IEEE Transactions on Magnetics</i> , 2006 , 42, 3641-3644	2	15
18	Magnetic Quantum-Dot Cellular Automata (MQCA) 2006 , 269-276		7
17	Majority logic gate for magnetic quantum-dot cellular automata. <i>Science</i> , 2006 , 311, 205-8	33.3	748
16	Field-coupled nanomagnets for logic applications 2005 , 5838, 162		3
15	Magnetic QCA systems. <i>Microelectronics Journal</i> , 2005 , 36, 619-624	1.8	77
14	Simulation of Power Gain and Dissipation in Field-Coupled Nanomagnets. <i>Journal of Computational Electronics</i> , 2005 , 4, 105-110	1.8	56
13	The role of field coupling in nano-scale cellular nonlinear networks. <i>International Journal of Neural Systems</i> , 2003 , 13, 387-95	6.2	2
12	Restoration of Magnetization Distributions from Joint Magnetic Force Microscopy Measurements and Micromagnetic Simulations. <i>Journal of Computational Electronics</i> , 2003 , 2, 225-229	1.8	3
11	Investigation of shape-dependent switching of coupled nanomagnets. <i>Superlattices and Microstructures</i> , 2003 , 34, 513-518	2.8	54
10	A computing architecture composed of field-coupled single domain nanomagnets clocked by magnetic field. <i>International Journal of Circuit Theory and Applications</i> , 2003 , 31, 67-82	2	54
9	Controlled domain wall motion in micron-scale permalloy square rings. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2003 , 19, 240-245	3	18
8	Simulation of Field Coupled Computing Architectures Based on Magnetic Dot Arrays. <i>Journal of Computational Electronics</i> , 2002 , 1, 87-91	1.8	49

7	Nanocomputing by field-coupled nanomagnets. <i>IEEE Nanotechnology Magazine</i> , 2002 , 1, 209-213	2.6	159
6	Computing architecture composed of next-neighbour-coupled optically pumped nanodevices. <i>International Journal of Circuit Theory and Applications</i> , 2001 , 29, 73-91	2	13
5	Nanomagnetic logic: from magnetic ordering to magnetic computing301-334		5
4	Investigation of antiferromagnetic ordering along chains of coupled nanomagnets		5
3	Application of mesoscopic magnetic rings for logic devices		6
2	Power dissipation in nanomagnetic logic devices		16
1	Nanosession: Logic Devices and Circuit Design185-195		